Reports - Sanitary. No. 49.

MINISTRY OF THE INTERIOR, EGYPT.

DEPARTMENT OF PUBLIC HEALTH.

ANNUAL REPORT

FOR

1919.




CAIRÓ. GOVERNMENT PRESS.

To be obtained, either directly or through any Bookseller, from the GOVERNMENT PUBLICATIONS OFFICE, Old Ismailia Palace, Sharia Qasr el CAini, Cairo.

1921.





. .

,

`

.

.

Digitized by the Internet Archive in 2019 with funding from Wellcome Library

DEPARTMENT OF PUBLIC HEALTH.



ANNUAL REPORT

FOR

1919.

CAIRO.

GOVERNMENT PRESS.

To be obtained, either directly or through any Bookseller, from the GOVERNMENT PUBLICATIONS OFFICE, Old Ismailia Palace, Sharia Qasr el CAini, Cairo.

Ann Rep

.

CONTENTS.

NTRODII	CTORY NOTE															P	AGE
		•••	•••	• • •	• • •	• • •	• • •	•••	•••	• • •	•••	• • •	• • •	•••	•••	•••	1
I.—]	REPORT ON SE																
	1.—Vital St	atistics	•••	•••		• • •	• • •			• • •	• • •	• • •	• • •	• • •	• • •	• • •	14
	2.—Unhealt	hy, Incon	venient,	and.	Dang	gerou	s Es	stabli	shme	ents	• • •	• • •	• • •	• • •	• • •	• • •	14
	3.—Cemeter																
		Cemeterio				• • •	• • •	• • •	• • •	• • •	• • •	• • •	• • •	• • •	• • •	• • •	22
	4.— <i>Birkas</i>	Private T	tomos	• • •	• • •	•••	• • •	• • •	• •		• • •	• • •	• • •	• • •	• • •	• • •	23
	5.—Mosques							• • •	•••	• • •	• • •	• • •	• • •	• • •	• • •	• • •	23 24
	6.—Protecti	on of Dri	nking W	ater	• • •	• • •	• • •	•••	• • •	• • •	• • •	• • • •	• • •	• • •	• • •	• • •	$\frac{24}{24}$
	7.—Slaught								• • •	• • •	• • •	• • •	• • •		• • •	•••	$\frac{24}{24}$
	8.—Dépotoir									• • •		• • •	• • •				24
	9.—Prostitu	ition	•••	• • •	• • •		• • •	• • •	• • •				• • •		• • •	• • •	24
	10.—Medico-	legal Exai	mination	s and	l Rep	ports	• • •	• • •	• • •	• • •	• • •		• • •	• • •	• • •	• • •	26
II.—I	REPORT ON SE	ection II	:														
	1.—-General	Hospitals					• • •	• • •	• • •								27
	2.—Governi											• • •	• • •	• • •	• • •	• • •	36
	3.—Children	's Dispen	saries	• • •			• • •		• • •	• • •			• • •	• • •	• • • •	• • •	37
	3.—Children 4.—Schools	for $Dayas$	and Ma	ternit	ty H	omes	• • •	• • •	• • •				• • •	• • •	•••		39
*** *					ŭ												
111.—1	REPORT ON SE	CTION 111	. :														
	Ophthalmic	Hospitals	5	• • •				• • •		• • •		• • •			• • •		42
IV1	Report on Se	CTION IV	•														
14. 1							•										
	1.—Infectio			• • •	• • • •	• • •	• • •	• • •	• • •	.* • •	• • •	• • •	• • •	• • •	• • •	• • •	44
	2.—Pilgrima 3.— <i>Mûlid</i> s		•••			•••	• • •		• • •			• • •	• • •	• • •	• • •	• • •	56
	4.—Barbers		•••		• • 5			• • •	• • •	• • •	• • •	• • •	• • •	• • •	• • •	• • •	56 56
	5.—Passeng											• • •			• • •	• • •	
₹// T	REPORT ON P		Ü									•••	•••	•••	•••	•••	
V .—-1					TORI	ES:	_										
	1Introduc				• • •	• • •	• • •	• • •	• • •	• • •	• • •	• • •	• • •	• • •	• • •	• • •	59
	2.—Bacteric 3.—Chemica					• • •	• • •	• • •	• • •	• • •	• • •	• • •	• • •	• • •	• • •	• • •	60
	4.—Water S		•••			•••	• • •	• • •		• • •		• • •		• • •	• • •	• • •	62
	5.—Vaccine							• • •		• • •		• • •	• • •	• • •	• • •	• • •	63 63
	6.—Šerum (entrifugir	ng Labor	atorv	7	•••		• • •				• • •	• • •	• • •		• • •	66
•	7.—Antirab	ic Institut	6e	•••	• • •	•••								• • •			66
	Appendix I.	-Note or	n the D	esiral	bility	of I	Exte	endin	g th	e Fa	cilit	ies fe	or Ba	acter	iolog	ical	
	Dia Dia	agnosis to	Certain	Town	is in	the E	rov	inces	• • •		• • •				• • • •	* * *	70
	Appendix II	${ m IReport}$	t on the	-Wo	rk ca	arried	. ou	t by	the	Bac	terio	logic	al L	abor	atory	at	
	Jed	ldah from	August	11 to	Oct	ober	31,	1919	• • •	• • •	• • •		• • •		• • •	• • •	73
VI.—I	REPORT ON M	EDICAL CC	OMMISSIO:	NS :	-												
	1.—Central	Medical C	ommissio	on		• • •	• • •	• • •				* * *					75
	2.—Provinci	ial Medica	I Commi	ssion	s		• • •	• • •	• • •					• • •	• • •		75
VII.—I	Report on th	E Inspect	TORATE O	оғ Ри	IARM	ACIES		• • •	• • •	* * *	• • •	• • •	• • •	• • •	•••	•••	79
)	ra Carona	Decision														01
V111.—1	REPORT ON TH	E STORES	DRANCH		•••	* * *	• • •	. •••	• • •	• • •	* * *	* * *	* * *	• • •	• • •	• • •	83
IX.—(GENERAL :—																
	1.—Budget	• • • • • •															97
	2.—Staff	* 6 * * * *	•••			• • •				* * *			• • •	• • •	• • •	• • •	96
	3.—Authori	zations to	Practise	e Med	licine	e and	Alli	ied P	rofes	sions	Š	• • •	• • •		• • •	•••	101
	4.—-Legal			•••	•••			•••				• • •	• • •				103

. 4 6

ANNUAL REPORT

OF THE DEPARTMENT OF PUBLIC HEALTH

FOR THE YEAR 1919.

INTRODUCTORY NOTE.

The Department of Public Health in Egypt, although constituted as an "Administration," has remained during the last thirty-four years a dependent subdivision of the Ministry of the Interior, with the result that demands for sanitary reforms have not only not borne the same weight as proposals brought forward by more independent Administrations, but have been forced to pass through the circuitous channels of a lay Ministry before reaching the often not too sympathetic ear of the harassed Financial Adviser.

It had become evident of late years that the financial and social development of Egypt, together with the enlarged scope of the field of sanitary operations, increased responsibilities of health administration, and development of infectious disease work, hospitals, dispensaries, laboratories, and institutes, called for a modification or reorganization of the Sanitary and Medical Services which had been in vogue in 1886.

The outbreak of the great war in 1914 had the effect of postponing any scheme of reorganization, but in 1918 a Commission was assembled to consider this question and made some definite proposals to that end in a carefully prepared and weighty report.

This year, a scheme to place the present Department of Public Health on a different footing in the State hierarchy has been prepared for the consideration of H.E. the High Commissioner and of the Council of Ministers, and there is little doubt but that a change and improvement in the status and constitution of the public health administration in

Egypt will be brought about in the near future.

The political excitement in the spring, culminating in demonstrations, disturbances, and strikes, resulted in a serious set-back to public health work in 1919. Owing to the desertion of non-technical staff and difficulty of supply, isolation hospitals and camps and infectious disease treatment centres had of necessity to be closed down, so that isolated

foci of infection in out-districts and villages, usually easily dealt with, could not be taken in hand and were forcibly left to smoulder and to flare up subsequently in epidemic virulence. Not only the lower-grade personnel quitted their posts and work at out-stations, but even the clerical staffs at Mudîrîya towns and headquarters became so infected with the general excitement that it is to be feared statistical tables and figures suffered and will fail to give reliable statements of work in the different Sections and Departments of the Administration.

Although the great majority of the Egyptian medical staff participated in the national movement and aspirations, to their credit be it said that their sense of public duty, respect for humanitarian principles, and for professional ethics, led them to report their assurance of the continuity of service at hospitals, dispensaries, laboratories, and Public Health offices, at a moment when practically every other branch of the Service had stopped work as a sign of public protest.

The Deputy Director-General, recalled from military service at the end of November 1918, was definitely appointed Director-General early in 1919, and Dr. J. Ferguson Lees,

Medical Officer of Health, Cairo, was promoted to the post of Deputy Director-General,

Dr. P. G. S. Williams succeeding him in the important post at Cairo.

Successive Directors-General and sanitary authorities in Egypt have so frequently and recurrently dwelt on the necessity for sanitary reform and reorganization that it would seem like flogging a dead horse to make further reference to the subject were it not that at last a rift in the cloud of apathy and indifference is showing, which, it is to be hoped, will spread and permit of sufficient illumination to allow the arguments and requirements of the Department of Public Health to stand out clearly for judgment and fair consideration. A short recapitulation of the demands that have been made includes:—

- (1) The raising of the status of the Department by making it either a Ministry or placing it as the most important division under an Under-Secretary in the Ministry of the Interior.
 - (2) Co-ordination of all State Medical Services under one control.

(3) Increase of efficient personnel, to ensure inspection.

- (4) Better pay for Government Medical Officers, whose whole-time services will be required, no private practice being allowed, thus opening up a career for Medical Officers of Health as apart from medical practitioners.
 - (5) Better registration of vital statistics: births, deaths, and infectious diseases.

(6) Establishment of a Public Health and Consultative Board.

- (7) Linking of the Quarantine Service to the Epidemic Section of the Department of Public Health.
- (8) Establishment of post-graduate courses in hygiene and bacteriology, ophthalmology, lunacy, medico-legal work, meat inspection, food adulteration, etc.

(9) Development of maternity and children's welfare centres.

(10) Increase of schools for nurses and midwives.

(11) Erection of infectious diseases hospitals or hutments in every Markaz.

(12) Control of abattoirs and slaughtering.

The signs that at long last a sympathetic hearing of these wants is to be obtained lies in the fact that:—

Improved status is promised.

The Board of Health has been established.

Preferential consideration by the Cadre Commission as regards pay of doctors is promised.

The reorganization of the Medical School, with increased output of doctors, has been undertaken.

The importance of dispensaries and *Dayas* schools has been recognized and new child welfare centres will be opened.

The serious study of a scheme for local government is a line hand.

The utmost apathy concerning the sanitation and conservancy of villages continues to exist amongst the people, but progress is being made, thanks largely to the efforts of the Municipalities and Local Commissions Section of the Ministry of the Interior, in the gradual

installation of water supplies to the different towns and villages.

It is evident that the Central Treasury cannot bear the expense of even the simplest and most elementary measures that could be undertaken for the sanitary improvement of the conditions pertaining in Egyptian villages. Such improvement must be carried out by local effort. Dr. P. G. S. Williams shows this clearly in a paper prepared for the Public Health Commission above referred to, in which he enumerates essential requirements as:—

(1) Sweeping and scavenging and watering of streets.

(2) Provision of public latrines.

(3) Disposal of garbage and excreta.

(4) Provision of pure drinking water supply.

(5) The filling in of birkas and borrow pits.

There are 3,600 odd villages in Egypt. Taking No. 1 of the above enumeration and supposing that one *rais* and one sweeper only were appointed and paid by Government for scavenging work, at present rates of pay these men's wages would be, at least, *rais*

P.T. 12 daily and sweeper P.T. 8 daily, *i.e.* L.E. 72 yearly, making L.E. $72 \times 3,600 = \text{L.E.} 259,200$ annual cost, which would not include the equipment and material, such as brushes, baskets, barrows, handcarts, water-carriers, etc. Such a small staff would, of course, be inadequate for hundreds of places, for there are nearly 1,400 villages with a population of between 2,000 and 5,000 people, 350 villages with populations between 5,000 and 10,000, and 41 villages with populations between 10,000 and 20,000.

It is unnecessary to labour the point to show the inability of a Central Government

Treasury to meet even primary sanitary needs in villages.

The sole solution is the setting up of a form of local government with local taxation and statutory obligation to undertake sanitation under the guidance and control of the

Public Health authority.

Fortunately, Egypt has not only suffered less than other countries during the period of the war, but has, by her geographical position and by her agricultural products, had the opportunity of amassing riches in dealing with the armies stationed in or passing through her territory during that period, so that it is to be expected that a considerable sum will be available and will be applied to the need of sanitary improvement.

The budgetary proposals put forward by the Department for 1919–1920 have been cut down to the narrowest limits in the expectation that the old organization of 1886, which had become effete and, if continued, presented little opportunity for development and improvement in a modern health organization, will give place to a complete change

of status and power in the State.

The comparative budgetary figures for the last three years may be of interest:—

								L.E.
Financial	year	1918–1919		 • • •	 	• • •	• • •	 527,205
		1919-1920						
,,	,,	1920-1921	• • •	 	 •••			 720,425

The figures for 1920-1921 are, of course, estimated. The total budget of the Administration would have appeared much larger but for the fact that sums amounting to over L.E. 80,000 for the Scavenging and Watering Service of Cairo, and the upkeep, etc., of all buildings have been transferred to the budget of the Ministry of Public Works.

The Board of Health, which was set up by legal enactment during the year, is composed of:—

Director-General.

Deputy Director-General.

Director, Public Health Laboratories.

Director, Section I (General Sanitation).

Director, Section II (General Hospitals).

Director, Section III (Ophthalmic).

Director, Section IV (Epidemics).

Medical Officer of Health, Cairo City.

with power to call in or co-opt attending members, native and European, as occasion requires. Egyptian members of the staff are always present at Board meetings. All questions of public health policy, proposals for new laws and decrees, research questions, campaign plans against particular diseases, etc., are discussed.

The Central Medical Commission, with its branches in London and Paris, and the Egyptian provinces, was re-transferred from the Ministry of Finance to the Department

of Public Health.

During the year, the Scavenging and Watering Service of the City of Cairo was detached from the Department of Public Health and handed over to the Ministry of Public Works with the idea that the Department responsible for making and repairing the roads, etc., was best qualified to attend to the cleaning and watering of them. It is, however, part of the duty of the Medical Officer of the District concerned to keep an eye on the work and report if not satisfactorily done.

WATER SUPPLIES AND DRAINAGE.

Water Supplies.

The following table shows the various water supply systems in existence throughout the country:—

Town.				Type of Installation.	Source of Supply. ApproximateOut in Cubic Metre per Day.
iltered Water Su	nnlie	28 •	-		
Cairo	PP			Jewell	River Nile 60,000
Gîza	• • •	• • •		Slow sand	1740
Me'âdi	• • •	• • •		Mechanical	$ \frac{1,140}{1,140} $
Alexandria				Jewell	Canal 50,000
Port Said				Puech-Chabal	\sim
Suez				,,	\sim
Ismailia				,,	\sim
Mansûra				Jewell	,, 3,000
Damanhûr				,,	,, 1,100
Damietta				,,	,, 1,100
Zagazig				,,	,, 2,000
Benha				,,	,, 700
Beni Suef				,,	River Nile 1,000
					·
Vell Water Supp	lies :				
Zeitun					Wells 2,500
Heliopolis		• • •			\sim
Asyût	• • •				\sim
Tanta		• • •			$ \begin{array}{cccccccccccccccccccccccccccccccccccc$
Minûf		• • •			,, 400
Kafr el Zaiyât				0	\sim
Luxor					,, 360
Tahta				—	,, 450
Zifta					Three stations, two from Nile and 360
					one from artesian well.
Mît Ghamr	•••	• • •	•••		Wells 360
Infiltered Water	Sup	nlies	:		
Aswân	·- ·- <u>I</u> - I				River Nile 850
^	• • •	• • • •	• • • •		TAO
Girga			• • •		450
Sohâg			• • •		240
Manfalût				-	Well (artesian) and canal 300
Mellâwi		• • •			Canal 265
Minya	• • •	• • •			,, 1,000
TG * ^ ^	• • •	•••			,, 400
market a .	• • •		• • •		River Nile 1,220
Bilbeis	• • •	• • •		-	Canal 250
Shibîn el Kôm		• • •			,, 300
Rosetta				-	River until river is sudded, then 130
					storage water only.
Idfu		• • •	• • •	—	River Nile 150
Akhmîm	• • •	• • •	• • •	_	
Term 4 to	• • •	• • •	• • •	—	Canal 40
Biba			• • •		Canal and artesian well 40
Mehalla el Kol		• • •	• • •	—	Canal 150
Manzala	• • •	• • •	• • •	—	Reservoir holding 12,500 cubic —
					metres of unfiltered canal water
					and a small engine with 4-inch

Drainage.

Cairo.—The Disposal Works and Sewage Farm were completed at the end of 1914. Since then a gradual scheme has been worked out extending the system of sewerage to the various quarters of the city. All the public buildings and a very large number of private houses have now been connected. The connections are being pushed on as rapidly as the supply of material will admit.

Port Said.—The Disposal Works and Sewage Farm were completed in 1917. The connections of all public buildings and a good many private houses are finished, but lately it is reported that there has been a falling off in the demands for connection. A drainage law making connection compulsory is badly needed at Port Said.

Suez.—A scheme for the drainage of the town has been approved and the necessary financial grant sanctioned. The contracts for the work are at present being placed.

The scheme consists of liquefying tanks and streaming filters with disposal of the effluent on a sewage farm.

Mansûra.—For this town also a drainage scheme has been approved and the necessary credits granted. The contracts for the work are being put up to tender at present. The scheme is similar to that of Suez.

Drainage Law.—A drainage law has been drafted by representatives of the Department of Public Health and of the Ministry of Public Works. This law makes house connections compulsory in all towns possessing a public drainage system. The law is ready for promulgation, but has been purposely held up owing to the fact that the Ministry of Public Works report that there is such a shortage of the necessary materials in the country at present that it could not be put in force.

The inspection and control of dangerous and noxious trades has been facilitated by the publication in book form of the conditions to be laid down by licensing bodies for different types of establishments. This book has been found to be of great help to the medical,

police, and other authorities whose duty it is to deal with these trades.

Registers in all Health Offices of districts and provinces regarding the particulars of licensed establishments have also been instituted, and Mo'awens (supervisors) appointed to inspect them; it is hoped this extra control will have the effect of raising the standard of cleanliness and general hygienic efficiency.

Steady progress has been made with the work of modernization and repair of the ablutionary and latrine accommodation in both public and private mosques. At the end of the year, 231 mosque latrines, etc., were under repair, and the number closed on account of not coming up to the requirements was 254.

During 1919, a total of twenty-six birkas were filled in, representing an area of nearly

five feddâns.

GENERAL HOSPITALS.

The number of Government hospitals remains the same as last year: twenty-four.

As above noted, the hospital service was considerably interfered with owing to the circumstances which arose in the early part of the year.

The original building programme for general hospitals will be completed with the construction of modern hospitals at Isna and Damietta. The sites, plans, etc., are now ready, and it is expected that the work will be commenced on both of them early in 1920.

The ricketty structural condition of the Qasr el 'Aini Hospital, the impossibility of its maintenance in an effective state of repair, even by large expenditure, and the folly of such expenditure, have formed the subject of reports, engineering and medical, for the last twenty years. The distinguished delegates from the London Royal Colleges of Surgeons and Physicians, who have come to Egypt as visitors for the examining Board in England, have for many years been unanimous in their condemnation of a main teaching hospital which fulfils few or none of the essentials of a modern hospital, and which, by its inadequate spacing and equipment, is no longer suitable for affording a thorough medical and surgical education. Financial considerations have until now precluded the rebuilding of a suitable

institution, but at last a move has been made, a credit has been opened, a committee of practical men medical, engineering, and financial, has been appointed, has selected a site, and plans for a modern hospital of 1,200 beds are to be put to open competition by architects of renown and with experience in modern hospital construction.

The erection of this new hospital will allow of a great extension of the School of Medicine, and of the opening of a Dental School so badly needed in Egypt, together with an

enlargement of the School of Pharmacy.

Messrs. Thos. Cook & Son have generously offered to present their hospital at Luxor—freehold site, building, and equipment—to the Government on certain conditions of upkeep, etc. This hospital, when repaired and opened, will serve the needs of a large district with a population of some 50,000 people.

The time has almost arrived when the provision of further hospital accommodation cannot reasonably be expected from Central Government, but must be met by voluntary subscription and local effort, and it is to be hoped that the Provincial Councils will in future

endeavour to make such provision.

War and post-war conditions have caused a considerable increase in expenditure on the upkeep of hospitals; the sum spent this year was L.E. 185,142, as against L.E. 166,218 in 1918, the cost per bed being L.E. 39.883 milliemes in 1919, as against L.E. 36.588 milliemes in 1918. The utmost economy compatible with efficiency has been exercized.

The figures of the cost per patient per day for the years 1915 to 1919, are as

follows:—

								Milliemes.
1915	• • •	• • •	• • •	• • •		• • •	•••	134
1916	• • •	• • •	• • •	• • •	• • •	• • •	• • •	130
1917	• • •	•••		• • •	• • •	• • •	• • •	131
1918	• • •	• • •		• • •	• • •	• • •	• • •	149
1919	• • •	• • •		• • •	• • •	• • •	• • •	179

The total receipts from hospitals show a decrease of L.E. 5,180 (L.E. 18,079 in 1919 against L.E. 23,278 in 1918). The reduction is due to the diminished number of military patients and to the interruption of communications owing to the political disturbances in the spring.

An increase of the medical staff of the hospitals at Benha, Sohâg, and Qena has been found necessary, and a second medical officer has been appointed at these hospitals. It is intended to make a similar addition to the staffs of the hospitals which continue to be worked by one medical officer. These are Damietta, Aswân, and Isna.

English matrons will also be provided for the hospitals as soon as quarters can be built

for them.

OPHTHALMIC HOSPITALS.

The attendances at the ophthalmic hospitals continue to be most satisfactory and the work carried out by the eighteen hospitals is highly appreciated by the people. Eighteen hospitals existed at the end of 1919, and, of that number, fourteen have been built by public subscription or out of funds provided by the Provincial Councils. Five of the hospitals are travelling camps, which are dotted about the country and remain *in situ* for five or six months at a time, affording ophthalmic relief to quite an extended zone around them.

The annual cost of the whole system of ophthalmic hospitals, including expenses of administration, was L.E. 36,107 in 1919; of this sum, the Provincial Councils provided

L.E. 3,560 for the maintenance of five hospitals.

The two chief diseases dealt with are trachoma and acute contagious ophthalmia, the latter being the chief cause of blindness in Egypt. More than 12,000 of the persons who sought treatment at the hospitals in 1919 were blind in one or both eyes, *i.e.* fifteen per cent of new patients.

It is interesting to note that the importance of early treatment for children attacked by ophthalmia is now being recognized by the people, who readily bring their children to

the hospital for treatment.

A large central 100-bedded ophthalmic hospital for Cairo is sorely needed, for though several ophthalmic clinics, out-patient sections, and dispensaries exist, the Director of the Ophthalmic Section is insistent upon the need for a large central institution to deal with the vast number of patients demanding operation. Moreover, such an institution would provide the best facilities for post-graduate instruction.

CHILDREN'S DISPENSARIES.

The Children's Dispensaries or Child's Welfare Bureaux started in 1913, and since gradually extended until at the end of 1918 they numbered thirteen, were all working at the beginning of 1919; but in March, owing to political conditions, only those at Port Said, Zagazig, Damanhûr, and Wasta remained open, as it was not considered advisable to leave the matrons and nurses in the outlying districts.

A disposition on the part of certain Provincial Councils to close down these children's dispensaries has been recently evinced, generally on the plea of insufficient funds. This intention has been met by general opposition on the part of the public as indicated by various protests in the native and European press. It is obvious that the closure of these institutions in a country where the infant mortality is so high would be a retrograde step, and the Provincial Councils concerned were officially expostulated with by the Central Government pointing this out and emphasizing the unfavourable light in which they would appear, vis-a-vis other countries, where this work, far from being reduced, is being extended and pressed forward with the greatest vigour. Stress was also laid on the educational force exercized by these institutions on the mothers and children attending them.

The Councils in question do not appear to appreciate the fact that these institutions are teaching centres for the poorest classes upon whom the influence exercized through the sick children and their mothers is extremely valuable. There also appears to be a desire to convert the dispensaries into hospitals in the charge of Egyptian doctors and to introduce the system of collecting a small fee from each patient in the same way as is done at the out-patient sections of the general hospitals. This innovation, if introduced, would entirely alter the function of the dispensaries and convert them from Infant Welfare Centres for teaching the clothing, feeding, and general caring of children, into out-patient clinics. It should further be pointed out that this work as at present carried on is essentially women's work, and should continue to be so if the maximum amount of benefit is to be obtained. It is not improbable that the presence of a male doctor in these places would have the effect of frightening away a large number of mothers who now unhesitatingly accompany their children and thus obtain valuable lessons in cleanliness, personal hygiene, etc.

The seven Dayas Schools and Maternity Homes, which were working well at the beginning of the year, had to be closed on account of the March disturbances, so that only an average of 163 working days was obtained. Nevertheless, a total of 2,223 cases were attended, a larger number than in any previous year.

Fifty-nine dayas were trained and received the higher certificate as described on page 41.

21,209 visits were paid by matrons and pupils to patients in their own homes, but a great deal of night work was necessarily curtailed on account of the disturbed state of the towns.

By a method of selection of candidates a more receptive type of pupil has been found. Great help could be given to the work of the schools by the formation of Ladies Benevolent Societies in each province, as the cases of real distress met with by the matrons are numerous, and very little can be done for them other than professional attendance. The gift or loan of suitable clothing at these times would be a most valuable aid in treatment, besides helping in many other ways, and bring these institutions more into line with the Infant Welfare Centres in America and Europe.

The hope expressed in the 1918 report that the Maternity Home and Nurses Training School in Cairo might be reopened without delay has not yet been realized. It is an undoubted fact that until a better class of midwives and nurses is available the high infantile mortality for which Egypt is notorious will continue.

At present, three classes of midwives exist in Egypt:—

- (1) Women in possession of a midwifery diploma which can be recognized as such by the Health Authority.
 - (2) The Hakîma.

(3) The Daya.

The *Hakîma*, or, as she is more properly styled, *qabîla*, holds a licence to practise midwifery granted by the Egyptian Government after she has passed a satisfactory examination at the School of Medicine at Qasr el 'Aini. Although termed a *hakîma* she

cannot be considered in any way as a doctor, nor is she entitled, under the Pharmacy

Law, to prescribe medicines containing poisons.

The daya, who is chosen from a lower grade of society, undergoes no practical training, but only a short three weeks' course of theoretical training at a Government hospital, and if successful in passing a somewhat perfunctory examination is given a permit to practise midwifery. Thereafter, though ignorant, dirty, and even blind or deaf, she remains a daya until the end of her days, no legal powers existing at present to withdraw her licence to practise. These women are a constant means of spreading puerperal fever and death amongst the poorer classes, and a better stamp of midwife is urgently required.

A beginning has been made in this line by the establishment of midwifery schools for dayas under the Provincial Councils, but staffed from England by experienced matrons. The dayas attending these schools are picked women and pass a course of midwifery under the instruction of the matron, nor can they obtain the special certificate granted by these schools until they have themselves conducted under the supervision of the matron the

prescribed number of labour cases.

It is necessary that the power to withdraw the permit should be provided, and it is proposed to do this in the Midwives Act which is contemplated.

Infectious Diseases.

With regard to epidemic diseases in 1919, the chief features to be noted are:—

(1) The large incidence of smallpox.

- (2) A notable decrease in the incidence of typhus and relapsing fever cases as compared with 1916, 1917, and 1918.
 - (3) The persistence of the influenza epidemic of 1918 into the first two months of 1919.

(4) A severe and fatal epidemic of malaria at Markaz El Derr, Aswân Province.

(5) An increase of the death-rate of most of the important infectious diseases caused presumably by non-reporting of cases due to the disturbed internal conditions in the spring

and early summer.

In this respect it may be noted that the death-rate of tyhus fever cases was 32.8 per cent in 1919, compared with 26.4 per cent in 1918. The number of smallpox cases recorded in 1919 is the largest during the last ten years. A vaccination campaign was at once begun; most unfortunately it had to be stopped owing to the revolution, but was reopened as soon as possible. The number of persons revaccinated during the year was 2.500.000. The campaign is still being carried out, and at the time of writing this report (May 1920) over six million people have been vaccinated. In the course of the work many concealed cases of disease were discovered in villages by the vaccinating gangs. The total number of cases of smallpox found and reported was 7,895; of this number 1,926 died, giving a mortality rate of 24.39 per cent.

Malaria.—A severe and fatal epidemic of malaria occurred in Markaz El Derr—the most southerly Markaz of Egypt—inhabited by a poor population, living on the narrow strips of cultivation on each side of the Nile. A full description of the measures taken to deal with it will be found on page 45.

The various Sub-Committees appointed by the Anti-Malaria Commission continued their work, though considerable delay on account of the revolution in the spring was reported. /The Commission had at its disposal the sum of L.E. 21,000 for the year, and this sum was spent as follows:—

					L.E.
In Cairo and District		 	 	 	5,000
In the Canal Zone	• • •	 • • •	 	 	1,739
In the principal provincial towns		 	 	 	10,161
In the Oases					

A sum of L.E. 1,000 was set aside for a survey of the mosquitoes of Egypt. The work was practically completed at the end of the year, and the results will be published by the Commission.

Influenza.—The epidemic which appeared in the country in May 1918 lasted until February 1919. The peak of the curve was reached in the first week of December 1918, and the disease had practically disappeared by the end of February this year.

In February 1919 it was made compulsory by law to notify to this Administration cases of influenza. This was advised on account of the possibility of typhus fever being diagnosed as influenza in order to escape the obligation to notify, with the natural consequences of disinfection, isolation, etc.

Plague.—The total number of cases reported was 877, as compared with 357 in 1918. The number of deaths was 473, showing a mortality-rate of 53.9 per cent, as compared with 153 and a death-rate of 42.8 per cent in 1918. Of the 877 cases occurring in 1919, 64 were septicæmic, 76 pneumonic, and the rest bubonic.

Anthrax.—The Department is in communication with the British authorities in connection with the installation of a disinfecting station to deal with the disinfection of wool from the Sudan and Egypt prior to its exportation abroad. A Committee has been set up in England to study this question, and when it has completed its experiments regarding the best method of procedure for wool disinfection, it is proposed to adopt the same system in Egypt.

Cases of anthrax having occurred amongst British soldiers in August, due it was supposed to the use of shaving brushes, investigations showed that these brushes had arrived from Kobe, Japan. The suspected consignment was traced, and bacteriological examination proved the presence of anthrax bacilli. The consignment was destroyed. The following

measures were taken:—

(1) The Residency was requested to ask the Japanese Government to secure the disinfection of hair used in the manufacture of shaving brushes before export.

(2) The Customs Administration was requested to hold up all consignments containing

shaving brushes in Egyptian ports pending bacteriological examination.

(3) The public was informed as to the danger by the publication in the press of notices explaining the method of disinfecting newly purchased shaving brushes.

(4) A law forbidding the admission into this country of all shaving brushes unaccom-

panied by a certificate of disinfection is to be promulgated.

Of thirteen consignments examined in 1919, five were found to contain anthrax bacilli: all came from Japan. A similar infection is reported from England from the same source.

Prior to the war the trade in cheap shaving brushes was practically a German monopoly, and in that country adequate precautions were taken to disinfect the horsehair from which these brushes were made. Hair used in the brushes made in Japan comes, it is understood, chiefly from Chinese sources: a type of hair notoriously known to be infected with anthrax.

Ankylostomiasis and Bilharziasis.—Steps have been taken to reopen the campaign against these two diseases, which cause so much suffering and loss of efficiency amongst the population of Egypt, especially the fellahîn. An Anglo-Egyptian Committee has the matter in hand and is drawing up a comprehensive scheme including the organization of an experimental district in the Province of Qalyûbîya (Lower Egypt) which is considered to be a suitable field, in order to test the practicability of various proposals put forward.

This opportunity is taken of expressing the appreciation of the Egyptian Government and the health authorities for the very substantial assistance which the Rockefeller Foundation, International Health Commission, afforded in the past for the combating of these diseases, and it is hoped that now the work is to be again undertaken, further assistance will be afforded.

Venereal Diseases.—Under the system at present in vogue for controlling venereal diseases in Egypt, 171,243 examinations of prostitutes were carried out throughout the country, with the result that 6,192 women were found to be infected either with syphilis or gonorrhea. Of course it is unnecessary to state that these figures do not by any means represent the amount of venereal disease existing in the country, as they only refer to the notorious class of *Jemmes publiques* registered by the police.

Of late years there has been, even in those continental countries where the system originated, a movement to reconsider the efficacy of the medical inspection of prostitutes, or card system, with compulsory hospitalization of such as were found to be diseased, and to adopt a more civilized system, which consists briefly in propaganda, prophylaxis, and gratuitous treatment centres run on confidential lines for the benefit of any person contracting venereal disease. Such treatment centres have, with the help of judicions propaganda, been established, and are working with marked success in many places.

It is hoped to start on these lines in Egypt, and a Committee is at present engaged in working out the details of the scheme.

PILGRIMAGE.

Owing largely to the continuance of war conditions, coupled with the difficulty in procuring shipping, the total pilgrimage to the Hedjaz comprised less than 1,000 people. Of these, 444 were ordinary pilgrims and 420 were members of the Mahmal escort and staff. All these pilgrims were inoculated against cholera. No deaths occurred, and on return to Suez only four pilgrims were found to be ill. The route of the pilgrimage was curtailed: the visit to Medina was not made.

Now that hostilities have ceased it becomes of interest to ascertain whether or not it might be possible to initiate measures for an improved water supply, conservancy, and hospital accommodation for pilgrims at Mecca. The unenviable hygienic reputation acquired by Mecca and the Hedjaz has been only too well earned. A cholera infection in the Hedjaz and holy places of Arabia spreads like wildfire, and is an undoubted source of anxiety to the sanitary authorities of all countries who may have furnished quota of pilgrims proceeding to or returning from Mecca, etc.

It is improbable that the King of the Hedjaz would be able to undertake anything like a full sanitary programme, but leaving aside for the moment the question of sewage and rubbish disposal and hospital accommodation at Mecca, Muna and Medina, and the ports, it does not appear to be impossible to hope that His Majesty may be induced to take up the question of the provision of a pure water supply to Mecca at any rate. Such a great sanitary boon would establish his renown through Islam and the cost would be cheerfully borne by Moslems throughout the world or by intending pilgrims from Egypt, India, and East Indian Islands.

To undertake the provision of a pure water supply for Mecca, a small Commission of Mohammedan technical experts can easily be found in Egypt who, with the King's permission, would proceed to Mecca to determine certain particulars and factors:—

(1) A map of the town of Mecca showing the contours and levels of the more important points, the various wells in the town and the drainage system—such as it is—being indicated as far as possible.

(2) A map of the course of the present two aqueducts leading from the collecting grounds or springs to the town, with contours and levels.

(3) A description of the sources of the supply (i.e. whether springs or catchment areas).

(4) Details of the present aqueduct, with its annexed storage reservoirs, etc.

(5) An estimate of the present yields based on definite measurements, taken over a reasonable period.

(6) Analyses of samples of water collected at the various sources. These should, if possible, be repeated, so as to ascertain if the character of the water undergoes any marked change with the different seasons.

For the purpose of carrying out the above work the Commission should comprise:—

Two doctors (one a bacteriologist).

Two engineers (one a surveyor and the other an irrigation engineer).

One geologist.

In the meantime it may be possible to procure from the Turkish authorities reasonably accurate maps of the town and surrounding country.

The reports of medical officers of the Department of Public Health who have proceeded on duty to the Hedjaz are unanimous in pointing out the grave danger of the present

water supply.

Two separate sources are indicated: one from the north-east of Mecca led, it is said, from the Gebel Kara past Noman, Arafat, and Muna, to the Holy City, a distance of over fifty miles, is known as the Zobeida aqueduct. The other, the Zaafaran aqueduct, is also about fifty miles in length, and leads water to the town from the 'Ain Henein situated to the north-west. Both aqueducts have openings at intervals, and are most easily polluted anywhere throughout their courses. The openings into the aqueducts at intervals of from ten to twenty metres were made to enable water carriers and pilgrims to draw water from the stream, but pilgrims now bathe at the very edge of the openings and even enter the aqueduct to have a thorough wash. Moreover, for convenience of ablution they defæcate

near by and thus, being barefooted, directly contaminate the supply. Similar pollution

takes place at Arafat and Muna.

The actual conditions pertaining at the holy Zamzam well in the great Mosque at Mecca are described by one of the Department's medical officers who made the pilgrimage in 1919. The well is situated in the *Haram*, in the vicinity of the *Qa'aba*. During the pilgrim season there is always a dense crowd anxious to procure as much of the water as possible. Two or three men are told off to draw the water, and their task, even if remunerative, is heavy. Pilgrims are not content with filling their water bottles or pots, but strive to obtain sufficient to bathe themselves with the holy water which, being poured over their bodies, falls to the ground and flows back to the well, fouled and contaminated in every conceivable manner.

It is interesting to note that in the past Egyptians have been largely instrumental if not in installing, at any rate in keeping in repair, the Mecca water supplies. As early as the year 245 A.H. the aqueducts were repaired by Abdulla Ibn el Moatasem. In 728, Mohammad Ibn Kalawoon constructed a well in Mecca, and in 745 another Egyptian ruler constructed a well on the way to Muna. Further repairs were subsequently made during the reign of Al Moayad, and later still by Kayed Bey and El Ghouri. Under the Turkish regime the whole system fell into a state of great disrepair, and in 969, Fatma Hanem, the Sultan's daughter, commissioned an Egyptian Emir (Ibrahim) to effect extensive repairs, providing L.E. 50,000 for the purpose. Ibrahim took over to Mecca a number of Egyptian engineers, masons, carpenters, etc., for the work. Later on Mohammed Aly Pasha repaired the water system.

It will thus be seen how largely Egyptian enterprise and money have bulked in the past

in connection with the Mecca water supply.

No doubt the pious work of their ancestors will be gladly emulated by rich Egyptians of the present day, especially when it is understood that the provision of a safe water supply to Mecca would be a means for the removal of many irksome quarantine restrictions enforced to-day on account of the ever-existing danger of cholera infection to the mass of devout Moslems who annually visit the Holy Places in the exercise of their religion.

PASSENGER CONTROL.

Ordinary passenger traffic throughout 1919 continued to be limited. The same system of passenger control was enforced as in past years. The results were that in Cairo 86 per cent of arrivals were traced and medically observed, at Alexandria 92 per cent, at Port Said 99 per cent, and in the interior of the country 97 per cent. Of the total of 4,961 arrivals, only 161 passengers were not traced, thus the percentage of the total arrivals traced was over 96 per cent.

Public Health Laboratories.

The extension of these laboratories—so urgently required for the last few years—was begun in the middle of August, and it is expected that the work will be finished by the end of 1920.

The whole question of the arrangement and condition of Government laboratories is at present being studied by a small Government Commission.

The military authorities have now arranged to undertake their own bacteriological work, so that with the exception of the performance of a number of Wassermann reactions, the supply of certain chemicals, bacterial cultures, sera, etc., the laboratories will be relieved

of a great deal of extra strain placed upon them by war conditions.

It is to be observed that with the exception of the City of Alexandria the bacteriological diagnosis for the whole of Egypt is centralized in Cairo. This is disadvantageous as regards certain bacteriological diagnoses, such as those required for the control of plague, typhus, etc., and also as regards certain chemical analyses, those of distant local water supplies, aerated water and ice, on account of the time taken for the specimens to reach the Central Laboratory in Cairo. It is therefore proposed to extend the facilities for bacteriological diagnosis to certain towns in the provinces, such as Suez, Port Said, and Asyût. Bacteriologists are being trained at the Central Laboratory to staff these provincial laboratories and the necessary funds for their installation and equipment are being asked for.

At the request of the Arab Bureau a small bacteriological staff and equipment was sent to Jedda for the diagnosis of plague and cholera there during the pilgrimage.

The Weil-Felix reaction having been found positive for some seventy per cent of typhus fever cases at the Fever Hospital, 'Abbâsîya, is now carried out as a routine practice for aid in the diagnosis of that disease.

Assistance has been given to the Ministry of Agriculture in testing the strength of cattle plague serum and the examination of blood in connection with the Serum Institute at

'Abbâsîya.

Water Service.—The regular inspection of the drinking water supplies throughout the country has, unfortunately, not yet been effected. Regular bacteriological and chemical analyses of the Cairo and Alexandria water supplies are, however, being carried out, and outlying districts are visited and the supplies analyzed if there is reason to suspect that there is any need for it.

Aerated waters and ice factories are controlled so far as is possible with the existing

staff.

Vaccine Institute.—The amount of vaccine lymph issued in 1919 was 5,645,020 doses. A campaign of general vaccination having been decided on by the Department, demands for lymph were made on the Vaccine Institute far in excess of its normal annual output of some 2,000,000 doses; in fact the issue of a million doses a month for a period of six months was called for, besides extra demands for the British Army, the Sudan Government, Syria, Cyprus, etc., which are constantly coming in. In order to meet the emergency, temporary stabling for calves had to be erected, extra staff taken on, and suitable buffalo calves procured in spite of the difficulty as regards supply. The tubes and phials necessary for the issue of the vaccine in such large quantities were not available in the country, nor could they be procured at such short notice, so that the distribution had to be effected by means of such small medicine bottles as were obtainable. It also became evident that cold storage accommodation must form part of the Vaccine Institute. The storage of sera and vaccines in extern lay establishments for cold storage is unsatisfactory, and other arrangements must be provided without delay.

The manufacture, centrifugalization, bottling, and issue of cattle plague serum, which was formerly existing at the Central Laboratory, has now been transferred to the Serum

Institute at 'Abbâsîya and the work undertaken by the Ministry of Agriculture.

Antirabic Institute.—1,010 persons were treated at the Institute. Full details of the work done and the statistical tables will be found on page 66.

CENTRAL MEDICAL COMMISSION.

The work of the Central Medical Commission, which deals with the examination of candidates for admission to Government service, for granting of sick leave, and for invaliding from the service, steadily increases. The number of examinations done has increased from 4,684 in 1915 to 9,028 in 1919. The Branch or Provincial Medical Commissions dealt with 9,765 medical certificates.

An extension of the accommodation for the Cairo Central Medical Commission is

required and should be undertaken next year.

PHARMACIES.

During the year 1919, authorizations to practise their trade were given to nineteen pharmacists, of whom only two were holders of diplomas from the Qasr-el 'Aini-Medical School. There is a considerable shortage of qualified pharmacists; there are at present seven such vacant posts in the Government, and it is impossible to find candidates to fill them

The total number of pharmacists at the end of 1919 was 374; of these 152 are in Cairo, 78 are in Alexandria, and 144 are distributed throughout the other parts of the provinces.

Attention is drawn to the traffic and smuggling of narcotic drugs, which the law at present appears to be powerless to stop. The control exercized by this Administration in conjunction with the Customs Administration has merely resulted in a decrease of imports used in legitimate medicine; but the illicit traffic still exists to a very large extent.

Although a decree was published in 1915 to prohibit the cultivation of poppies, a considerable amount of opium is regularly cultivated as the cultivators openly apply for permission to transport it to the towns for disposal. The penalties inflicted by the Courts on offenders against the law on narcotics, and soporifics are ridiculously inadequate. One example will serve to prove this assertion. The Inspectorate of Pharmacies proved conclusively that a certain pharmacist in Cairo had disposed of a considerable quantity of cocaine and morphine illegally and had attempted to justify his action by altering and forging doctors' prescriptions by converting grains into grammes and by altering the figure 1 into 10. After a lapse of nearly two years a judgment of P.T. 100 fine and costs was obtained against the delinquent.

A complete re-drafting of the law dealing with pharmaceutical, chemical, and analytical laboratories is now in hand. Some of these laboratories constitute a danger to the public, as at present they are practising under no control, nor is there any means of guaranteeing the capability and qualifications of their owners. These laboratories perform chemical and bacteriological analyses and frequently doctors base their treatment on reports they furnish. Moreover, they constitute a danger for the reason that it is suspected that certain of them exist for the sole purpose of extracting alkaloids from crude drugs such as morphine from opium and cocaine from coca leaves for sale. Indeed this may be one of the

reasons for the decrease in the importation of these drugs as above noted.

CATHCART GARNER, Colonel,

Director-General.

I.—REPORT ON SECTION I.

General Sanitation.

1.—VITAL STATISTICS.

In the report for last year, the occurrence of an excess of deaths over births was recorded, a very unusual state of affairs in Egypt. A glance at the vital statistics for 1919 shows something of a reversion to more normal conditions, though not uniformly so throughout the whole country. For example, both in Cairo and Alexandria the deaths exceeded the births during the past year. In Cairo there were 30,794 births (a rate of 40·4 per thousand) and 32,161 deaths (a rate of 42·2 per thousand). In Alexandria there were 15,684 births (a rate of 35 per thousand) and 18,198 deaths (a rate of 40·4 per thousand).

Practically all the other large centres of population showed an excess of births over deaths—in some cases very small—so that the figures for the twenty principal towns (i.e. fourteen provincial towns and five Governorate towns, with the addition of Ismailia) show a mean birth-rate of 40·5 per thousand and a mean death-rate of 39·9 per thousand.

The general rates for the whole country are: birth-rate, 38.0 per thousand; death-

rate, 30.0 per thousand.

During the year, considerable evidence was collected, showing that the formidable increase in the prices of practically every article of food was having a very deleterious effect on the health of the population, especially the lower classes, as it was proved that the revenue of many families was quite insufficient for the purchase of an adequate supply of even the cheapest and simplest articles of food. These facts were brought to the notice of the authorities; energetic measures were taken, especially as regards the sale of flour at reasonable prices, and a great improvement in the food conditions of a large section of the population was brought about.

The usual statistical tables will be found on pages 15 and 16.

2.—UNHEALTHY, INCONVENIENT, AND DANGEROUS ESTABLISHMENTS.

During the year 1919 a serious attempt was made to reorganize the work performed by the Department of Public Health under the law dealing with *Etablissements Insalubres*, *Incommodes ou Dangereux*.

Three steps were taken which mark a great advance in the hygienic control exercized under this law. These were: (1) the publication of a book laying down model conditions for fifty types of *établissements insalubres*; (2) the institution of registers in all the Health Offices of Markazes and Qisms in which all licensed establishments were recorded; and (3) the appointment of special inspectors to carry out routine inspections of the establishments already licensed.

The publication of the "Model Conditions" has proved a great boon to the medical officers employed in this licensing work. It shows them what the policy of the Department is as regards each type of establishment and the special points as regards

each establishment on which the Department lays emphasis.

The policy of the Department may be summarized for the present as an attempt to tighten up the control over all establishments in which articles of food or drink are manufactured, stored, or sold, with the object of preventing the contamination of such articles either during manufacture or storage and of causing them to be presented to the public in such a state that they are not a danger to health.

This is being done by laying down more stringent conditions for such establishments when they are licensed and by improving the conditions already laid down for existing establishments either administratively with the consent of the proprietor or, if necessary, by Ministerial arrêté when the proprietor refuses to give his assistance.

The Department realizes that in many cases it is quite impossible to apply the new model conditions to old establishments already licensed without practically pulling down the old building and reconstructing it anew.

TABLE I.—Annual General Return of Births and Deaths registered during 1919.

							-				
GOVERNORATES AND PROUNCES	l'OPU	POPULATION CALCULATED	ATED.		BIRTHS.	IS.			DEATHS.	Š	
	Egyptians.	Foreigners.	Total.	Egyptians.	Foreigners.	Total.	Per Thousand.	Egyptians.	Foreigners.	Total.	Per Thousand.
GOVERNORATES.											
Cairo	689,610	71,890	761,500	30,323		30,812	40.	31,367	795	32,162	<u>6</u> †
	501,400	86,800 9,850	448,200	14,498 1 909	1, <u>202</u> 76	15,700		2, 133	1,066	18,201	45
Canal Port Said	62,170	15,230	77,400	3,100	187	3, 13 3, 3, 13 3, 3, 13 3, 13		2,004 2,056	994 994	1, 22, 350	241 30
etta	31,420	180	31,600	1,397	, i.o.	1,405	+ +	786	†	787) () ()
Suez	27,620	4,380	32,000	1,046	120	1,166		898			30
	40,270	230	$\{00,500\}$	1,197		1,197	42	1,309	:	1,309	33
Sinaï Province	4,030	70	4,100	318	1 1	318	78	462	e	462	113
Total	1,221,670	181,630	1,403,300	53,683	2,083	55,766	40	56,715	2,585	58,997	42
Provinces.											
Lower Egypt:—											
Beheira	900,360	2,140	902,500	30,985	13	30,938	34	23,820	G.	23,829	26
Daqahliya	992,350	4.350	996,700	40,727	91	40,773	41	29,558	56	29,587) %
Gharbîya	1,662,820	6,880	1,669,700	62,897	09	62,957	88	51,956	52	52,008	. 31
Minûfiya	1,082,430	1,670	1,084,100	41,270		41,281		. 533 535 535 535 535 535 535 535 535 535	1 0 9	33,336	32
Sharofya Sharofya	952,010	, 50 80 80 80 80 80 80 80 80 80 80 80 80 80	955, 200	20, 750 200, 750 1300	417	20,57# 23,150	70 10	10,012 95 838) (1)	15,522	51 6 61 6
Total	6.123.350	20.750		229.762	[5]	229, 913	2.52	179 515	1 - Se -	179 613	5 5
			<u> </u>					10,01			91
	1 006 390	086	1 007 300	48.7.84	V	42, 788		026 08	•	926 06	OG.
Aswall	255,640	000	256,000	7.016	H 	7,090	9.8 S.S	•	0 4	077,00	00 °
lef	468,610	790	469,400	18,655	();	18,650		11,617	н га	11,690	9 16 16
]	512,980	2,520	515,500	21,342	,0	21,347	7	16,190		16,194	i 55
•	883,600	400	884,000	33,661	ಣ	33,664		19,736	ু	19,738	(C)
Minya	559,180	1,220	560,400	22,981		22, 982		17,156	1 0	17,161	i c
Giza *	783,300	•	784,400	30,889	1-			20,801	11	20,812	27
Gena	852,720	88()	853,600	29,449	ec	29,452	35	22, 256	20	22,259	56
TOTAL	5,322,350	8,250	5,330,600	207,777	33	207,809	egg Sg	145,191	38	145, 229	27
9191) Timoth Transmil	12,667,370	210,630	12,878,000	491,922	2,266	493,488	38	381,421	2,448	383,869	08
~			12,905,500	501,000	2,001	503,001	330	509,623	2,553	512,176	40

* Exclusive of births which occurred in November at El Tabbín, Markaz El Saff.

"Kafr Qasim, Markaz El 'Ayat, Minshât Dahshûr,
Exclusive of deaths which occurred in December at Abu El 'Abbâs, Markaz El 'Ayat, Abu Ragwân El Bahari.

Table II.—Total Births, Deaths, and Infant Mortality in the Twenty Principal Towns during 1919.

	0	υž	ı			1	
STALITY.	From 1-10 Years.	To Deaths.		2000 2000 2000 2000 2000 2000 2000 200	4.00.00.00.00.00.00.00.00.00.00.00.00.00		27.3
PROPORTION CENT OF INFANT MORTALITY	er 1 Year.	To Deaths.		######################################	31 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	20 20 20 20 20 20 20 20 20 20 20 20 20 2	22.7
PER CENT O	Deaths under	To Births.		22.22.12.23.1 22.42.23.1 22.42.23.24	25.23 11.1 11.1 17.5 17.5	28 29 29 29 29 20 20 20 20 20 20 20 20 20 20 20 20 20	55. 1
MORTALITY.	From 1-10	Years.		8,489 5,183 262 777 234 234	105 494 877 877 310	482 92 358 177 177 818 936	20,167
INFANT MO	From 0-1			7,165 3,834 231 517 168 215	148 396 315 131 584	217 117 128 608 468 1000 1000	16,782
	Рег	Thousand.		240.4 40.4 30.4 24.0 24.0 29.6	93888888 8888875 98888 9888 9888 9888 9888	33.3 28.3 38.3 37.4 449.0 33.3 33.3	39.6
3		Total.		32,161 18,198 1,924 2,350 787 947	468 1,576 1,611 601 2,662 1,360	1,717 436 1,223 1,892 1,261 1,161 692	73,880
DEATHS.		Foreigners.		788 1,062 43 292 1 80	30 30 16 16	HHH 819	2,355
,		Egyptians.		31,373 17,136 1,881 2,058 786 867	464 1,570 1,591 2,632 1,344	1,716 1,222 1,892 1,851 1,255 1,161 692	71,525
	Dan	Thousand.		40.4 159.5 44.4 36.5 36.5 44.4	34.8 37.1 37.9 38.1	14884466444 0.889.8944 0.889.99489	40.5
īs.		Total.		30,794 15,684 1,276 3,393 1,402 1,168	650 2,014 1,859 1,179 2,850 1,577	2.149 4449 1,375 2.230 1,022 1,735 1,083	74,880
BIRTHS		Foreigners.		1,198 1,198 187 121	870 S 4 2 1	 ගෙසන යා බ හ	2,173
		Egyptians.	/	30,312 14,486 1,200 3,206 1,397 1,047	648 1,823 1,175 2,826 1,563	2,147 1,372 2,226 1,022 1,083 1,083	72,707
Total	estimated up to July 1, 1920.	on the basis of the Census of 1917.		758, 900 444, 600 7, 300 78, 500 32, 200 32, 200	18,900 43,100 50,400 75,400 41,700	52, 200 11, 200 32, 600 45, 300 18, 600 23, 200 21, 100	1.848,800
	Town.		GOVERNORATES.	Cairo	Provinces. Lower Egypt:— Benha Damanhûr Mansûra Shibîn el Kôm Tanta Zagazig	Asyût Aswân Beni Suef Faiyûm Gîza Minya Qena	Total 1

Such a proceeding would obviously be unjust to the holders of old permits who have to a certain extent vested interests. The Medical Officers and Inspectors have been instructed on the above lines and told that the improvements must be brought about as far as possible with the consent and goodwill of the owners of the establishments.

Registration of Etablissements Insalubres.—The proper registration of établissements insalubres has long been a crying need; formerly, the Medical Officer, after laying down conditions for an establishment, had no record of it, and the result was that he could never tell how many establishments of any given kind he had in his district nor were routine inspections possible. Now all establishments are registered and an index is kept grouping similar establishments together so that a Medical Officer wishing for example to inspect dairies in his district has only to turn up this index and he finds a complete list giving the names of the proprietors and their addresses.

It is obvious that such registers will add enormously to the efficiency of the control and

of the inspection work.

The instructions for the filling up of these registers were issued in Departmental Order No. 42, dated September 3, 1919, which reads as follows:—

- "New registers have just been designed for the purpose of keeping a record of *Etablissements Insalubres* (Sahha Division) in the Offices of the Department. The registers are of three kinds:—
 - "Form No. 68 C.Ad.—First Class Establishments.
 - "Form No. 69 C.Ad.—Second Class Establishments.

"Form No. 70 C.Ad.—Third Class Establishments.

"One register of each kind will be issued to every Qism, Bandar, Markaz, and Outpost Health Office. If one register proves to be insufficient for any of the three classes of establishments, further registers may be obtained from the Central Administration by requisition in the usual way.

"All Sahha establishments authorized in virtue of Law No. 13 of August 28, 1904,

should be entered in the new registers with the exception of:-

"(a) Establishments whose permits have lapsed for any reason. These should be omitted

"(b) Third class establishments (such as brick kilns, lime kilns, etc.) to which temporary permits are given. A record of these should be kept in a separate unofficial register.

"Establishments holding Rokhsas* or Ikhtârs† antedating the foregoing law, which the Public Health Inspectors, Medical Officers, or Mo'âwenîn‡ come across in their inspec-

tions, should also be entered in the registers.

"The information required for these new registers must be obtained from the lists of Sahha establishments kept in the respective Governorates, Provinces, Bandars, and Markazes.

"Before being copied into the new registers, the establishments should be arranged

in order of date.

"Attention here is drawn to the fact that in no case should entry in the registers be made by grouping each type of establishments together. Record should as far as possible be made in order of date. The grouping of the various types of establishments should be done in the index as explained below.

"Medical Officers are informed that the registers must be filled up within three months

from the date of issue of the registers as regards establishments already licensed.

"When all licensed establishments have been entered in the registers, these must be kept up-to-date by adding to them all other establishments as they are licensed in future. Local arrangements should be made with the Governorate, Province, Bandar, or Markaz to supply the information required for the register to the Public Health Office when a new licence is issued for a Sahha establishment.

"All inspections made by the Medical Officers or by the Inspectors specially appointed

for this work should be entered in the special columns provided for the purpose.

^{*} Rokhsa=Permit (Ar.).
† Ikhtâr=notification. Certain classes of establishments in existence when that law was promulgated were allowed to continue working if they notified the administrative authorities to that effect.

† Mo'âwenîn (pl. of Mo'âwên)=supervisor.

"When the owner of an establishment is put in contravention or when a Ministerial

Arrêté is drawn up, this information should be added in the registers.

"As a very large number of establishments will be entered in each register, it is necessary to have a system by which reference to the various kinds of establishments will be facilitated. A simple index should therefore be arranged for each register by pasting one or two blank sheets of ruled foolscap paper at the beginning of the book. The index will consist of the description of the kind of establishment, then the serial number from the register, and the name of the proprietor in parenthesis.

The following examples will serve to illustrate what is described:—

"Bakers: No. 27 (Mohammad Ahmad); No. 48 (Guirguis Nasr); No. 64 ('Aly Hassan), and so on.

"Butchers: No. 29 (Ahmad Hasan); No. 44 (Ibrahim Hussein), and so on.

"By this means it will be easy to refer at any time to all the bakers, butchers, etc., in the district.

"Public Health Inspectors and Medical Officers are instructed to personally supervise the work of the clerks in filling up these registers.

"If any doubt arises in connection with this Order, the Central Administration should be asked for a ruling."

Appointment of Inspectors.—The appointment of special Inspectors to work under the Medical Officers was also a necessity, as the Medical Officer has so much work nowadays that he has not sufficient time at his disposal to carry out routine inspections as they should be done. These Inspectors correspond very closely to the Sanitary Inspectors in England.

Thirteen posts have already been granted, and it is hoped to add to their number annually until there are altogether twenty-two of them and a Chief Inspector attached to

the Central Administration to supervise their work.

Their duties were laid down by Departmental Order No. 54, dated November 9, 1919, which reads as follows:—

"The Mo'awenîn appointed for work in connection with établissement insalubres in the provinces have been provided for the purpose of making possible a more thorough control of the said establishments and raising the standard of their hygienic efficiency.

"The Mo'awen will work as follows:—

"In Góvernorates: under the orders of the Medical Officer of Health.

"In Mudîrîyas, under the general supervision of the Mudîrîya Health Inspector. If there is a Bandar Health Office in the Mudîrîya town, he should be attached to this office and work under the Bandar Medical Officer. He will be in charge of the Etablissements Insalubres registers of the Bandar. His work will in this case be confined to the Bandar until the Mudîrîya Inspector has assured himself that the établissements insalubres in the Bandar have been brought to such a high state of efficiency that the Mo'âwen can be detailed for inspection trips in the various towns of the Mudîrîya in addition, of course, to his routine work in the Bandar.

"If there is no Bandar, the Mo'awen will be attached to the Markaz Health Office under the Markaz Medical Officer and his inspections will be throughout the Markaz but chiefly, of course, in the Mudîrîya town. He will be in charge of the Etablissements Insalubres registers of the Markaz. Here again, when the establishments of this Markaz have been brought to a sufficiently high state of efficiency, the Mudîrîya Inspector can employ the Mo'awen for inspection purposes in other Markazes of the Mudîrîya in addition to his routine work in his own Markaz.

"The duties of the Mo'awen comprise:

"1. Inspection of établissements insalubres already licensed.

"2. Keeping up to date the établissements insalubres registers of the circumscription permanently allotted to him.

"3. Reporting the existence of any établissements insalubres found to be working without a licence.

"Each Mo'awen will be provided with:-

" (a) A copy of the Etablissements Insalubres Law with schedule annexed.

"(b) A copy of the book of "Model Conditions,"

" (c) Duplicate book in which he will write all reports, one copy being detached and forwarded to his chief and the other remaining in the book for reference purposes.

" (d) A large scale map of the town, if available, on which should be marked the

position of all licensed establishments.

"1. Inspection of Etablissements Insalubres.

"On no account is the Mo'âwen to have anything to do with the licensing of new establishments. This is the duty of the Medical Officer and is to remain so. The responsibility of the Mo'âwen commences immediately a licence has been granted. He will inspect all establishments. In the case of those recently licensed, he will see that the conditions laid down on the rokhsa are being fulfilled and report the result of the inspection to the Medical Officer. In the case of establishments licensed a long time ago, he will compare the conditions laid down with those given in the "Model Conditions" recently published and report to the Medical Officer what additional conditions, if any, are necessary to make the state of the establishment satisfactory.

"When a Mo'awen discovers that the conditions laid down on the rokhsa are not being carried out, he should try to persuade the owner of the establishment to voluntarily observe the conditions on the rokhsa or to allow further conditions to be added administratively without compelling the Department to put him in contravention or to draw up a

Ministerial Arrêté.

"It should be realized that the most successful Mo'âwen is not necessarily the one who has the largest number of contraventions or Ministerial Arrêtés in his district. It will be found that much can be done by exercizing tact and patience, and as these new methods of supervision of établissements insalubres will be novel to many of the permit holders, the above qualities should be fully employed at the start in all cases. It is much better to get the condition of an establishment put right bil ma'rûf rather than bil zûr. However, if the owner of an establishment will not carry out the conditions laid down, or will not agree to the administrative addition to his rokhsa of conditions necessary to bring his establishment to a proper state of hygienic efficiency, then the Mo'âwen must report to the Medical Officer, who will decide whether to interview the recalcitrant himself, to write to him, draw up a procès-verbal of contravention, or prepare a Ministerial Arrêté.

"2. Keeping up to date the Etablissements Insalubres Registers of the Circumscriptions allotted permanently to them.

"The Mo'awen will be responsible for the Etablissements Insalubres Registers (Nos. 68, 69, 70 C.Ad.) of the circumscription permanently allotted to him. He will be expected to take a personal pride in the neatness and accuracy of his registers. All entries should be made in ink. He should make adequate arrangements for the safety of the registers when he is absent from the office on inspection.

"3. Reporting the Existence of any Etablissements Insalubres found to be working without a Licence.

"The report on any such establishments should be made to the Medical Officer in writing. Before making the report, the Mo'âwen must assure himself by questioning the owner that the establishment really is not licensed. The Medical Officer will decide on the course of action to be adopted."

Conclusion.

The benefits from the improvements in organization introduced in 1919 will, of course, take some time to become evident, but it is hoped that within a few years the establishments concerned with the manufacture, storage or sale of articles of food and drink will have reached a level of much higher hygienic efficiency than they are to-day.

The "Health" Division of the schedule of the *Etablissements Insalubres* Law has been repeatedly altered and added to since it was first issued in 1904. It is now very difficult for the Medical Officers to know exactly what establishments are included in it and what

are omitted from it. The schedule has therefore been completely revised and brought up-to-date and is with the Ministry of the Interior awaiting issue in the form of a Ministerial Arrêté.

It is hoped that the new schedule will be in force early in 1920.

Table III.—Details of the Applications for Licences for Establishments falling under Class I of the Law of August 1904 (Public and Cattle Markets included) which were dealt with in 1919.

NATURE OF ESTABLISHMENT.	Approved	Refused.	Given up.	Under Consideration	Тотац.
Aerated water factories	7	2	3	4	16
Sweetmeat factories	3	_	_	1	4
Sugar-cane crushing factories	2	_		_	2
Óil mills	1*	_		1	2
Starch factory	_	_	1	_	1
Butter and milk factories	2	_	3	1	6
Establishments for preparation and preserva- tion of meat	_	_	1	2	3
Macaroni factory	_	_		1	1
Rice-linsking and corn-grinding establishments	1	_	1	$oxed{2}$	4
Rice-husking mills	12	_	3	3	18
Fish halaqas	_	_	1	3	4
Soap factories	5	_	2	3	10
Coffee mill	1	_		_	1
Cotton-ginning factories	9	_	2	3	14
Establishment for cleaning skerto cotton		_	1	_	1
Public baths	3	—	2	2	7
Public sea baths	1		_	-	1
Tanneries	5	_	_	3	8
Homra mill	1	_	_	_	1
Beer-bottling establishment	_		1	_	1
Distilleries of alcoholic liquors	2	_		3	5
Distillery of flowers and perfumes	_	_	1		1
Pottery	. 1		_	_	1
Tobacco-chopping factories	. 1	_	_	2	3
Rope factory	_		_	1	1
Establishments for scutching hemp and flax	1	1	_	1	6
Depot of carbide of calcium	1	_	_	_	1
Establishment for ravelling wool rags	_	_	1	_	1
Oxygen factory and autogenous soldering workshop	_		`	1	1
Public and cattle markets	3	3	5	5	16
Total	62	6	28	45	141

^{*} The licensed establishment contains also a corn mill.

Ministerial "Arrêtés."—The draft arrêtés laying down additional conditions for establishments possessing permits under the Law of August 28, 1904 (Etablissements Insalubres) were dealt with in 1919 as follows:—

TABLE IV.—MINISTERIAL "ARRÊTÉS."

	ATURE OF	ESTA	BLISH	IMEN'	г.				Approved.	Refused.	Under Consideration	TOTAL.
Alexandric	ı:											
Public stables							• • •		9	_	1	10
Bakeries	•••		•••	•••	• • •	• • •	• • •		10	_		10
utchers' shops	•••	• • •	• • •	• • •	• • •		• • •		9		4	13
drocers' shops	• • • • • •	• • •	• • •	• • •	• • •	• • •	• • •	• • •	$\begin{array}{c c} 10 \\ 3 \end{array}$	_		$\begin{array}{c} 10 \\ 3 \end{array}$
Pastry cook shop Public kitchens		• • •	• • •	• • •	• • •	• • •	• • •	* * *	$\frac{6}{2}$			$\frac{3}{2}$
filk shops	•••	• • •	• • •	• • •	• • •	• • •	• • •	• • •	$ar{6}$			$\bar{6}$
Soap factory	•••	•••	•••	• • •	• • •	•••	• • •		1	_		1
Flour depots		• • •	• • •	• • •	• • •	• • •	• • •		$\frac{2}{2}$			2
Sweatmeat factor Simple distillery		• • •	• • •	• • •	• • •	• • •	• • •	• • •	$\frac{2}{1}$			2
Macaroni factory	•••	• • •	• • •	• • •	• • •	• • •	• • •	• • •	1			1
Fissîkh and mus	sel depot	s	•••	• • •	• • •	• • •	•••	• • •				$\overline{2}$
Frying and roast	ing estab	olishr	nents		• • •	•••	• • •		$\frac{2}{2}$		— I	2
oil shop	•••	•••	•••	•••	•••	•••	• • •	•••	1			1
Cairo :—												
Oye shop	•••	•••	•••	•••	•••	•••	• • •	• • •	1	_	_	1
Public stable Bones and rag st		• • •	•••	• • •	•••	• • •	•••	• • •	_1	— 1		1
ones and rag so	ore		•••	•••	•••	•••	• • •	•••		1		1
Gharbîya		:				•						0
Public stables	•••	•••	•••	• • •	• • •	• • •	•••	• • •	$\frac{3}{6}$	_		3
Shop for the sale	of fresh	fish	Creta	il)	• • •	•••	• • •	* * *	1	_		í
Cattle shed			(1003	•••	• • •	• • •	• • •		1		_	1
Public bath	•••	•••	•••	• • •	• • •	• • •	•••	• • •	1 ,	_	_	1
Minûfîya	Province	:										
Fish <i>halaqa</i> Bean cooking es	ablishme	ent	• • •	•••	•••	• • •	•••	• • • •	1 1	_		1 1
Sharqîya .	Provinc e .	:										
Public kitchen	• • • • • •	•••	•••	• • •	• • •	•••	• • •	• • •	1	• —		1
<i>Qalyûbîya</i>	Province	? :										
Bakeries	•••	•••	•••	•••	•••	• • •	•••	•••	_		2	2
Damietta :												
Cannery	•••	• • •	•••		• • •		• • •	• • •		_	1	1
Public bakery –	•••			•••	•••	•••	•••	• • •	_	_	1	1
Sweatmeat facto		• • •		• • •	• • •	• • •	•••	•••		1		l. 1
Rice-husking mi	1	•••	•••	•••	•••	• • •	•••	• • •		1		1
Gîza Pro	rince :—											
	•••	•••	•••	•••	• • •	• • •	• • •	•••	1	—	_	1.
Public bakery Beheira F	rovince:					• • •	• • •	• • •	—		1	1.
Public bakery Beheira F Public bath	rovince :	•••	• • •	• • •	• • •							
Public bakery Beheira F Public bath Sannery	rovince :	•••	• • •	•••	• • •	• • •	• • •	• • •			1 1	1.
Public bakery Beheira F Public bath Sannery	• • • • • •	•••	•••	• • •	• • •	•••	•••	• • •	_	_	1	1
Public bakery Beheira I Public bath Tannery		•••		•••	•••	•••	•••		_		1	1
Public bakery Beheira F Public bath Sannery Skin store		•••		• • •	•••	•••	•••		_	_	1	1

3.—CEMETERIES AND PRIVATE TOMBS.

(a) CEMETERIES.

New Cemeteries and Cemetery Extension.—With the cessation of hostilities and the relatively greater facility of obtaining the necessary material for the erection of demarcation pillars, cemetery work has become more active. A larger number of new cemeteries has been created, whilst the number of existing cemeteries enlarged has also been increased.

A still greater increase may, however, be expected in the near future owing to there being a large number of cemeteries still awaiting demarcation by pillars.

Encroachments.—These are still very frequent, but in the majority of cases the encroachment is due to the cemeteries being very old, to the absence of pillars to distinguish their boundaries from the surrounding land, and to the absence of data as to how and when they were established.

The Survey of Egypt has been asked to proceed with the work of surrounding these cemeteries by pillars with all possible celerity.

Control Register.—A new register has been created in which all particulars of the successive stages of the work done and in course of execution in connection with new cemeteries and cemetery extensions are recorded. This register is a comprehensive summary of this branch of the work and enables the Director of the Section at a glance to know exactly how matters stand, where any delay may be occurring, and the time covering the whole procedure in each case.

TABLE V.—WORK DONE IN CONNEXION WITH CEMETERIES DURING 1919.

Provi	NCE		CEMETERIES	•		OLD CEN	METERIES.	
or Gover	NORATE.	Established.	Enlarged.	Roads for Cemeteries.	Authorized.	Portion condemned.	Condemned.	Disaffected.
•								
Gharbîya]	Province	_	_	_	15		1	2
Beheira	"	1		. 1	. 25		1	_
Sharqiya	"	3	_	1	. 2		6	1
Daqahlîya	"	_		_	4	_	1	$\hat{5}$
Minûfîya	"	2	2		6	_	2	
Qalyûbîya	22	1	1	_	1		1	
Gîza	"	_	_	_	_		1	
Faiyûm	,,		1		1	_		-
Minya	,,	2	2	2	2			_
Asyût	,,		_	_	2		31	_
Suez Gover		1	_	_	_		_	_
Тотац		10	6	4	58	_	44	8

TABLE VI.—LEGAL ACTIONS BROUGHT BY THE CONTENTIEUX AGAINST ENCROACHERS ON CEMETERY LANDS DURING 19.9.

	Pı	ROVING	CE.				Judgment in Government's Favour.	Judgment against Government.	Cases filed.
Sharqîya	•••						1	-	11
Daqahliya —	•••		•••	• • •	•••	•••	1	1	6
Qalyûbîya	•••		• • •	•••	• • •	•••			2
Gharbîya	•••	• • •	• • •	•••	• • •	•••	_		7
Minûfîya	•••	•••	•••	• • •	•••	• • •			6
Beheira	•••	•••	•••	• • • "	• • •	•••	2.		2
Gîza +	•••	•••	•••	•••	• • •	• • •			2
Faiyûm	•••	•••	,	• • •	•••	•••	_		3
Asyût	•••	• • •	• • •	• • •	• • •	• • •	_	1	
Girga	•••	•••	• • •	• • •	•••	• • •			1
Aswân	•••	•••		• • •	•••	•••			1
			T	OTAL	• • •		4	2	41

(b) PRIVATE TOMBS.

The Department accorded five special authorizations for burial in private tombs situated outside cemeteries, as follows:—

Gharbîya Province	• • •	 • • •	• • •	3
Minûfîya Province		 • • •		`1
Minya Province		 • • •	• • •	1

4.—"BIRKAS."

TABLE VII.-LIST OF GOVERNMENT "BIRKAS" FILLED IN DURING 1919.

	Number of	TOTAL AREA.				
Province.	Birkas filled in.	Feddâns.	Qirâts.	Sahms.	Square Metres.	
Beheira	12		11	17	2,048.93	
Gharbîya	2	-	6	10	1,122.90	
Sharqîya	1	1	12	20	6,445.80	
Qalyûbîya	2	_	20	13	3,594.77	
Beni Suef	1		8	_	1,400.00	
Minya	1	1	1	4	4,404.16	
Asyût	7	_	7	17	1,865.13	
. Тотац	26	4	20	9	20,891.69	

5.—MOSQUES.

TABLE VIII.—Mosques DEALT WITH IN 1919.

Description.	Cairo Governorate,	Provinces.	Total.
Ablutionary systems of private mosques newly constructed and opened for use	7	$\frac{2}{4}$	$\frac{2}{11}$
Ablutionary systems of old private mosques requiring repairs:— Number opened for use after repair	$\frac{-}{2}$	25 252 231	$25 \\ 254 \\ 231$

6.—PROTECTION OF DRINKING WATER.

Arrêtés were issued and published in the Journal Officiel for preventing the pollution of drinking water at the following places:—

Talkha Bandar, Gharbîya Province. Aga Bandar, Daqahlîya Province.

7.—SLAUGHTER-HOUSES AND SLAUGHTERING SITES.

Sites for slaughter of animals for food in villages where no slaughter-houses exist were approved in the following villages:—

One at Mahmudîya, Beheira Province. One at Melîg, Minûfîya Province.

8.—"DÉPOTOIRS."

No dépotoirs have been approved by the Department during 1919.

9.—PROSTITUTION.

TABLE IX.—PROSTITUTION IN 1919.

	Number	Number		SICK OF			
PLACE.	of	of Examinations.	Syphilis.	Gonorrhœa.	Other Diseases.		
Governorates. Cairo Natives Europeans Alexandria Port Said Natives Europeans Europeans Ismailia Suez Damietta	441 2,324 204 64 94 88	24,980 15,826 56,949 7,118 1,976 3,025 3,613 110	194 11 236 — — — 4	$egin{array}{c} 2,497 \\ 332 \\ 1,195 \\ 72 \\ 20 \\ 47 \\ 66 \\ 2 \\ \end{array}$	97 8 491 47 8 5 37		
Provinces. Beheira:— Damanhûr Shubrakhît Carried forward	163 15 4,996	$\begin{bmatrix} 3,853\\410\\ \hline 117,860 \end{bmatrix}$	37 2 484	90 - 4,321	694		

Table IX.—Prostitution in 1919 (continued).

							Number	Number	SICK OF			
	PLAC	Е.					of Prostitutes.	of Examinations	Syphilis.	Gonorrhæa.	Other Diseases.	
	Br	ough	t for	wara	l	• • •	4,996	117,860	484	4,321	694	
Tharbîya :—												
Tanta Kafr el Sheikh	• • •	•••	• • •	•••	•••	•••	$267 \\ 46$	$\begin{matrix} 5,373 \\ 1,175 \end{matrix}$	$\begin{array}{c} 42 \\ 22 \end{array}$	141 5	$\frac{11}{2}$	
Disûq	• • •		•••	•••	•••	•••	17	780	6	8	2 2	
Mahalla el Kubr Kafr el Zaiyât	a	•••	•••	•••	•••	•••	$\begin{array}{c} 56 \\ 49 \end{array}$	$\begin{array}{c c} 1,450 \\ 970 \end{array}$	$\frac{9}{3}$	$\begin{bmatrix} 4 \\ 42 \end{bmatrix}$		
Hinûfîya :—												
Shibîn el Kôm	• • •	•••	•••		• • •	• • •	23	449	18	17	9	
Minûf	•••	• • •	•••	•••	•••	• • •	17	225	2			
Sharqiya:—							196	4,641	31	98	42	
Zagazig Bilbeis	• • •	•••	• • •	• • •	• • •	• • • •	29	914	12	22		
Ibrahimîa	• • •	•••	•••	•••	•••	•••	50	519	9	56	8	
Daqahlîya :—							404	2 7.00			4.4	
Mansûra Mît Ghamr	•••	• • •	• • •	• • •	•••	• • •	$\begin{array}{c c} & 101 \\ & 48 \end{array}$	$\begin{bmatrix} 2,580 \\ 2,100 \end{bmatrix}$	11.	9 14	14	
Simbillâwein	• • •	•••	•••	•••	•••	•••	$\frac{1}{29}$	853	5	6		
Qalyûbîya :—												
Benha	•••	• • •	•••	•••	•••	• • •	66	3,432	35	43	17	
Gîza :—						٠						
Gîza Imbâba	•••	• • •	• • •	• • •	• • •	• • •	$\begin{array}{c} 20 \\ 32 \end{array}$	555 544	$\frac{2}{1}$	$\frac{2}{4}$	1	
	•••	• • •	• • •	•••	• • •	• • •	02	, ,		1		
Faiyûm :— Faiyûm							82	1,732	18	36	10	
Beni Suef:—	• • •	•••	•••	•••	• • •	•••		1,102				
Beni Suef							84	2,013	34	37	15	
Minya:—	•••	***										
Minya	• • •	• • •	•••	• • •	• • •	• • •	95	3,640	71	97	22	
Beni Mazâr	• • •		•••	•••	• • •	• • •	34	1,052	10	13	_	
Asyût:—							110	0.000		100		
Asyût Mallawi	• • •	• • •	•••	• • •	• • •	• • •	$\begin{array}{c c} & 119 \\ \hline 25 \end{array}$	$3,283 \\ 718$	$\begin{array}{c c} 68 \\ 3 \end{array}$	109	_ 4	
Rôda	•••	•••	•••	•••	• • •	••	. 16	301	-		_	
Manfalût Abu Tîg	•••	•••	•••	•••	• • •	. •	$\begin{array}{ccc} & & 6 \\ 25 & \end{array}$	155 414	10	30	4	
Girga:—												
Tahta		•••	•••	• • •	• • •		. 23	564	_	11	5	
Sohâg	• • •	•••	•••	• • •	• • •	••	98	$\begin{bmatrix} 2,704 \\ 694 \end{bmatrix}$	$\frac{17}{3}$	38 6	11	
Akhmim Girga	• • •	• • •	• • •	•••	• • •	••	. 52	1,255	16	10	4	
Balyâna	•••	•••	•••	• • •	• • •	• •	. 32	435	10		(
Qena :—								1		10		
Isna		•••	•••	•••	• • •	••	38	$\begin{array}{c c} 1,620 \\ 1,243 \end{array}$	$\frac{2}{1}$	19	- 3	
Luxor Qûs		• • •	• • •	• • •	• • •	• •	. 26	549	1	3	_	
🕛 Dishna		• • •	•••	• • •	•••	••	92	513 863	3	5 11	2	
— Nagʻ Hammâdi — Farshût		• • •	• • •	•••	• • •	• •	. 20	514	17	19	12	
Qena		•••	• • •	•••	• • •	• •	. 74	1,983	7	53		
Aswân:—									9			
Aswân	•••	• • •	•••	• • •	•••	• •	. 22	578	3		4	
				***	AL		7,005	171,243	986	5,306	91	

Table X.—Number of Prostitutes treated in Government Hospitals during 1919.

	Number	Diseases.				
Hospital.	of Prostitutes.	Syphilis.	Gonorrhæa.	Other Diseases.		
Alexandria { Lock Hospital for Natives { Lock Hospital for Europeans } Suez Port Said Damietta Damanhûr Aswân { Lock Hospital for Natives } Lock Hospital for Natives } Benia	1,427 821 159 146 3 211 127 195 205 44 95 $4,151$ 351 86 127 190 232 159 112 24 11	200 63 4 32 1 59 37 35 43 18 35 410 11 34 18 71 81 51 15 2 6	584 490 113 87 1 141 90 158 120 17 43 3,670 332 37 99 97 143 93 93 19 2	$\begin{array}{c} 643 \\ 268 \\ 42 \\ 27 \\ 1 \\ 11 \\ - \\ 2 \\ 42 \\ 9 \\ 17 \\ 71 \\ 8 \\ 15 \\ 10 \\ 22 \\ 8 \\ 15 \\ 4 \\ 3 \\ 3 \\ \end{array}$		
Тотац	8,876	1,226	6,429	1,221		

10.—MEDICO-LEGAL EXAMINATIONS AND REPORTS.

TABLE XI.—STATISTICS.

LOCALITY.	SLI	ЭНТ.	SER	ious.	FA'	ΓAL.	То	TAL.
, HOUMHIT.	Accident.	Criminal.	Accident.	Criminal.	Accident.	Criminal.	·Accident.	Criminal.
GOVERNORATES. Cairo Alexandria Canal { Port Said	$ \begin{array}{r} 247 \\ 1,058 \\ 62 \\ 48 \\ 14 \\ 19 \end{array} $	5,605 2,207 725 161 258 305	119 368 28 7 2 2 23	65 197 7 5 15 5	165 475 13 19 14 24	113 204 — 5 5	531 1,901 103 74 30 66	5,783 2,608 732 166 278 315
Provinces. Lower Egypt:— Beheira	169 365 235 222 233 157	2,467 3,974 3,300 2,462 1,882 1,356	$\begin{array}{c} 46 \\ 243 \\ 257 \\ 132 \\ 156 \\ 107 \end{array}$	199 323 158 174 126 82	242 389 268 221 316 186	119 171 99 75 92 64	457 997 760 575 705 450	2,785 4,468 3,557 2,711 2,100 1,502
Upper Egypt:— Gîza Faiyûm Beni Suef Minya Asyût Girga Qena Aswân	215 63 177 127 254 196 105 47	1,379 $1,027$ $1,115$ $2,072$ $2,904$ $2,697$ $1,671$ 551	98 68 56 94 173 119 85 52	99 104 160 184 348 259 179 49	$ \begin{array}{r} 187 \\ 62 \\ 87 \\ 213 \\ 211 \\ 272 \\ 256 \\ 109 \end{array} $	99 58 101 120 155 127 67 6	500 193 320 434 638 587 446 208	1,577 1,189 1,376 2,376 3,407 3,083 1,917 606
Total	4,013	38,118	2,233	2,738	3,729	1,680	9,975	42,536

II.—REPORT ON SECTION II.

I.—GENERAL HOSPITALS.

GENERAL.

In general the policy of this Section has remained unchanged since last year, and no developments of outstanding importance have been undertaken.

The number of hospitals remains the same, viz. 24, the total number of beds being 4,592, an increase of 49 beds. As will be seen from the attached tables the total number of cases treated was 64,704, and the number of days of treatment 1,021,498, compared with 75,002 and 1,117,791 respectively in 1918.

This decrease is due to two factors, viz. the disturbed state of the country and interruption of communications during the months of March, April, and May, and to the cessation of the influenza epidemic which assumed such formidable proportions in 1918.

Apart from this there is evidence on all sides of an increased disposition on the part of the population to avail themselves of hospital treatment, and it is becoming manifest that the great majority of provincial Government hospitals are inadequate in size to meet the local needs of the people. Circumstances arising out of the war have necessitated the postponement of a large building programme, but postponement has made certain developments and reforms only more urgent. With the return of more normal conditions the rebuilding of some hospitals and the enlargement of others will, it is hoped, be begun in the immediate future.

In this connection the generous offer of Messrs. Thos. Cook & Son to present to the Government the freehold, building, and equipment of their hospital at Luxor has been referred for approval by the Ministry of Finance. Its utility is indicated by the fact that it will serve the needs of some 45,000 inhabitants in the neighbourhood.

BUILDING, ALTERATIONS, AND REPAIRS.

As is mentioned above, no new building operations of importance have been carried out during the year. Alterations and repairs have been confined to the most urgent needs

X-Rays.

An x-ray plant was installed in Damanhûr hospital during 1919.

At present there are x-ray outfits in the following hospitals:—

Alexandria.
Tanta.

Suez.

Port Said.

Mansûra.

Beni Suef.

Damanhûr. Qalyûb.

Qasr el 'Aini.

Asyût.

Zagazig.

Benha.

Personnel.

In view of the development of medical work in provincial hospitals the post of Second Medical Officer has been created at Benha, Sohâg, and Qena Hospitals. There is now a Second Medical Officer in all hospitals except Damietta, Aswân, Qalyûb, and Isna, which it is hoped will be provided with Second Medical Officers in the near future. Further, it is hoped to strengthen the staffs of some of the larger provincial hospitals by the addition of a Third Medical Officer.

Pursuant to its policy of raising the standard of the nursing service in provincial hospitals the Department has created the posts of matron and nursing sister in this year's budget for Beni Suef Hospital, and will gradually extend this to all the larger hospitals as budgetary provision permits.

The shortage of pharmacists has made it difficult to grant leave as freely as it could be wished owing to the difficulty of providing reliefs. It is hoped that this will be rectified in the future.

The present class of hospital storekeepers (Mo'âwenîn) is on the whole not satisfactory. In order to get suitable men it will be necessary to require a higher standard of education and technical knowledge, which will entail an improvement in their status.

Cost of Maintenance.

The cost of upkeep of hospitals for 1919 was L.E. 183,141.974 milliemes, as against L.E. 166,218.433 milliemes in 1918, an increase of L.E. 16,923.541 milliemes. This increase is due to the present high prices of all drugs, dressings, food, etc. The cost of upkeep does not include the expenses of the Central Administration, nor does it include repairs and renewals of buildings.

The cost per bed per amum in 1919 was L.E. 39.883 milliemes, as against L.E. 36.588 milliemes in 1918. The cost per patient per day was 179 milliemes in 1919, 149 milliemes in 1918, 131 milliemes in 1917, 130 milliemes in 1916, 134 milliemes in 1915.

The increase of cost per patient and of maintenance generally was and is inevitable in view of the continual rise in prices.

HOSPITAL RECEIPTS.

The receipts for 1919 amounted to L.E. 18,097·193 milliemes, as against L.E. 23,277·650 milliemes in 1918, a decrease of L.E. 5,180·457 milliemes. This decrease is due mainly to the greatly reduced number of military patients treated and in a lesser degree to the general reduction in numbers admitted.

STATISTICS.

The remaining tables of statistics explain themselves and call for no comment.

TABLE XII.—COMPARATIVE GENERAL STATISTICS.

				1918.	1919.	Increase or Decrease.
Number of hospitals beds	• • •	• • •	• • •	4,543	$\begin{array}{c} 24 \\ 4,592 \\ 64,704 \end{array}$	$\begin{array}{c} - \\ + \\ 49 \\ - \\ 10,298 \end{array}$
		• • •	• • •	38,612 6.946 per cent.	33,299	- 5,313 -0.375 per cent - 96,293
" new out-patients out-patients' visits Major operations	• •••	• • •	• • •	215,417	$\begin{bmatrix} 219,573 \\ 402,996 \\ 9,051 \end{bmatrix}$	+ 4,156 33,039 + 551
Cost of upkeep Receipts			• • •	L.E. M. 166,218 433 23,277 650	183,141 974 18,097 193	+ 16,923 541 - 5,180 457

TABLE XIII.—COMPARATIVE ANNUAL STATISTICS.

YEAR.	Number of Beds.	Number of In-Patients.	Number of Days of Treatment.	Number of New Out-Patients.	Number of Out-Patients' Visits.	Total Cost of Maintenance.		Cost per Ar		Cost per Patient per Day.
		Anguarda de la companya de la compan				L.E.	м.	L.E.	м.	М.
1908	2,263	31,802	556,543					_		
1909	2,491	34,221	598,539	144,509	353,409					
1910	2,385	35,065	579,796	152,733	312,152					
1911	2,385	37,018	621,350	173,401	385,062					
1912	2,346	38,887	614,921	192,227	424,707	77,992	867	33	245	127
1913	2,409	42,794	627,813	207,882	417,845	83,698	539	34	744	133
1914	2,485	44,914	681,680	179,338	346,673	92,189	050	37	098	135
1915	3,320	50,483	858,878	152,329	340,774	114,843	117	34	591	134
1916	3,825	55,489	946,557	178,788	392,961	123,379	860	32	256	130
1917	3,872	56,289	871,228	209,909	471,742	114,591	683	29	595	131
1918	4,543	75,002	1,117,791	215,417	436,035	166,218	433	36	588	149
1919	4,592	64,704	1,021,498	219,573	402,996	183,141	974	39	883	179
			l .	1				1		

TABLE XIV.—ANALYSIS OF MILITARY CASES, 1919.

							
Hospital.	Number of Military Patients admitted (including Prisoners of War).	Number of Military Cases discharged Fit for Duty (or, if Prisoners of War, to Prisoners of War Camp).	Number of Military Cases discharged to Convalescent Homes or Camps.	Number of Military Cases discharged to England.	Number of Military Cases transferred to other Hospitals,	Number of Military Cases which died.	Number of Patient-Days for Military Patients (including Prisoners of War.)
Alexandria Suez Port Said Port Said (Infect.) Tanta Damanhûr Mansûra Zagazig Benha Qalyûb Qasr el 'Aini Fever 'Abbâsîya Beni Suef Asyût Sohâg Qena Aswân Zagazig E.L.C.	701 450 328 14 4 342 12 205 3 2 404 231 7 16 3 54 3 $1,029$	653 280 255 - 3 150 10 202 2 1 384 31 1 - 3 54 3 906	-4 16 13	20 	130 149 3 — — — —————————————————————————————	10 13 26 1 1 2 1 3 - 1 20 23 1 - - - 1 23 1	7,750 $5,647$ $2,431$ 223 58 $1,478$ 121 $2,565$ 70 2 $4,784$ $7,313$ 21 363 27 703 60 $39,138$
Total for 1919	3,808	2,938	211	24	376	225	72,754
Total for 1918	$\frac{3,600}{8,532}$	$\frac{2,000}{5,136}$	1,448	34	1,033	578	$\frac{122,557}{122}$
Total for 1917	$\frac{3,332}{4,548}$	$\frac{-3,180}{2,931}$	57	28	1,433	108	67,058
Total for 1916	$\frac{1,810}{12,897}$	$\frac{2,331}{7,142}$	$\frac{3}{2,155}$	199	2,977	170	212,238
Total for 1915	$\frac{12,851}{14,851}$	$\frac{1,112}{4,459}$	$\frac{2,189}{7,769}$	1,262	816	212	306,540
Total for 1914	536	438	1,10,	10	74	14	8,107
Total from commencement of War to	, 000	100			- 11		0,201
end of 1919	45,172	23,044	11,640	1,557	6,709	1,307	789,254

Table XV.—Number of Military Cases treated Hospital by Hospital since Commencement of War till the End of 1919.

						*	
Hospital.	Number of Military Patients admitted (including Prisoners of War).	Number of Military Cases discharged Fit for Duty (or, if Prisoners of War, to Prisoners of War Camp).	Number of Military Cases discharged to Convalescent Homes or Camps.	Number of Military Cases discharged to England.	Number of Military Cases transferred to other Hospitals.	Number of Military Cases which died,	Number of Patient-days for Military Patients (including Prisoners of War).
Alexandria Suez Port Said Port Said (Infect.) Tanta Damanhûr Mansûra Zagazig E.L.C. Camp Shibîn el Kôm Benha Qalyûb Mersa Matrûh Qasr el 'Aini Fever 'Abbâsîya Beni Suef Faiyûm Minya Asyût Sohâg Qena Isna Aswân	4,767 12,759 4,540 525 1,342 1,367 711 2,081 3,493 423 1,202 2 60 5,886 752 402 1,161 1,182 1,766 482 139 90 40	$egin{array}{c} 1,710 \\ 7,157 \\ 2,800 \\ 239 \\ 863 \\ 762 \\ 494 \\ 1,511 \\ 2,666 \\ 254 \\ 918 \\ 1 \\ 59 \\ 676 \\ 241 \\ 280 \\ 629 \\ 366 \\ 954 \\ 285 \\ 76 \\ 77 \\ 26 \\ \end{array}$	2,099 1,451 1,098 142 265 151 129 151 - 105 141 - 5,147 161 15 118 428 16 3 - 13 7	528 393 140 — 128 75 47 148 — 30 38 — — — — — — — — — — — — —	198 3,385 209 64 83 333 39 208 - 18 77 - 33 261 105 360 376 740 158 54 - 8	182 136 162 65 3 7 1 22 531 — 3 1 80 73 2 6 12 16 4 — —	108,346 162,490 81,553 6,874 29,933 24,884 17,478 41,872 85,628 11,186 22,682 797 96,365 19,027 7,212 16,476 14,866 31,017 6,309 2,316 1,159 782
Total	45,172	23,044	11,640	1,557	6,709	1,307	789,254

Table XVI.—Patients and Cost during 1919.

HOSPITAL.	Number of Beds.	Number of In-Patients.	Number of Days of Treatment.	Number of New Out-Patients.	Number of Out-Patients' Visits.	Number of Operations.	Cost of U	1	Cost per Bed	per Annum.	Cost per Patient per Day.
,							L.E.	М.	L.E.	м.	м.
Alexandria	356	11,128	124,718	18,061	45,036	1,819	23,747	168	66	705	190
Suez	404	2,780	31,645	4,479	5,568	277	10,301	003	25	497	325
Port Said	178	2,997	45,825	13,908	24,545	262	9,574	000	53	786	209
Port Said (Inf.)	96	660	8,724				1,520	000	15	833	174
Damietta	52	1,102	16,078	7,771	14,693	252	2,560	663	49	243	159
Tanta	113	1,917	39,258	5,643	18,858	390	5,993	127	53	036	153
Tanta (Infectious)	18	517	5,412				681	681	37	871	126
Damanhûr	75	1,845	17,882	4,874	11,405	280	3,463	816	46	184	194
Mansûra	126	2,112	37,456	5,976	10,215	291	5,831	658	4 6	283	155
Zagazig	115	2,026	33,899	5,477	9,278	556	5,072	215	44	106	150
Shibîn el Kôm	74	1,326	19,260	5,592	15,641	308	3,561	073	48	123	185
Benha	71	1,522	23,483	3,687	5,486	220	3,895	715	54	869	165
Qalyûb	40	1,201	12,173	6,024	13,655	382	3,032	328	75	808	249
Qasr el 'Aini	741	12,070	182,573	100,794	153,223	1,552	44,663	298	60	274	244
Hôd el Marsûd	300	4,456	106,264	236	3,391		5,334	863	17	783	50
Fever Hosp. Cairo	900	5,584	105,943		_	_	22,295	486	24	773	210
Beni Suef	62	1,278	22,734	5,118	8,741	342	3,925	622	63	316	173
Faiyûm	64	1,368	18,625	5,153	10,254	197	4,020	162	62	815	216
Minya	96	1,455	24,753	3,903	12,790	251	3,699	305	38	534	- 149
Asyût	• 172	2,471	42,600	6,450	8,218	743	5,344	072	31	070	125
Sohâg	. 56	1,383	19,359	3,896	8,573	196	3,822	430	68	257	197
Qena	59	1,353	23,545	5,275	10,873	358	2,610	148	44	$24\bar{0}$	111
Isna	31	524	9,570	2,693	3,242	129	1,530	746	49	379	160
Aswân	43	536	10,581	4,563	9,311	244	. 2,895	602	67	339	273
Total	4,242	[63,611]	982,360	219,573	402,996	9,049	179,376	181	42	286	182
,						-				<u> </u>	
Zagazig E.L.C.	350	1,093	39,138			2	3,765	793	10	759	96
/											
										\	
GRAND TOTAL	4,592	64,704	1,021,498	219,573	402,996	9,051	183,141	974	39	883	179
			, , , , , ,	,,,,,	,,,,,,	, , ,	100,111		0./	600	119

TABLE XVII.—Admissions and Discharges during 1919.

				I	DISCHARGE	D.	
Hospital.	Existing.	Admitted.	Total.	Cured.	Died.	Improved.	Remaining
•							
Alexandria		10,679	11,128	6,032	786	3,905	405
Suez	. 158	2,622	2,780	1,953	110	636	81
Port Said	. 118	2,879	2,997	1,455	161	1,251	130
Port Said (Infectious)		660	660	589	50		21
Damietta		1,074	1,102	807	46	208	41
Tanta		1,858	1,917	1,449	113	275	80
Tanta (Infectious)		479	517	462	40		15
Damanhûr		1,813	1,845	1,434	85	270	56
Mansûra	76	2,036	2,112	1,156	170	670	116
Zagazig	56	1,970	$\frac{2,026}{}$	1,512	. 92	311	111
Shibîn el Kôm	37	1,289	1,326	1,027	44	192	63
Benha	65	1,457	1,522	1,001	44	409	68
Qalyûb	29	1,172	1,201	226	42	897	36
Qasr el 'Aini	539	11,531	12,070	4,028	1,114	6,441	487
Hôd el Marsûd	305	4,151	4,456			4,210	246
Fever, ʿAbbâsiya	54	5,530	5,584	4,586	856	48	94
Beni Suef	32	1,246	$\begin{vmatrix} 1,278 \end{vmatrix}$	806	23	399	50
Faiyûm	44	1,324	1,368	953	43	324	48
Minya	76	1,379	1,455	995	69	322	69
Asyût	100	2,371	2,471	1,850	103	394	124
Sohâg	39	1,344	1,383	958	54	305	66
Qena	43	1,310	1,353	910	42	345	56
Isna	. 18	506	524	271	20	210	23
Aswân	14	522	536	285	22 /	185	44
. Total	2,409	61,202	63,611	34,745	4,129	22,207	2,530
Zagazig E.L.C	. 64	1,029	1,093	491	123	479	
·		•					
GRAND TOTAL	. 2,473	62,231	64,704	35,236	4,252	22,686	2,530

Table XVIII.—In-Patients (Voluntary, Military, and Police) during 1919.

Hospital.	Voluntary Cases.	Police Cases.	Military Cases.	Total Number of Cases.	Total Number of Days of Treatment.
,					
Alexandria	6,426	3,552	701	10,679	124,718
Suez	1,416	756	450	2,622	31,645
Port Said	2,069	482	328	2,879	45,825
Port Said (Infectious)	623	23	14	660	8,724
Damietta	902	172		1,074	16,078
Tanta	475	1,379	. 4	1,858	39,258
Tanta (Infectious)	438	41		479	5,412
Damanhûr	903	568	342	1,813	17,882
Mansûra	1,063	961	12	2,036	37,456
Zagazig	655	1,110	205	1,970	33,899
Shibîn el Kôm	503	786		1,289	19,260
Benha	478	976	3	1,457	23,483
Qalyûb	939	231	2	1,172	12,173
Qasr el 'Aini	6,635	.4,492	404	11,531	182,573
Hôd el Marsûd		4,151		4,151	106,264
Fever, 'Abbâsîya	4,780	519	231	5,530	105,943
Beni Suef	768	471	7	1,246	22,734
Faiyûm	364	960	_	1,324	18,625
Minya	590	789	_	1,379	24,753
Asyût	1,247	1,108	16	2,371	42,600
Sohâg	625	716	3	1,344	19,359
Qena	735	521	54	1,310	23,545
Isna	323	183	_	506	9,570
Aswân	342	177	3	522	10,581
Total	33,299	25,124	2,779	61,202	982,360
Zagazig E.L.C			1,029	1,029	39,138
			*	-	
GRAND TOTAL	. 33,299	25,124	3,808	62,231	1,021,498

TABLE XIX.—OUT-PATIENTS' DIVISION 1919.

Hospital.	Number of Patients.	Number of Attendances.	Hospital.	Number of Patients.	Number of Attendances.
			Brought forward	75,468	160,725
Alexandria	18,061	45,036	Qalyûb	6,024	7,631
Suez	4,479	5,568	Qasr el 'Aini	100,794	153,223
Port Said '	13,908	24,545	Hôd el Marsûd	236	3,391
Port Said (Infectious)	_		Fever, 'Abbâsîya	_	_
Damietta	7,771	14,693	Beni Suef	5,118	8,741
Tanta	5,643	18,858	Faiyûm	5,153	10,254
Tanta (Infectious)			Minya	3,903	12,790
Damanhûr	4,874	11,405	Asyût	6,450	8,218
Mansûra	5,976	10,215	Sohâg	3,896	8,573
Zagazig	5,477	9,278	Qena	2,575	10,873
Shibîn el Kôm	5,592	15,641	Isna	2,693	3,242
Benha	3,687	_5,486	Aswân	4,563	9,311
Carried forward	75,468	160,725	TOTAL	216,873	396,972

TABLE XX.—Hospital Receipts during 1919.

Hospital.	RECEIPTS.	RECEIPTS. HOSPITAL.			
	L.E. M.		L.E. M.		
		Brought forward	10,293 283		
Alexandria	1,422 170	Qalyûb	170 559		
Suez	2,589 880	Qasr el 'Aini	926 874		
Port Said	3,213 346	Hôd el Marsûd			
Port Said (Infectious)	. –	Fever, Abbassia	4,172 706		
Damietta	. 270 939	Beni Suef	306 004		
Tanta	304 424	Faiyûm	195 708		
Tanta (Infectious)	. –	Minya	323 578		
Damanhûr	628 582	Asyût	726 554		
Mansdra	. 581 410	Sohâg	213 645		
Zagazig	. 483 265	Qena	277 920		
Shibîn el Kôm	. 404 830	Isna	241 525		
Benha	. 394 437	Aswân	248 837		
Carried forward .	. 10,293 283	TOTAL	18,097 193		

	1 :		1 .		1			<u> </u>	1	1 1
SECTION.	Alexandria.	Suez.	Port Said.	Port Said. (Infectious).	Damietta.	Tanta.	Tanta (Infectious).	Damanhûr.	Mansûra.	Zagazig.
Medical:—						10			-	
Alimentary:—		20				10				
Diseases of stomach Tuber. peritonitis	$\begin{array}{c c} 94 \\ 12 \end{array}$	63	$\begin{vmatrix} 2\\1 \end{vmatrix}$		$\begin{array}{c} 30 \\ 1 \end{array}$	$\begin{vmatrix} 12\\2 \end{vmatrix}$		20	6	25
Dysentery	193	-58	35		19	18	_	99	16	46
Diarrhea and enteritis Liver	250	67	102		25 —	36		$\begin{vmatrix} 110 \\ 2 \end{vmatrix}$	$\begin{vmatrix} 42 \\ 5 \end{vmatrix}$	45
Other diseases	70		1	_	1				_	— 、
Respiratory :— Pneumonia	30	47	67		15	7		11	$\frac{1}{4}$	5
Phthisis Pleurisy	143 24	26 5	$\begin{array}{c c} 39 \\ 24 \end{array}$		3	7	_	_	5	5 8
Other diseases	396	81	85	_	$\frac{2}{42}$	$\begin{vmatrix} 3\\46 \end{vmatrix}$	$\frac{}{158}$	$\begin{vmatrix} 3\\20 \end{vmatrix}$	$\frac{3}{22}$	57
Circulatory :— Heart	83	7	16		10			4		
Other diseases	34	4	6	_		-3	_	4	15	9
Urinary :— Nephritis	95	34	9		20	19		18	29	13
Other diseases	118	5	9			9		7	16	$\begin{vmatrix} 15 \\ 25 \end{vmatrix}$
Blood :— Spleen ,,	38		-		vd1	10		5	1	8
Other diseases	84	_	_	_	54			7	$\frac{1}{32}$	
Nervous :— Brain	33	1	1	_		1	_			
Spinal cord	16	1			, 1	7		_	_	
Other diseases Constitutional:—	62	_	17	_	7	9		11	1	9
Rheumatism	,144	56	44	_	11	9	_	3	9	12
Diabetes Senility	23 79	_	18	_	1	1 - ₆	_	2	$\frac{1}{2}$	
Debility	146	40	66	_	$\frac{1}{2}$	17	_	14	$ \tilde{62} $	72
Malaria	75	172	62	_	52	17	20	15	15	13
Ankylostomiasis	56	-	8	-	37	4		64	8	54
Filaria Pellagra	19	3	2	_	$\frac{}{59}$	$\frac{}{25}$	_	7	57	-9
Poisoning:—	166		<u>a</u>		9			3		
Other poisons	33	_	2 2		$\begin{vmatrix} 2\\2 \end{vmatrix}$	$\begin{array}{c c} 64 \\ 36 \end{array}$		$\frac{2}{7}$	$\frac{1}{2}$	
Lunatics Oth er medical diseases	$\begin{array}{ c c }\hline 161\\92\\ \end{array}$	15 863	$\begin{array}{ c c c }\hline 45\\ 758\\ \end{array}$	660	$\frac{1}{86}$	42 101	339	30 458	20	10
Surgical:—	32	(00)	100	000	00	101	- 39N 	498	351	295
Fractures:— Simple	318	21	71		16	77		-23	28	51
Compound	87	17	- 5	_	11	45		19	$\begin{vmatrix} 26\\30 \end{vmatrix}$	$\begin{vmatrix} 31 \\ 18 \end{vmatrix}$
Tumours:— Malignant	44	5	_		6	3		2	7	1
Non-malignant	30		16		5	3		3	9	18
Traumatic injuries	724	$\begin{vmatrix} 1\\15 \end{vmatrix}$	39		44 19	441		181	$\begin{vmatrix} 240 \\ 15 \end{vmatrix}$	$\begin{vmatrix} 334 \\ 19 \end{vmatrix}$
Bilharziasis	108	5	16	_	91	49	· —	6	146	35
Fistula in ano Liver abscess	5	6	11		9	$\begin{array}{c c} 22 \\ 1 \end{array}$	_	$\begin{vmatrix} 24 \\ 2 \end{vmatrix}$	20	$\begin{vmatrix} 19 \\ 1 \end{vmatrix}$
Hernia	241	33	62	-	24	26	·	26	62	81
Hæmorrhoids	$\frac{213}{10}$	37	37	_	$\begin{array}{c c} 10 \\ 2 \end{array}$	$\begin{vmatrix} 22 \\ 1 \end{vmatrix}$		39	$\begin{vmatrix} 43 \\ 3 \end{vmatrix}$	40
Vesical calculus	21	2	1	_	12	19	_	29	.32	19
Other surgical diseases Ophthalmic	$1,072 \\ 467$	$\begin{array}{c c} 556 \\ 66 \end{array}$	827 85	_	+231 -36	286	_	$\begin{vmatrix} 326 \\ 22 \end{vmatrix}$	$\frac{311}{7}$	$\begin{bmatrix} 369 \\ 2 \end{bmatrix}$
Skin Diseases	371	63	$5\tilde{1}$	_	18	53		$\tilde{1}\tilde{2}$	39	$7\tilde{3}$
Syphilis	345	123	103	_	37	137	<u> </u>	66	195	85
Gouorrhœa Midwifery	1,539	179	123	_	9	149	_	94	183	131
Gynarcological diseases	51 137	14 11	$\begin{bmatrix} 2 \\ 68 \end{bmatrix}$		$\frac{5}{13}$	$\frac{}{13}$		$\begin{array}{c c} & 4 \\ & 19 \end{array}$	8	$\begin{bmatrix} 4 \\ 8 \end{bmatrix}$
Relatives accompanying patients	2,360	70	59	—	=21	18	_	13	8	1
•										
Total	11,128	2,780	2,997	660	11,02	1,917	517	1,845	2,112	2,026

	Shibîn el Kôm	Benha.	Qalyûb.	Qasr el cAini.	Hôd el Marsûd.	Fever cAbbâsîya.	Beni Suef.	Faiyûm.	Minya.	Asyût.	Sohâg.	Qena,	Isna.	Aswân.	Zagazig E.L.C. Camp.	TOTAL.
**	9 1 10 17 5 —	$\begin{bmatrix} 2 \\ -21 \\ 6 \\ 2 \\ 9 \end{bmatrix}$	18 -30 5 15 8			— — — —	$\begin{bmatrix} 5 \\ 1 \\ 11 \\ 15 \\ 6 \\ 25 \end{bmatrix}$	$\begin{bmatrix} -11 \\ -8 \\ 13 \\ 4 \\ - \end{bmatrix}$	- 11 22 14 51	33 1 21 13* 20 1	$\begin{array}{c} 21 \\ 3 \\ 30 \\ 9 \\ 16 \\ 10 \\ \end{array}$	31 3 18 9 -	$\begin{bmatrix} 5 \\ 2 \\ 14 \\ 6 \\ - \\ 3 \end{bmatrix}$	$\begin{bmatrix} -4 \\ -9 \\ 3 \\ 1 \\ 3 \end{bmatrix}$	$\begin{array}{c c} & 3 \\ -56 \\ 161 \\ 19 \\ - \end{array}$	394 28 723 956 158 185
	$-\frac{6}{1}$	5 6 2 12	$ \begin{array}{c c} 25 \\ 13 \\ - \\ 49 \end{array} $	_ _ _ _	- - -	14 — —	$\begin{bmatrix} 23 \\ 2 \\ -44 \end{bmatrix}$	5 4 — 26	$-\frac{15}{9}$	38 10 3 25	$-\frac{7}{21}$	6 4 2 34	$-rac{9}{3}$	$\begin{array}{c} 2\\7\\-\\11\end{array}$	$\begin{array}{c c} 10 \\ 7 \\ -12 \end{array}$	344 303 72 1,203
	1 13	$-\frac{4}{8}$	$\begin{array}{c} 22 \\ 3 \end{array}$	_	_	_	7 20 18	6	_4 	$\begin{array}{c} 14 \\ 12 \\ 14 \end{array}$	12 5 - 8	$-\frac{7}{10}$	$-\frac{7}{10}$	$\begin{bmatrix} 10 \\ 3 \\ 6 \end{bmatrix}$	39 14 45	287 114
	8 11	11 6	7 55	_	_ _	_	$\begin{bmatrix} & 16 \\ & 36 \end{bmatrix}$ $\begin{bmatrix} 6 \\ 25 \end{bmatrix}$	$\begin{array}{c} 9\\2\\-\\14 \end{array}$	$\begin{array}{c} 6\\22\\-\end{array}$	11 11 88	$egin{array}{c} 1 \ 2 \ 7 \end{array}$	10	1	16 —	12 19 4	402 317 112 382
	_	3 -4	$\frac{1}{3}$,	, —	4 1 31	——————————————————————————————————————	$-rac{2}{4}$	2 8 20	$\frac{1}{2}$	$-\frac{1}{16}$	$-\frac{3}{1}$	$-rac{1}{2}$	— —	53 34 216
	6 1 1 3	$\frac{22}{-}$	8 - 29				$-\frac{4}{4}$	18 - - 21	$-\frac{11}{8}$	$\begin{array}{c c} 14 \\ 3 \\ 2 \\ 6 \end{array}$	8 2 13 15	4 1 - 11	$\begin{bmatrix} 2\\3\\2\\24 \end{bmatrix}$	$\frac{6}{2}$	4 1 70 98	391 44 206 692
	$\begin{bmatrix} 13 \\ 3 \\ - \\ 6 \end{bmatrix}$	$ \begin{array}{c} 16 \\ 27 \\ - \\ 13 \end{array} $	29 83 ———————————————————————————————————	_ _ _		54 — —	$\begin{array}{c} 6\\11\\1\\22\end{array}$	25 7 —	$\begin{bmatrix} 20 \\ 31 \\ - \\ 5 \end{bmatrix}$	$ \begin{array}{c c} & 14 \\ & 31 \\ \hline & & \\ $	$-\frac{2}{65}$	$\frac{10}{178}$ $\frac{178}{2}$	$\begin{bmatrix} 2\\40\\-4 \end{bmatrix}$	17 5 8 4	$ \begin{array}{c} 18 \\ 58 \\ \hline 20 \end{array} $	667 770 35 269
	2 8 8 210	$ \begin{array}{c} 24 \\ 15 \\ -13 \\ 309 \end{array} $	$-\frac{6}{70}$			5,516	$ \begin{array}{r} 35 \\ 1 \\ -14 \\ 150 \end{array} $	$\begin{array}{c} 8 \\ 1 \\ 11 \\ 346 \end{array}$	22 3 6 180	-6 12 311	36 4 32 72	$\frac{3}{3}$ $\frac{7}{127}$	$-rac{2}{1} \\ 32$	3 1 10 19		370 132 442 15,809
	52 24	27 15	10 12	_	_		$\begin{array}{c} 16 \\ 21 \end{array}$	30 43	$\begin{array}{c} 51 \\ 32 \end{array}$	124 59	54 28	$\begin{array}{c} 34 \\ 23 \end{array}$	16 7	19 10	_	1,038 506
	$ \begin{array}{c} 1\\ 10\\ 229\\ 11\\ 76\\ 32\\ -\\ 65 \end{array} $	$ \begin{array}{c} 1 \\ -212 \\ 19 \\ 78 \\ 28 \\ 1 \\ 44 \end{array} $	$ \begin{array}{c} 18 \\ 11 \\ 125 \\ 10 \\ 33 \\ 19 \\ - \\ 35 \end{array} $				8 13 105 11 34 11 6 35	$\begin{array}{c} 4 \\ 5 \\ 213 \\ 12 \\ 39 \\ 13 \\ 1 \\ 18 \\ \end{array}$	6 12 182 18 61 10 3 28	7 34 318 30 55 16 2 113	13 3 296 13 14 11 1 24	$ \begin{array}{c} 32 \\ 15 \\ 174 \\ 7 \\ 34 \\ 4 \\ 2 \\ 36 \end{array} $	$ \begin{array}{c} 8 \\ 4 \\ 48 \\ 7 \\ 20 \\ - \\ 4 \end{array} $	$ \begin{array}{c} 6 \\ 62 \\ 12 \\ 13 \\ 6 \\ -25 \end{array} $		172 197 3,929 420 931 323 25 982
	$ \begin{array}{c c} 28 \\ 2 \\ 11 \\ 259 \\ \hline 41 \end{array} $	$ \begin{array}{r} 12 \\ -4 \\ 258 \\ 46 \\ 63 \end{array} $	$ \begin{array}{c c} 19 \\ 7 \\ 17 \\ 306 \\ 4 \\ 5 \end{array} $	5,384 1,189 686			$ \begin{array}{c c} 11 \\ 1 \\ 14 \\ 129 \\ - \\ 8 \end{array} $	$ \begin{array}{c c} & 23 \\ & -8 \\ & 143 \\ & -30 \end{array} $	$egin{array}{c} 29 \\ 2 \\ 15 \\ 187 \\ 2 \\ 39 \\ \end{array}$	$ \begin{array}{c c} 40 \\ 2 \\ 13 \\ 412 \\ \hline 31 \end{array} $	$ \begin{array}{c c} 8 \\ 2 \\ 9 \\ 160 \\ \hline 16 \end{array} $	$ \begin{array}{c} 13 \\ 1 \\ 9 \\ 150 \\ 50 \\ 18 \end{array} $	$-\frac{1}{4} \begin{pmatrix} -4 & 69 & 45 \\ 45 & 3 & 3 \end{pmatrix}$	$ \begin{array}{c c} 11 \\ - \\ 15 \\ 127 \\ 1 \\ 12 \end{array} $	$\begin{array}{c c} - \\ - \\ 5 \\ 214 \\ 2 \end{array}$	636 42 254 11,567 2,236 1,710
	67 4 21 14 13	74 58 11 4 14	$ \begin{array}{c c} & 11 \\ & -6 \\ & 26 \\ & 5 \end{array} $	506	458 3,922 — —		162 86 1 19 21	104 103 13 — 17	137 108 7 12 23	215 182 7 28 38	167 103 7 21 21	117 112 1 2 18	$ \begin{array}{c c} 36 \\ 54 \\ -2 \\ 10 \end{array} $	22 10 1 7 12	1	2,662 7,149 163 910 2,742
	1,326	1,522	1,201	12,070	4,456	5,584	1,278	1,368	1,455	2,471	1,383	1,353	524	536	1,093	64,704

2.—GOVERNMENT DISPENSARIES.

TABLE XXII.—OUT-PATIENTS TREATED GRATUITOUSLY IN GOVERNMENT DISPENSARIES DURING 1919.

Dispensaries.	Number of Patients.	Dispensaries.	Number of Patients.
Rosetta El 'Atf Ityâi el Barûd Dilingât Shubrakhît Baltîm (Brullus) Barrage Fariskûr Tel el Kebîr Kafr el Sheikh Fûwa Abu Hummus Santa Quwesna Matarîa (Manzala) Kafr el Dauwâr El Saff Biba Itsa	967 791 219 417 3,223 73 286 78 49 1,333 502 3,301 2,116 894 798 60 846 1,004 781	Beni Mazâr Samallût Abu Qurqâs Wasta Dairût. Manfalût Abnûb. Abu Tîg El Badâri Tema Akhmîm Girga Balyâna Basyûn Nage Hammâdi. Dishna Qûs Idfu El Dirr	17,738 2,797 1,496 1,888 1,391 163 803 608 2,284 337 702 1,534 858 504 52 452 13 396 42 47
Carried forward	17,738	Тотац	34,105

TABLE XXIII.—DISPENSARIES RECEIPTS DURING 1919.

Dispensaries.	RECE	EIPTS.	DISPENSARIES.	RECE	IPTS.
	L.E.	м.		· L.E.	м.
			Brought forward	259	102
Rosetta El 'Atf Ityâi el Barûd Dilingât Shubrakhît. Baltîm (Brullus) Barrage Fariskûr Tel el Kebîr Kafr el Sheikh Fûwa Abu Hummus Santa Quwesna Matarîa (Manzala) Kafr el Dauwâr El Saff	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	758 682 221 192 789 080 440 733 268 845 102 608 157 257 550 138 745	Beni Mazâr Samallût Abu Qurqâs Wasta Dairût Manfalût Abnûb Abu Tîg El Badâri Tema Akhmîm Girga Balyâna Basyûn Nag ^e Hammâdi Dishna Qûs	10 8 13 13 2 6 17 11 10 1 20 26 15 17 24 10 4	171 651 221 330 380 914 410 292 465 900 392 435 706 904 387 578 671
Biba	26	537 000	Idfu El Dirr	16 2	770- 966
Carried forwård	259	102	Тотац	494	645

3.—CHILDREN'S DISPENSARIES.

All the dispensaries were working at the commencement of the year, but owing to the disturbances in March only Port Said, Zagazig, Damanhûr, and Wasta were able to remain open; all the others being closed for periods varying from a few weeks to six months.

The attendances remain high, and there is no diminution in the appreciation of the poor

women for the advice and treatment received.

Some adverse criticism has lately been directed against the dispensaries by certain persons who do not sufficiently appreciate the fact that these institutions are teaching centres for the poorer classes of women (who can best be reached through the sick children) as well as for the relief of minor ailments. The critics are anxious to convert the dispensaries into hospitals in the charge of a doctor, charging a small fee as in the case of the out-patients departments of General Hospitals. This would entirely alter the function of the dispensaries and convert them from infant welfare centres where the teaching of cleanliness, correct feeding, and clothing is the main object, into out-patient cliniques. This work is essentially women's work, and throughout Europe is successfully carried on by nurses assisted greatly by voluntary workers from among the residents.

No changes have been made in the buildings, but the Port Said Dispensary has returned

to its own premises which had been taken over temporarily for use as a boys' school.

All the dispensaries have benefited greatly by a generous gift of goods from the British Red Cross Society. These have been distributed equally throughout and have been much appreciated by the Presidents of the Provincial Councils and Municipalities as well as by the matrons.

STAFF.

Four hospital trained midwifery nurses have been appointed; their duties will be to inspect the native midwives who have been trained at the Maternity Centres and to do emergency duty in charge of dispensaries and Dayas Schools in case of need. One nurse who joined in September has already done good work in inspecting the women who passed through the Cairo Dayas Training School in 1912–1914, and finds that an encouraging proportion of the pupils are still working on the lines of the teaching received. The three other sisters only joined late in the year, and it is expected that they will shortly commence routine inspection in the provinces.

TABLE XXIV.—STATISTICS OF 1919.

Dispensary.	New Cases.	Old Cases.	Total Attendances.	Period.
Damanhûr Tanta* Mansûra Zagazig Shibîn el Kôm Gîza Faiyûm Beni Suef Biba Wasta Minya	6,517 4,202 1,785 971 3,669 4,211 3,927 2,993 2,948 2,306	29,718 25,915 11,035 9,891 4,717 19,085 14,136 20,629 17,728 12,258 8,690	40,283 32,432 15,237 11,676 5,688 22,754 18,347 24,556 20,721 15,206 10,996	297 days 260 " 207 " 295 " 82 " 239 " 262 " 232 " 232 " 286 " 123 "
Asyût	. 7,153	14,794 47,235	18,931 54,388	209 . ,, 294 ,, Average.
Total in 1914	47,601	$\begin{array}{ c c c c c c c c c c c c c c c c c c c$	291,215	231 days.
Total in 1915 Total in 1916	. 70,223	$\frac{206,159}{320,587}$	$ \begin{array}{ c c c c c c c c c c c c c c c c c c c$	293 days.
Total in 1917 Total in 1918	. 70,061	314,474 312,188	383,707 382,249	295 days. 289 days.
Total in 1919 Increase or decrease	14 077	$\frac{235,831}{-76,357}$	$\frac{219,215}{-91,034}$	231 days. -58 days.

^{*} Tanta Dispensary has not been under the inspection of this Department,

TABLE XXV.—CLASSIFICATION OF CASES.

Cases.	Damanhûr.	Tanta.*	Mansûra.	Zagazig.	Shibîn el Kôm.	Giza.	Faiyûm.	Beni Suef.	Biba.	Wasta.	Minya.	Asyût.	Port Said.
Eyes	32 1,336 104 812 5,956 110 2,163	$ \begin{array}{c c} 197 \\ 887 \\ 3,145 \\ 210 \end{array} $	152	87	21 269 44 183 313 48 81	$ \begin{array}{r r} & 119 \\ & 757 \\ & 1,523 \end{array} $	$ \begin{array}{r} 139 \\ 614 \\ 1,334 \\ 58 \end{array} $	$ \begin{array}{r} 153 \\ 655 \\ 1,580 \\ 61 \end{array} $	$\begin{bmatrix} 807 \\ 448 \\ 110 \\ 255 \\ 1,246 \\ 29 \\ 97 \end{bmatrix}$	499 94	299 49 210	259	574 209 575
Infectious Total number of new cases Number of old	52	56	69	 	12	43	150	18	1	4		31	64
cases			11,035					$\begin{vmatrix} 20,629 \\ \\ 24,556 \end{vmatrix}$					47,235
Number of working days	297	260	207	295	82	239	262	222	232	286	123	209	294

^{*} Tanta Dispensary has not been under the inspection of this Department.

Table XXVI.—Cost per Patient during the Years 1917 and 1918.

,		
	1917.	1918.
	1	V
Damanhûr	$\frac{\text{L.E. }469\cdot119}{12,855} = \dot{P}.T. \ 3\cdot6$	$\frac{\text{L.E. }544\cdot385}{33,472} = \text{P.T. }1.6$
Tanta	$\frac{\text{L.E. }473.839}{38,758} = \text{P.T. }1.2$	$\frac{\text{L.E. } 627.010}{36,085} = \text{P.T. } 1.7$
Mansûr a	$\frac{\text{L.E. } 540.712}{19,078} = \text{P.T. } 2.8$	$\frac{\text{L.E. }660\cdot377}{27,830} = \text{P.T. }2\cdot4.$
Zagazig	$\frac{\text{L.E. } 722.941}{20,515} = \text{P.T. } 3.5$	$\frac{\text{L.E. }700'065}{14,848} = \text{P.T. }4.7$
Shîbîn el Kôm	$\frac{\text{L.E. } 539.011}{33,533} = \text{P.T. } 1.6$	$\frac{\text{L.E. } 575.583}{28,568} = \text{P.T. } 2.0$
Gîza	$\frac{\text{L.E. }616.444}{42,800} = \text{P.T. }1.4$	$\frac{\text{L.E. } 619.403}{53,933} = \text{P.T. } 1.1$
Faîyûm	$\frac{\text{L.E. } 557.853}{21,407} = \text{P.T. } 2.6$	$\frac{\text{L.E. } 594.584}{20,878} = \text{P.T. } 2.8$
Beni Suef	$\frac{\text{L.E. }650.869}{31,400} = \text{P.T. }2.1$	$\frac{\text{L.E. }693 \cdot 332}{30,614} = \text{P.T. } 2 \cdot 3$
Biba	$\frac{\text{L.E. } 343\cdot387}{26,661} = \text{P.T. } 1\cdot3$	$\frac{\text{L.E. } 353 \cdot 312}{25,430} = \text{P.T. } 1.4$
Wasta	$\frac{\text{L.E. } 343\cdot387}{22,631} = \text{P.T. } 1.5$	$\frac{\text{L.E. } 353 \cdot 312}{20,264} = \text{P.T. } 1.7$
Minya	$\frac{\text{L.E. } 726.818}{28,788} = \text{P.T. } 2.5$	$\frac{\text{L.E. }698.165}{25.717} = \text{P.T. }2.7$
Asyût	$\frac{\text{L.E. } 733.464}{45,954} = \text{P.T. } 1.6$	$\frac{\text{L.E. } 529.851}{361,039} = \text{P.T. } 1.5$
Port Said	$\frac{\text{L.E. } 507.904}{39,327} = \text{P.T. } 1.3$	$\frac{\text{L.E. } 527.338}{28,498} = \text{P.T. } 1.9$

4.—SCHOOLS FOR DAYAS AND MATERNITY HOMES.

The seven training centres have been working through part of the year, though the March disturbances necessitated them all being closed for longer or shorter periods, so that only an average of 163 working days was obtained, but a total of 2,223 cases were attended (a larger number than in any previous year); but only 59 dayas were trained, all of whom received the usual certificate.

The improved method of selection of candidates is bringing in a better and more receptive type of pupil, the standard of intelligence in the Delta towns being considerably above that

of the women in Upper Egypt.

That considerable public interest is being taken in the need for an improved type of midwife in the country is shown by the large number of appeals to the Department for help from residents in cases of malpractice and notification of women who are physically unfit carrying on their work, also requests for training from women in districts where no Maternity Centre exists. It is hoped that by the passing of a Midwives Act and the opening of a Cairo Training Centre many reforms may be carried out.

Buildings.

The necessary buildings are still vacant at Beni Suef and Asyût, but the Provincial Councils have not yet agreed to open the schools. The Council at Zagazig have authorized the extension of the accommodation for the school, which was previously very cramped,

and the sanitary installation is now being supervised.

The medical help given by the doctors to the schools is much appreciated both in difficult cases and in lectures. The number of abnormal cases in 1919 was 382 out of a total of 2,223, a proportion of about seventeen per cent. It is gratifying to note the results of training in the earlier recognition of abnormal presentations and complications and thus help is sought during the first stages of labour and not only after many days have elapsed and the patient is practically moribund.

The matrons and pupils paid 21,209 visits in the patients' own homes, but a great deal of night work has necessarily been curtailed owing to the disturbed state of the towns.

The number of in-patients was 27, a decrease on the number for last year.

Many women still apply for treatment for gynæcological troubles, and in some districts the proportion of women suffering in this respect is estimated at about seventy per cent. The

prejudice against seeking assistance at a general hospital is still very strong.

Great help could be given to the work of the schools by the formation of Ladies' Benevolent Societies in each province, as the cases of real distress met with by the matrons are numerous, and very little can be done for them besides professional assistance. The gift or loan of suitable clothing at these times would be a most valuable aid in treatment, besides helping in many other ways, and bring these institutions more into line with the Infant Welfare Centres of America and Europe.

TABLE XXVII -STATISTICS OF 1919

	LABLE		STATIST	TCS OF 18	919. 			
CASES.	Damanhûr.	Mansûra.	Zagazig.	Shibîn.	Faiyûm.	Minya.	Sohâg.	Total.
Abortions Deliveries B.B.A. Primipara Abnormal or complicated. Premature births Still-born Deaths { Mother Child. In-patients.	49 6 9 8	20 133 8 43- 9 9 10 -4 5	6 342 4 84 27 22 21 2 7 7	3 69 8 14 2 4 3 1 —	12 338 8 83 57 30 24 4 24 6	$ \begin{array}{c} 3\\ 105\\ 29\\ 21\\ 10\\ 6\\ 7\\ -\\ 4\\ 3 \end{array} $	9 84 36 34 11 9 7 2 3 9	53 1,330 132 328 122 89 80 13 49 27
Total number of cases Number of visits of matrons	377	242	522	104	586	188	204	2,223
and dayas	2,744	2,597	7,490	503	3,626	2,086	2,163	21,209
Number of working days	150	173	185	45	273	117	194	Average.
Number of dayas trained	8	- 11	11	9	15	_	5	59

Table XXVIII.—Analysis of Abnormal Cases during 1919.

CASES.	Damanhûr.	Mansûra.	Zagazig.	Shibîn el Kôm.	Faiyûm.	Minya.	Sohâg.	Тотац.
Multiple Births:— Twins Triplets	12	6	6	1	15 1	1	<u>-</u>	41 1
Abnormal Presentations:— Breach ordinary difficult	15	4	$egin{array}{c} 4 \ 2 \ 3 \end{array}$	_ _	9 2	<u>-</u> 5-	<u>-</u>	$\begin{array}{c} 32 \\ 13 \\ \cdot 3 \end{array}$
Footling	$\begin{array}{c c} - \\ 1 \\ 1 \\ - \\ 1 \end{array}$	- 2 	1 1 2 -		3 2 -	. =	2 	$\begin{array}{c} 12 \\ 7 \\ 4 \\ 1 \\ 2 \end{array}$
Unreduced O.P Instrumental Deliveries:—	_	_	_		2	_		
Forceps	<u>-</u>	1 —	1 1 1	<u>-</u>	$\begin{bmatrix} & 6 \\ 3 \\ 2 \end{bmatrix}$	$\frac{5}{-}$	$\frac{4}{-}$	$\begin{array}{c c} 18 \\ 4 \\ 3 \end{array}$
Complications:— Post-partum hæmorrhage Ante-partum ,,	$\frac{2}{1}$	1	7 3		5 3	1_		16 7
Placenta previa Retained and adherent placenta Uterine inertia		3	$\frac{}{4}$		$\begin{bmatrix} 1\\4\\7 \end{bmatrix}$	1 ·1 —		$\begin{array}{c} 2\\12\\13\end{array}$
Contracted pelvis Laceration of perineum Hydramnios	2	$\frac{1}{-\frac{1}{2}}$	$\begin{array}{c c} 1\\ 1\\ -\\ 3 \end{array}$		$\begin{bmatrix} 5\\2\\4\\2 \end{bmatrix}$	=	1 - -	$\begin{array}{c c} & 10 \\ & 3 \\ & 4 \\ & 7 \end{array}$
Hydatiform mole			i -	=	$\begin{bmatrix} \frac{2}{2} \\ \frac{2}{-} \end{bmatrix}$	<u>-</u>	=	$\begin{bmatrix} 3\\2\\1 \end{bmatrix}$
Anencephalic monster Hydrocephalus Cleft palate and harelip					3 1 1	1	1 -	$\begin{bmatrix} 3\\3\\1 \end{bmatrix}$
Premature Births:— Viable Non-viable	9	8 19	16 11	$\frac{4}{3}$	31	$\frac{7}{2}$	8 7	83 50
Illnesses complicating Puerperium:— Pelvic abscess		_	1		_			1 1
Dysentery Fever undiagnosed Puerperal fever Spanish fever		$\begin{bmatrix} - \\ 3 \\ 1 \end{bmatrix}$	$\begin{array}{c c} - \\ 3 \\ 1 \\ 1 \end{array}$		$\begin{array}{c c} & 1 \\ \hline 5 \\ 5 \end{array}$	$-\frac{1}{2}$	$\frac{-}{2}$	$\begin{array}{c c} 3 \\ 11 \\ 11 \end{array}$
Typhus ,			1 1 -	- - -	- 1 1		— — —	1 1 1 1
Plague		_	$\frac{1}{2}$	$\frac{1}{2}$	$\begin{bmatrix} 1 \\ - \\ 1 \end{bmatrix}$	<u>-</u>	=	$\begin{bmatrix} 1\\3\\2\\1 \end{bmatrix}$
Erysipelas	_		$\begin{vmatrix} - \\ - \\ 2 \end{vmatrix}$		1 -	1 1	=	$\begin{bmatrix} 1\\1\\3 \end{bmatrix}$
Maternal Deaths:— Undiagnosed fever		1	1	_	<u>_</u>			$egin{bmatrix} 2 \\ 3 \\ 2 \end{bmatrix}$
Gen. peritonitis		$-\frac{2}{1}$	1 1 -	- - - 1	1 2 -	 - -		$\begin{bmatrix} 2 \\ 5 \\ 1 \\ 1 \end{bmatrix}$
Exhaustion after labour Infant Mortality:—		1	_	_	-	_	_	i
Born dead	6	10 3	12 5	4	18 21	$\begin{array}{ c c } \hline & 6 \\ 4 \\ \hline \end{array}$	5 3	60 42
Total	56	71	108	17	188	42	39	521
Total number of cases attended	377	242	522	104	586	188	204	2,223

TABLE XXIX.—Number of "Dayas" who passed Examination and those who failed in 1919.

		Passed.	Failed.	Total.
Damanhûr	• • •	8	_	- 8
Mansûra	• • •	11		11
Zagazig ,	•••	11		11
Shibîn el Kôm	•••	9		9
Faiyûm	• • •	15	1 died	16
Sohâg	• • •	5		5
TOTAL	• • • •	59	1 died	60

Number of	Egyptian	midwiv	es w	vho a	atten	ded 1	nidy	vifer	y cou	ırse :	in th	e ma	tern	ity	
homes.	•• ••• ••		• • •	•••	• • •	• • •	•••	•••		• • •		•••	• • •	•••	60
Number of	those who	passed	the	exa	mina	tion	•••	•••	• • •	• • •	• • •	• • •	• • •	•••	59
**	,,	failed	•••	• • •	•••	• • •	• • •	•••	• • •		• • •	•••	• • •		Nil.

III. REPORT ON SECTION III.

OPHTHALMIC HOSPITALS.

The number of new patients treated at these hospitals last year was 76,525, the number of operations performed was 49,974, and the total attendances of out-patients was 906,961.

This work was carried out at the eighteen hospitals which have been established in the country districts since, in 1903, Sir Ernest Cassel made his gift of L.E. 40,000, which was the inception of the undertaking. Fourteen of the hospitals have been built and equipped at a cost of L.E. 65,000,* which has been mainly raised in the towns and villages of Egypt by public subscriptions among the Egyptians themselves, or from the funds of the Provincial Councils. Eleven of them are maintained by the Government and five by the Provincial Councils. Since March 1919 a sum of L.E. 13,000 has been raised by the Mudir of Qalyûbîya Province by voluntary subscriptions to build a hospital, now nearly completed, at the capital town, Benha, which will be maintained by the Government. Five of the hospitals are travelling camps under canvas; it is owing to the reputation gained by them that Egypt has learnt to value the means of ophthalmic relief and to obtain it by building permanent hospitals. The annual cost of the whole system of hospitals, including expenses of administration, is L.E. 36,107, of which the Provincial Councils contribute L.E. 3,560.

The need for ophthalmic treatment has two entirely separate origins. The first is the prevalence of a chronic disease of the membrane lining the eyelids, trachoma, and the other is a group of acute contagious ophthalmias which are the main cause of blindness in Egypt. More than 12,000 patients who sought treatment at the hospitals during 1919 were blind in one or both eyes: this is fifteen per cent of the new patients. A system of prophylaxis has yet to be discovered. The clinical research work which is being carried out at the ophthalmic laboratory, at the ophthalmic hospitals, and at the ophthalmic clinics of each of the Government primary schools all over Egypt, should eventually shed some light on prophylactic measures. The importance of obtaining treatment for babies and children attacked by ophthalmia is beginning to be recognized by the people; more than six per cent of all patients treated were under the age of one year, and thirty-nine per cent were under the age of fifteen years.

A complete course of post-graduate lectures, including pathological and bacteriological demonstrations and lantern slides of the principal diseases, were given by the Director, with the assistance of the two Egyptian inspectors during the year. The surgical staff, which should consist of forty-three officers, is deficient to the extent of two inspectors and four surgical officers: this shortage hampers new work considerably.

Each of the fourteen provinces is now provided with an ophthalmic hospital, except Qena and Aswân. Qena has laid by some thousands of pounds for the purpose, and is considering the issue of an appeal for subscriptions. The sum necessary for providing a hospital at Aswân has been demanded from the Government, as this province is too poor to

The provision of a special ophthalmic hospital for Cairo is urgently required for three reasons. First, because there is insufficient ophthalmic out-patient relief available for the thousands in Cairo who suffer, more especially during the hotter months, from painful and destructive diseases of the eye. It ought to be known more widely that it is impossible with the existing hospital facilities of Cairo† to cope with the vast number of patients who come to hospital demanding operations to relieve inward growing eyelids and eyelashes, one of the cicatricial results of trachoma; 24,611 such operations were performed at the ophthalmic hospitals on out-patients and cured during the year. The hospital should be centrally situated, equipped with one hundred beds, and be able to treat 2,000 out-patients daily in the summer. Secondly, the important post-graduate teaching which is carried out by the Director and inspectors is hampered by the inadequate accommodation afforded by the tent hospital at Gîza. Thirdly, the clinical research work‡ has insufficient facilities both as regards the number of patients available for study and as regards laboratory accommodation.

^{*} The actual amount raised locally for capital expenditure on ophthalmic hospitals is L.E. 69,128, in addition to the gift of Sir E. Cassel.

[†] This is equally true of the country districts.

[‡] Some of the earlier results are embodied in a text book published in 1913, "Trachoma and its Complications in Egypt" (Cambridge University Press).

Table XXX.—Synopsis on Work of Hospitals since 1904.

	*1904 to 1907	1908	1909	1910	1911	1912	1913	1914	1915	1916	1917	1918	1919
Hospitals in existence:—	6	6	6	C			10	-		j -		100	×
Permanent		ı	1	ı —	. o.	H -1) t~	101	=	H en	H 00	n 60	े हाँ ज
್ಟ್	21,937	7,794	12,092	14,342	20,488	28.029	40.670	50,126	52,752	68,334	81,529	82,316	76,525
Total attendance of out-patients	306,753	132,278	177,761	190,247	236,411	341,211	544,967	686,012	735,919	849,366	903,751	922,614	906,961
Operations performed	16,402	6,426	9,930	11,486	14,322	21,315	30,648	40.710	42,146	54,205	59,581	54,277	40,64
In-patients	578	208	390	443	678	606	1,807	2,071	9,274	2,454	2,847	3,264	3,613
Details:—													
Patients examined	:	19,614	22,373	25,514	31,274	43,668	62,233	75,398	71,930	94,447	100,410	90,668	83,577
Patients regularly treated	:	7,794	12,092	14,342	20,488	28,029	40.670	50,126	52,752	F08,89	81,529	82,316	76,525
Incurable cases	:	4,550	2,302	1,776	2,620	7,200	9,544	10,554	7,765	9,871	9,675	5,650	4,467
Blind in one eye		. 1,189	2,116	2,438	3,196	4,115	5,360	6,425	5,637	7,042	9,385	8,969	8,537
Blind in both eyes	:	852	. 1,385	3,010	2,811	2,854	3,878	3,591	2.995	3,504	4,611	4,261	4,278
Trichiasis cases examined		8,159	10,060	7,507	7,871	13,176	17,329	21,624	19,220	99,214	27.341	26,164	20,02
" cases operated on and c	cured	2,262	3,128	2,053	3,933	6,942	11,700	16,542	19,149	26,094	30.200	28,890	24,611
New patients treated per age :								a					
Under 1 year		247	516	154	761	1,495	2,700	2,472	3,023	4,031	5,168	6,434	4,834
From 1 to 5 years	:	585	1,645	1,497	1,903	3,317	4,631	6,394	5,762	7,865	7,938	8,607	8,562
., 6, 10,	:	905	1,442	4,469	2,101	3,210	4,786	5,634	5,999	6,985	9,217	9,213	0,097
, 11,, 15,,		849	1,294	1,475	2,051	3,056	3,799	4,570	5,651	6,975	7,965	8,483	7,479
., 16, 20,	:	829	1,156	1,499	2,067	2,588	3,253	3,949	4,401	5,752	6,748	6,826	6,159
., 21, 40,	:	2,584	3,775	4,845	6,116	8,167	12,679	17,257	18,492	23.017	28,028	26,904	25,671
" 41 and over		1,798	2,206	3,100	5,589	6,196	8,822	9,850	10,104	14,379	16,465	15,849	14,733
									-		-		

* In 1904 there was only one travelling ophthalmic hospital.

IV.-REPORT ON SECTION IV.

1.—INFECTIOUS DISEASES.

The chief features to be noted in connection with epidemic diseases in Egypt during 1919 are:—

(1) The large incidence of smallpox.

- (2) A notable decrease in the incidence of typhus and relapsing fever cases as compared with 1916, 1917, and 1918.
 - (3) The persistence of the influenza epidemic of 1918 into the first two months of 1919.

(4) A severe and fatal epidemic of malaria at Derr Markaz, Aswân Province.

(5) An increase in the mortality rate of most of the important infectious diseases caused presumably by non-reporting of cases due to the disturbed internal conditions in the spring and early summer.

(a) Typhus Fever.

The following table shows the number of typhus cases reported during the last seven years:—

TABLE XXXI.—COMPARATIVE FIGURES OF TYPHUS FEVER CASES.

YEAR.	Cases.	Deaths.	Percentage Death Rate.
1913	4,936	1,438	28.9
1914 1915	$9,508 \\ 17,096$	$2,533 \\ 4,216$	26·6 25·2
1916 1917	$ \begin{array}{c c} 30,507 \\ 18,569 \end{array} $	$\substack{7,096\\4,174}$	$\begin{array}{c} 23 \cdot 2 \\ 22 \cdot 4 \end{array}$
1918 1919	$24,953 \\ 16,970$	$6,589 \\ 5,569$	26·4 32·8

The declension in the number of cases in 1919 as compared with 1918 is considerable, but the position is not so satisfactory as this difference if taken by itself would indicate, for it will be noticed that the death-rate has risen from 26.4 per cent to 32.8 per cent. There is no reason to believe that the disease has taken on an increased severity, and this rise in the death-rate is probably due to non-notification of cases as a result of the disturbed condition of the country during the spring and early summer, the period at which this disease is at its height.

(b) RELAPSING FEVER.

The remarks made as regards typhus apply with equal force to this disease, the decline in the number of cases being more apparent than was actually the case.

TABLE XXXII.—COMPARATIVE STATISTICS OF RELAPSING FEVER CASES.

YEAR.	Cases.	Deaths.	Percentage Death Rate.
1913 1914 1915	$\begin{bmatrix} 342 \\ 211 \\ 761 \\ 10,494 \end{bmatrix}$	$45 \\ 28 \\ 72 \\ 862$	13:15 13:27 9:46 8:21
1917 1918 1919	$ \begin{array}{c c} 11,162 \\ 12,642 \\ 3,272 \end{array} $	$1,043 \\ 829 \\ 598$	9·34 6·55 18·24

(c) SMALLPOX.

This disease assumed an unusually high incidence in February. A vaccination campaign was at once begun, but owing to the disturbances in the country and the interruption of

communications this campaign was stopped.

The number of cases reported in March, April, and May was much below the presumable number of cases occurring. In June, however, as conditions became more normal, the reporting became much better and has remained at its usual standard since then. As soon as possible after conditions had become normal the general vaccination campaign was restarted. The number of persons revaccinated during the year was, roughly, 2,500,000. The campaign was uncompleted at the end of the year, but was then in full swing. During the carrying out of this work many cases of the disease were discovered in the villages by the vaccination gangs.

The number of cases reported in 1919 is the largest during the last ten years. The following table shows the number of cases and deaths recorded during that period:—

 Y	EAR.			Cases.	Deaths.	Percentage Death Rate.
1910	• • •	• • •		3,066	561.	18.30
1911 1912	•••	•••	•••	$\frac{2,758}{1,085}$	572	20.73
1913	• • •	• • •	•••	$\frac{1,985}{2,934}$	$\begin{array}{c} 456 \\ 706 \end{array}$	$22 \cdot 97 \\ 24 \cdot 06$
1914	• • •	• • •	•••	7,097	1,564	22.03
1915 1916	• • •	• • •	•••	$5,222 \\ 2,972$	$1,262 \\ 902$	$\frac{24.16}{30.35}$
1917	•••	• • • •		$\tilde{1}, \tilde{5}6\tilde{7}$	409	26.10
1918 1919	• • •	• •.•	•••	1,198	306	25.54
1313	• • •	• • •	• • •	7,895	1,926	24.39

TABLE XXXIII.—COMPARATIVE STATISTICS OF SMALLPOX CASES.

Of the 7,895 cases which were reported during 1919, 1,569 occurred in Cairo, 660 in Alexandria, and 857 in Gharbîya Province.

(d) MALARIA.

A very severe and fatal epidemic of malaria occurred in Derr during 1919.

The first intimation the Department received that there was a fatal epidemic in Derr Markaz was the fact that the death-rate had increased in this Markaz. Reports gave the cause of the epidemic as being either influenza or malaria. It may be noted here that this district was not as heavily infected with influenza during the outbreak of 1918–1919 as the rest of Egypt. A large number of blood films which showed positive malaria were received by the Central Laboratories during November and December 1919. It was also noted that among the blood films were some taken from women. Berberine women do not travel far and 'seldom leave their own villages. This helped to strengthen the suspicion of a local and very fatal epidemic of malaria.

One of the Divisional Inspectors of the Department was detailed to investigate and report on the epidemic. He established the diagnosis of malaria and found practically the whole of the Markaz south of Derr town infected and the death-rates enormously increased. Abu Simbel, which was the most heavily infected place, had a death-rate for

November of over 400 per thousand of the population per annum.

Major Gilmour, M.C., was sent to Derr to direct and supervise the measures against the disease, and he remained there for more than a month until the epidemic had been got well in hand.

Active treatment of the sick with quinine was started. Two Medical Officers, in addition to the Markaz Medical Officer, were sent to take over the anti-malaria work. Distributors of quinine were appointed in the infected districts. Large supplies of milk and arrowroot were sent. Reluctance to take quinine on the part of the inhabitants

(specially women) had to be overcome. The breeding places of the mosquito were searched for. These were found in irrigation wells and zîrs. Anti-mosquito measures were begun and are being actively carried out.

Extent of Area infected.—The area infected extended from Korosko in the north to the southern limit of Egypt in the south, and is a distance of, roughly, 106 kilometres of river. In this area are seventeen districts on one or other side of the river. No district escaped infection, but the degree of infection varied. In a few the infection was light. In many places so many of the inhabitants were ill that all work stopped in the fields. In one place (Ibrim), even the dead lay unburied in houses for two or three days as there were no able-bodied people to dig graves and bury them.

Source of Infection.—There is no evidence to show that the disease was imported to any district either from the Sudan or from Palestine.

Breeding Places of Mosquitoes.—The breeding places of mosquitoes were searched for in most of the infected districts. Larvæ were found in wells and in some birkas.

Preventive Measures taken.—The efforts made towards stopping the epidemic were directed against the breeding places of mosquitoes. A survey of each district was made, and the breeding places or potential breeding places of mosquitoes were noted.

It has been shown that irrigation wells were the important breeding places. An inspection of the wells was made with the 'Omda and Sheikhs in each district, and the necessary instructions were given on the spot, i.e. covering or filling in of unused wells, covering in most cases of unworked saqias, stocking with fish of working saqias and wells. Orders were also given for the filling in of birkas.

A passenger control station was instituted at Shellal as soon as the epidemic started. All passengers coming from Derr were examined and their addresses taken and sent to the Medical Officers of their destinations to whom instructions were sent to treat free of charge all persons coming from Derr who fell sick with fever.

Anti-Malaria Commission.—During the year the various sub-committees of the Anti-malaria Commission continued their work, though a considerable delay in the carrying out of operations was caused by the revolution. The Commission had at their disposal L.E. 21,000 for the year, and this was spent on the lines laid down in their preliminary report in the following districts:—

						L.E.
Cairo and District	 		 	 	• • •	5,000
Canal Zone	 • • •	/	 	 		1,739
Principal Mudîrîya towns						
Oases						

L.E. 1,000 was allotted for a survey of the mosquitoes of Egypt. This work was practically finished by the end-of 1919 and the results will be published by the Commission as soon as they have been collated.

The following table shows the number of cases of the disease reported during the year 1919:—

TABLE XXXIV.—MALARIA CASES DURING 1919.

LOCALITY.	Cases.	LOCALITY.	Cases,
Cairo	11 4 29 27 15 149 1 12 18	Brought forward Sharqîya Dakahlîya Gîza Beni Suef Faiyûm Minya Asyût Girga Qena	$ \begin{array}{c} 285 \\ 24 \\ 3 \\ - \\ 2 \\ 28 \\ 18 \\ 11 \\ 4 \\ 5 \end{array} $
Iinûfîya	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	Aswân	1,304

(e) Influenza.

Detailed information was given in last year's report regarding the influenza epidemic which appeared in the country in May 1918. This epidemic lasted till February 1919. The disease, having reached its zenith in the first week of December 1918, practically disappeared by the beginning of February.

In February 1919 the disease was made compulsorily notifiable. The main reason which led the Department to obtain the necessary legal power was that, with the advent of the typhus fever season overlapping the end of the influenza epidemic, there was a possibility of typhus fever being diagnosed as influenza to escape the obligation to notify.

Since the decree making the notification of influenza obligatory was passed, 2,106 cases were notified.

(f) PLAGUE.

The total number of declared cases of plague in 1919 was 877, as compared with 357 in 1918, 732 in 1917, and 1,702 in 1916.

The number of deaths in 1919 was 473, showing a mortality-rate of 53.9 per cent, as compared with 153 or 42.8 per cent in 1918.

Of the 877 cases referred to, 737 cases were or the bubonic, 64 of the septicæmic, and 76 of the pneumonic type.

TABLE XXXV.—NUMBER OF CASES AND DEATHS FROM PLAGUE IN 1919.

Town	or D	istrict	······································	 Province.	Cases.	Deaths.
Cairo Alexandria Suez Port Said Kantara Ismailîya Minûf Tala Tala Faiyûm Itsa Sinnûris Beni Suef Biba Minya Fashn Beni Mazâr Abu Qurqas Samâllût Maghâgha Asyût Mallâwi Abu Tîg Deirût Girga Tahta				Governorate "" P. Said Govern. Minûfîya Faiyûm Beni Suef Minya "" "" "" Asyût Girga ""	1 9 126 40 14 2 16 1 3 55 5 7 17 23 70 9 10 18 7 67 224 1 12 2 37	1 5 76 26 10 — 3 1 1 24 2 4 2 5 26 7 6 9 2 33 112 1 6 2 34
Balyâna	•••	•••	•••	 "	101	75

TABLE XXXVI.—RECAPITULATION OF PLAGUE STATISTICS, 1899-1919.

YEAR.	Cases.	Deaths.	Deaths per Cent.	YEAR.	Cases.	Deaths.	Deaths per Cent.
1899 1900 1901 1902 1903 1904 1905 1906 1907 1908 1909	93 127 205 481 303 854 266 631 1,253 1,511 513	45 60 102 291 160 501 181 475 914 780 207	48.0 47.2 49.5 60.0 52.7 58.6 68.0 75.2 72.9 51.6 40.5	1910 1911 1912 1913 1914 1915 1916 1917 1918 1919	1,238 1,656 884 654 219 235 1,702 732 357 877	615 1,041 441 304 111 120 828 399 153 473	49.7 62.9 49.9 46.5 50.7 51.0 48.7 54.5 42.8 53.9

Table XXXVII.—Details of Plague Cases, during 1919.

		1¢.	NE	w Casi	ES.	Hospital.		ing.		CHS OU		
Town or District.	Governorate or Province.	Existing.	Bubonic.	Septicæmic.	Pneumonic.	Deaths in Ho	Cured.	Remaining.	Bubonic.	Septicæmic.	Pneumonic.	Total
•												
Egypt	ians.									[-	
Cairo Alexandria Port Said Suez Ismailia Minûf Tala Faîyûm Itsa Sennûris Beni Suef Biba Minya Fashn Beni Mazâr Abu Qurqâs Samallût Maghâgha Asyût Mallâwi Abu Tîg Deirût Girga Tahta Balyana	;; ;; Girga		$\begin{array}{c c} -&&&&\\ &4&&&\\ 14&&&&\\ 85&&&\\ 2&&&\\ 16&&&\\ &&&\\ 3&&&\\ 42&&&\\ 4&&&\\ 6&&&\\ 17&&&\\ 20&&&\\ 52&&&\\ 6&&&\\ 7&&&\\ 15&&&\\ 58&&\\ 158&&&\\ -&&\\ 11&&&\\ 2&&\\ 42&&&\\ \end{array}$			$ \begin{array}{c c} & 3 \\ & 7 \\ & 37 \\ & - \\ & 3 \\ & - \\ & 1 \\ & 11 \\ & 1 \\ & 3 \\ & 2 \\ & 2 \\ & 10 \\ & 4 \\ & 3 \\ & 6 \\ & - \\ & 24 \\ & 57 \\ & - \\ & 5 \\ & - \\ & 23 \\ & 43 \\ \end{array} $	$\begin{array}{c} - \\ 1 \\ 7 \\ 48 \\ 2 \\ 13 \\ - \\ 2 \\ 31 \\ 3 \\ 3 \\ 15 \\ 18 \\ 44 \\ 2 \\ 4 \\ 9 \\ 5 \\ 25 \\ 110 \\ - \\ 6 \\ - \\ 3 \\ 26 \\ \end{array}$		$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	- 8 1 1 2 33 1 1	- - - - - - - - - - - - 1 1 1 1 1 1 1 1	$\begin{array}{c} 1\\4\\20\\122\\2\\16\\1\\3\\55\\5\\7\\17\\23\\70\\9\\10\\18\\6\\6\\67\\224\\1\\12\\2\\37\\101\\\end{array}$
	Тотац		569	- 13	51	245	377	11	131	46	23	833
		V										
	igners.											
Alexandria Port Said Qantara Suez Maghâgha	Port Said Governorate Governorate	. —	$\begin{vmatrix} 4 \\ 17 \\ 9 \\ 3 \\ 1 \end{vmatrix}$	5	1 1 1	2 10 10 2 = 1	$\begin{bmatrix} 2\\3\\4\\2\\- \end{bmatrix}$	1 4 -	3			5 20 14 4 1
	Тотац	_	34	5	2	25	11	5	3			44
	GRAND TOTAL		603	18	53	270	388	16,	134	46	23	877

Number of cases, 877; number of deaths, 473; number of cured, 388; number under treatment on December 31, 1919, 16.

26 76 10 10 10 27 27 6 6 55 55 111 473 122 Destha. 351 TOTAL. 1 9 40 126 14 2 17 63 63 24 137 140 209 899 877 Cases. NOVEMBER. | DECEMBER. 4.01 8.0 18 5.1 18 Deaths. 4.9 6.0 6.1 41 43 3 Cases. 41 3.2 7.4 6.3 26 26 30 Deaths. 6.5 3.3 50 50 Cases. 57 0.849.1 9.0 OCTOBER. $\mathcal{O}_{\mathbf{J}}$ Deaths. 0.29 0.5 6.0 \mathcal{C}_{2} Caaea. SEPTEMBER. 9.0 2.3 7.3 Deatha. 0.7 2.5 2.9 19 70 14 Cases. 1.69.1 1.7 ∞ 3 9 AUGUST. Destha. 2.5 2.82.4 9 15 Casea. 21 10.6 6.5 9.2 36 13 23 Deaths. JULY. 11.9 6.57.8 44 69 25 Cases. 24.5 27.9 14.7 116 18 98 Deatha. JUNE. 28.3 24.3 0.11 213 189 24 Cases. 27.1 22.2 8.2 105 10 14 17 17 22 41 Deaths. MAY. 10.5 33.6 28.5 225 247 33 16 61 49 66 22 Cases. 23.7 12.7 8.8 09 29 31 Deaths. APRIL. 22.9 10.03 5.913 1 1 1 22 33 48 40 88 1 47 Casea. 19.6|18.032.3 6.3 30 22 21 Deaths. ∞ MARCH. 1.3 5.7 6 40 50 41 Casea. 11.9 11.4 FEBRUARY. 9.8 50 co 24 42 12 12 54 Desths. 5 6 37 2.2 9.8 7.2 48 18 18 99 Cases. JANUARY. Deaths. Cases. Percentage to total of Lower Egypt Percentage to total of Upper Egypt GOVERNORATE OR PROVINCE. Qantara, Port Said Governorate Percentage to the grand total... GRAND TOTAL Total of Upper Egypt Total of Lower Egypt Cairo Governorate Minûfîya Province Alexandria " Ismailia Canal Port Said Beni Suef Faiyûm Minya Asyût Girga Suez

TABLE XXXVIII.—MONTHLY INCIDENCE OF CASES AND DEATHS OF PLAGUE DURING 1919.

(g) ANTHRAX.

On August 10, 1919, the Army authorities notified the Department of Public Health that cases of anthrax had occurred among soldiers due to the use of shaving brushes.

Investigations made showed that these brushes were received from Kobe, in Japan.

The Department at once traced the suspected consignment, and as the bacteriological examination of specimens taken from them proved the presence of anthrax bacilli, they were destroyed.

The Department made the following arrangements:—

(1) The Residency was asked to communicate with the Japanese Government in order to secure the disinfection of hair used in manufacturing shaving brushes.

(2) The Customs Administration was requested to hold up all consignments containing

shaving brushes arriving at Egyptian ports pending bacteriological examination.

(3) The following notice to the public was published in the papers:—

"DEPARTMENT OF PUBLIC HEALTH.

" Anthrax and Shaving Brushes.

"It has lately come to the knowledge of the Department of Public Health that in this as in several European countries, cases of anthrax have been caused by the use of infected shaving brushes. This is probably due to the fact that, owing to the dislocation of trade caused by the war, the manufacture of shaving brushes has been newly started in certain countries without the adoption of the necessary precaution to sterilize the material used. Steps are being taken to lay down the regulations necessary to prevent the importation of infected material of this nature.

"In the meantime the public is advised that the danger may be largely minimized by

the use of the following method of disinfection:—

"The solution to be employed is made as follows:—

"To a quarter of a litre (about an ordinary teacup) of hot water at about 70° C. (160° F.) add a teaspoonful of sodium carbonate (washing soda), a piece of soap about the size of a ten-piastre piece, and three teaspoonfuls of cyllin. Boiling water must not be used as it destroys the hair. To get a temperature of 70° C. approximately, use two parts boiling water, one part cold water.

"Rub the brush well in the solution and leave it immersed in the solution for

two hours as below.

"The disinfection is best carried out in a shaving pot, the bristles or hairs of the brush being completely immersed in the solution. In order not to dissolve the cement of the brush, the solution ought not to reach above the joint in the handle.

"After the above treatment the brush is to be well rinsed in running water and

washed with soap before being used.

"N.B.—If cyllin is not obtainable, lysol in the same proportion, namely, 5 per cent, may be used.

"It is advisable that the shaving brushes bought in this country recently or in the future should be subjected to, this treatment."

(4) A draft decree and arrêté forbidding the admission into this country of all shaving

brushes unaccompanied by certificate of disinfection are now under preparation.

Of thirteen consignments examined in 1919 five consignments were found to contain anthrax bacilli. They all came from Japan. Cases of anthrax have also occurred in England from the use of infected Japanese brushes. The occurrence is the result of war conditions. The trade in cheap shaving brushes was almost a German monopoly before the war. In that country adequate precautions were taken to disinfect the horsehair from which these brushes are made. The hair used in making the Japanese brushes would appear to be mostly Chinese hair, which is well known to be a source of anthrax,

Table XXXIX.—Notifiable Infectious Diseases recorded throughout Governorates and Provinces of Egypt and Deaths occurring therefrom during 1919.

L.	Deaths.	4,169 1,520 152 177 35 155		469 265 1,141 693 223	903 129 105 174 294 315 476	1,881
TOTAL	.səseə.	10,624 5,374 456 122 1,214		2,837 1,295 4,190 2,795 1,346 1,112	2,026 656 518 839 761 1,368 1,411	40,177 11
noti- Inf.	Deaths.	118 1115 35 46 10 10 10 10 10 10 10 10 10 10 10 10 10		22 31 14 14	23 2 6 5 1 1 1 2 0 3 2 6 5 1 1 1 2 0 1 3 2 6 5 1 1 1 2 1 1 1 2 1 1 1 1 1 1 1 1 1 1 1	649 4
Other notifiable Inf. Diseases.	Cases.	264 264 444 93 25 752		56 28 164 194 27 28	118 325 98 184 184 272 272 116	3,233
S.	Deaths.	2,702 750 20 20 10 12		345 118 330 179 97 129	268 80 15 15 25 61 163 39	5,559
Typhus.	Cases.	2,248 2,248 20 20 32 33 38		2,197 697 1,709 807 492 465	671 237 232 232 251 252 252 252 252 252 253 253 253 253 253	16,970
oid er.	Deaths.	330 165 4 11 7 10		חרייה חריים	0000000004	587
Typhoid Fever.	Cases.	1,514 819 15 51 51 - - 47		4 C 6 4 5 1 5 1 5 1 5 1 5 1 5 1 5 1 5 1 5 1 5	60 60 61 61 61 61	2,701
pox.	Deaths.	496 291 11 11		71 73 110 110 158 89 63	67 51 71 93 101 73 90	1,926
Smallpox.	.assa.	1,569 660 9 39 112		407 341 857 781 671 420	147 56 246 283 313 414 318 349	7,895
rlet er.	Deaths.	6.4111				15
Scarlet Fever.	Cases.	43 1137 1 1 1 10		4 % 9	*****	217
sing er.	Deaths.	811 81		6 2 36 171 111	48 4 8.11 1 1 1 8 25	598
Relapsin Fever.	Cases.	271 473 107 105 105 1 1		55 382 882 813 103 62	268 21 75 132 23 23 33 63 169	3,276
ue.	Deaths	35 25		4	152 6 27 111 1 1	473
Plague.	Cases.	1 9 9 1 126		177	304 24 63 140 137	877
les.	Deaths.	296 91 91 7 7		29 616 115 20 20	231 32 33 102 102	1,643
Measles.	Cases.	25.83.34.25.25.35.35.35.35.35.35.35.35.35.35.35.35.35		93 1,088 207 44 34	494 1 5 49 11 76 160	344 3,483
eria.	Deaths.	159 255 44 c 25		\$ 50 50 50 50 50 50 50 50 50 50 50 50 50	35 01 01 00 00 00 00 00 00 00 00 00 00 00	344
Diphtheria.	Cases.	521 102 11 11 7		22. 22. 23. 23. 24. 27.	64 11 11 11 16 16 16	990
era.	Deaths.	111111			1111111	
Cholera.	Cases.					
1 Рох.	Deaths.	51 4			1 0 1 1	53
Chicken Pox.	Cases.	227 113 1 14 15			31 10 10 10 10 10 10 10 10 10 10 10 10 10	451
oro- ial gitis.	Deaths.	, , , , , , , , , , , , , , , , , , ,		1 %	H m H	48
Cerebro- Spinal Meningitis.	Cases.	2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		- 2 -	п m	84
				::::::	: : : : : : :	
я 8.		S	y,			•
GOVERNORATES.	AND PROVINCES.	GOVERNORATES Cairo Alexandria Canal Ismailia Damietta Frontiers Districts Suez	Provinces.	Lower Egypt:— Beheira Daqahliya Gharbiya Minufiya Qalyûbiya Sharqîya	Asyût	TOTAL

6,209265 81 63 63 77 11 150 8 8 53 53 48 69 77 50 37 5 TABLE XL,—NOTIFIABLE INFECTIOUS DISEASES RECORDED THROUGHOUT THE GOVERNORATES, PROVINCES, AND DISTRICTS, AND DEATHS OCCURRING THEREFROM DURING 1919. Deaths. TOTAL. |18,038|1,295231 287 520 1102 840 49 412 412 412 2,837 255 60 259 259 453 42 .sesaO Other Noti-fiable Inf. 264 264 44 99 99 752 1 1,642 1 2 0 2 1 3,503 2.048 2.048 3.044 118 Deaths. Typhus. 7,825 170 213 468 52 651 23 98 98 346 2,197 153 60 71 71 129 129 697 Cases. 330 165 11 11 10 10 527 Deaths. Typhoid. 2,472 Cases. 12 | 13 | 13 | 13 | Smallpox. Deaths. 1,569 660 9 39 122. 67 71 153 50 Deaths Scarlet Fever. 196 का का Cases. 61 61 91 21 8 206 Relapsing Fever. Deaths. 1 26 2 10 1 271 473 107 105 148 36 36 Deaths. 192 1 2 2 54 126 126 296 91 6 6 7 426 13 | 16 | 17 | \mathbf{D} eaths. Measles. 3333 3533 47 47 32 32 1 1,200 31 31 31 31 31 31 31 31 120 Cases. Diphtheria. Deaths. 899 1111 | 62 | 60 | 61 22 .sesnO Deaths, Cholera. Cases. Chicken Pox. Deaths. 227 1113 14 14 15 16 | | 1 - 21 | | Meningitis. Cerebro-Spinal .səsaə. . 92 : GOVERNORATES, PROVINCES TOTAL ... TOTAL ... Total ... Governorates. LOWER EGYPT. AND DISTRICTS. Provinces, Eastern Province Dilingât Kafr el Dauwâr Abu Hummus Kôm Hamâda Ramleh ... Ityâi el Barûd Cairo Aga Simbillawein Damanhûr Mît Ghamr Shubrakhît Dagahliya:-Port Said Ismailia Damietta Dikirnis Fâriskûr Mansûra Suez ... Western Beheira:-Rashîd Oases Sinai

24882421 24867 2467 208	1,141	42 246 69 188 148	693	68 83 83 83	223	25 14 31 2 2 40 110	222
1,856 120 120 120 120	4,190	293 595 321 789 797	2,795	276 452 257 361	1,346	109 126 215 20 181 461	1,112
	65		31	<u> </u>	01	190	14
1 1 2 2 1 1 2 1 2 1 1 2 2 1 1 2 2 1 1 2 2 1 1 2 1 2 2 1 1 2 2 1 2	164	. 200 60 130	94	21 42 1	27	111 09 60	85
1020204 13320304 100304	330	207 720 747 747	179	82 4 63	97	21 E 85	129
. 222 4 11 222 8 67 4 10 20 20 20 20 20 20 20 20 20 20 20 20 20	1,709	33 121 97 218 328	807	46 293 115 38	492	10 6 116 63 270	465
	9		<u> </u> ຄວ	, =			
	43	1.6	10	11 0		101	12
	110	32 13 13 18 18	158	41° 5° 7° 7° 7° 7° 7° 7° 7° 7° 7° 7° 7° 7° 7°	89	66 4 50 0 1 0 1 0 1 0 1 0 1 0 1 0 1 0 1 0 1	633
23 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	857	222 98 99 247 115	781	222 89 132 228	671	882 75 81 81 64	420
1 2	<u>ත</u>	1111		1111		1 0	9
1 1 1 2 1 1 2 1 1 1 1 1 1 1 1 1 1 1 1 1	36	255 113 255 71	171	4 1	=======================================	101	7
150 150 150 150	282	28 182 76 207 320	813	27 17 81	103	123 4 212	65
		1 1 3 1	4	1111	1		
		16	17	1111		11111	+
615	919	90 15 7 3	115	म स्व कार	50	.	01
111 111 110,070	1,088	109 47 25 25 25	207	26 6 12	44	1 1 23	34
1011011	181	17.3	35	es	07		2
1 1 18 3 1 1 18 9	17	26 14 9	53	21-1-1	, es	, cc 12	27
				1111			
	1				I	111111	
		1111		.4111	-	11111	
	—	0.10	12	하 러	ં જા	.	
	62			1111		11111	
	ા	-	1				
:::::::::::::::::::::::::::::::::::::::	•	• :::::	:	• • • •	•		:
:::::::::::	.:	:::::	· :	: : : :	:	::::::	:
: : : : : : : : : : : : : : : : : : :	TOTAL	:::_::	TOTAL	itir	TOTAL	:::: _q :	Total
harbiya:— Brullus Disûq Fuwa Kafr el Sheikh Wahalla el Kubra Samta Shirbîn Talkha Tanta Zifta	H	 Kôm	T	<i>alyibiya</i> :— Benha Shibin el Qanâtir Qalyib	T		Ţ
(a:				ya: n el (iib ··· ·		harqiya:— Bilbeis' Faqûs Hiliya Kafr Saqr Mînyet el	
Gharbíya:-Brullus Disûq Fuwa Kafr el S Kafr el Z Mahalla e Samta Shirbîn Talkha Talkha Tanta		Minifiya:—Ashmûn Minûf Quwesna Shibin el		Qalyibiya:-Benha Shibin el Qalyib Tükh		Sharqiya:-Bilbeis' Faqûs Hiliya Kafr Sa Mînyet Zagazig	
A HHEARWOOTHY		Mir N N N N T T T T T T T T T T T T T T T T		e HOOH		Sha E E E E E E E	

32 7 32

27 68 10

93 68 13

105 174 129 15 14 132 25 25 86 341 290 DISEASES RECORDED THROUGHOUT THE GOVERNORATES, PROVINCES, AND DISTRICTS, AND DEATHS OCCURRING THEREFROM DURING 1919 (contd.). Deatha TOTAL. 313 421 105 839 175 269 74 518 566 2,026351 181 124 Cases. 10 15 20.00 14 ≈ 0 − 43 Other Noti-fiable Inf. Diseases. Deaths 158 141 184 62 13 17 125 172 28 118 325 Cases. 25 15 86 25 2 45 6 9 98 65 25 25 25 86 80 10 00 cs 55 1 24 268 Deaths. Typhus. 85 25 15 15 17 19 16 52 237 671 Cases. 5 ೧೦ 20 Deaths Typhoid. F-01 0001 53 45 e sro 46 15 10 ∞ 51 67 Smallpox. Deaths. 283 37 142 33 246 143 78 62 56 Cases Deaths Scarlet Fever. Cases 10 ∞ 84 Relapsing Fever. Deaths. 132 66 825 6 75 478052904 268 21 2 Cases. 22 4210 152 9 112 Deaths. 55 633 24 304 Cases. ಣ C) 231 \mathcal{O} Deaths. Measles. 49 5 5 Cases. 10 1001 35 1 Diphtheria. Deaths. 12 m -27 14 0422283 64 Cases. Deaths. Cholera. Cases. Chicken Pox. Deaths. ∞ 41 01 | 03 | 07 O 1 01 1 1 0.1 Cases. Cerebro-Spinal Meningitis. TABLE XL.—NOTIFIABLE INFECTIOUS Deaths. 20 ಬ Cases. : : : : Torat ... PROVINCES AND DISTRICTS. TOTAL ... TOTAL ... TOTAL ... : UPPER EGYPT. : : Biba Beni Suef : : Beni Suef:-Itsa ... Faiyûm Sinnûris Asyût Badâri Dairût Manfalût Mallâwi Abnûb Abu Tîg. Aswân Dirr ... Idfu ... Wasta ... Faiyûm:-**A** swán :-Asyút:-

,				*				
4 109 75 30 76	294	13 38 94 170	315	19 23 127 8 61 61 255	263	18 29 71 158 107 93	476	
21 173 258 138 171	761	119 81 629 539	1,368	45 61 454 60 60 264 101	985	58 105 267 583 162 236	1,411	1
	<u></u>	1 00 01	,0	651 2	73	16	65	679
07-1000	6	1 60	7.0	2422	272	127 127 147 147 147 147 147 147 147 147 147 14	116	2,233
26 13 15	61	599	163	4800054	39	10 101 107 107 44	217	5,569
15 82 15 15	232	44 462 315	821	. 12 6 4 7 7 7 7	125	319 105 105 105 105 105 105 105 105 105 105	555	16,970
	30	0	0.3		5	1 3	-41	587
H & & &	14	1 1 1	1			1 1	15	,701
10 10 13 26	93	80 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	101	1122222 12222	73	833 T 8 4 5 2 8 4 5 5 7 8 8 7 8 8 7 8 8 7 8 8 7 8 8 7 8 8 7 8 8 7 8	06	,926
17 23 153 39 81	313	72 48 96 198	414	13 107 107 86 39	318	135 185 185 185 185 185 185 185 185 185 18	349	7,895
11111		1 1 1	-					15
. 11111		111				111!11		217
0000					00	127 120	32.	598
111111	29	25.0	33	11 66 64 71	93	133 123 123 133 133 133 133 133 133 133	169	3,276
75 75	111	1111		922626	55			473 5
101 2 2	140	1111		10 10 7 7 7 18 18	,137			877
41	2	29	40			69 62 62 64 64 64 64 64 64 64 64 64 64 64 64 64	102	1,643
000	11	33	92			22 66 69	160	3,483 1
616	9			114 4	10	1 2 2 1	· ∞	344 3
H 70 67 60	11	-	-	1181	26	100 / 10 /	16	066
	1			11111	1			
	-	111-	1			=	1	53
100	જ	21 00	10		¬	26 2 3	31	451
	-		1					48
1,1111	I						1 .	84
			:		:		• ,	•
	'AL		AL		AL		AL	AL
:::::	TOTAL		TOTAL		TOTAL	na :— Dishna Isna Luxor Nage Hammâdi Qena Qûs	Total	GRAND TOTAL
na na		iyât iff oa		- Jurqí Mazâ Mazâ Gha ût		 Hamı		RAND
Girga: — Akhmîm Balyâna Girga Sohâg Tahta		Gíza:— El 'Aiy El Saff Imbâba Gîza		Minya:— Abu Qurqâs Beni Mazâr Fashn Maghâgha Minya Samallût		Qena:— Dishna Isna . Luxor Nage E Qena .		5
3		<i>.</i>		M		0	·	1

2.—PILGRIMAGE.

Owing largely to war conditions, including difficulty in providing shipping, only 444 persons proceeded on the pilgrimage in addition to the Mahmal escort and staff which were 420 in number.

All pilgrims were vaccinated against cholera by the Mahmal Medical Officer.

No visits to Medina were made.

The health of all pilgrims was good. On arrival at Suez only four were sick: three

with fever and the fourth with senility.

The result of observation was satisfactory, as only four pilgrims out of 444 were not traced.

3.—" MULIDS."

The Department gave its opinion regarding the holding of seven *mulids*, the period of each varying between seven and fifteen days.

4.—BARBERS.

579 barbers were given licences in 1919.

5.—PASSENGER AND IMMIGRANT CONTROL.

QUARANTINE CAMPS AT QANTARA.

Reference was made in last year's report to the arrangement made with the Army whereby all local subjects passing through Qantâra into the interior of Egypt were

quarantined at Qantâra for a period of five days.

In February 1919 the civil and military Cholera Commission decided that as long as Palestine, Syria, and the districts east of the Canal are free of cholera no quarantine should be imposed on Egyptians, Syrians, and local subjects proceeding to Egypt from Qantâra District, or passing through it from east of the Canal. The system of taking the addresses of these passengers for medical observation at their destinations according to Law No. 3 of 1918 was, however, continued.

The following list shows the number of men returning into Egypt via Qantâra in 1919,

those found and those not found.

No cases of cholera occurred among these people:—

										-00 -00
Total number		 	 	 						126,723
										119,422
Observed	 	 	 	 				• • •	• • •	119,444
Not found	 	 	 	 	• • •	• • •	• • •	• • •	• • •	
Percentage found										94.2
E ercentave tound		 	 	 						V

TABLE XLI.—PASSENGER CONTROL FIGURES DURING 1919.

,	Port Saïd.	Alexandria.	Suez.	Total Passengers landed.
Found Not found	4,800 161	11,399 129	3,327 155	19,526 445
TOTAL	4,961	11,528	3,482	19,971
Percentage found	96.75	98.89	95.5	97.92

TABLE XLII.—Statistics of Passengers who landed in Port Said from Ships coming from Cholera-infected Countries during 1919.

	lst	AND 2ND CL	ASS.		3 RD CLASS.	
DESTINATION.	Found.	Not found.	Percentage of found.	Found.	Not found.	Percentage of found.
Cairo	420	33	92.71	503	79	86.42
Alexandria	161	3	93.17	274	22	92:36
Interior	40	6	86.95	309	7	97.78
Port Said	379	6	98:44	2,714	5	99.81
Тотац	1,000	48	95:41	3,800	113	97.11

Total passengers found, 4,800. Total passengers not found, 161. Percentage of total passengers found, 96.75.

No cases of cholera occurred in Egypt during 1919.

Table XLIII.—Annual Statistics of Passengers landed at Suez from Cholera infected Countries during 1919.

	М	ONTH	is.				Grand Total.	Traced and found in Good Health.	Not found.	Admitted to Suez Govt. Hospital.
January			•••				129	118	8	3
February		•••				•••	278	268	6	4
March		• • •	•••	• • •	•••	•••	463	435	17	11
April	•	• • •			•••		416	377	29	10
May		• • •	•••			•••	224	208	10	6
June			•••		•••	•••	170	155	10	5
July	•	• • •	•••	•••		• • •	236	224	11	1
August			•••	•••	•••	•••	292	270	21	1
September	• .		• • •			•••	205	198	4	3
October		· ·	•••	• • •	• • •	• • •	737	713	22	2
November			•••		•••	• • •	214	206	7	1
December			•••				118	105	10	3
Gener	AL '	Тотл	\mathbf{AL}	•••	•••	•••	3,482	3,277	155	50

Percentage of passengers found, 95.5.

LIST OF DISEASES OF PASSENGERS ADMITTED TO THE HOSPITAL.

Smallpox	•••	• • •	•••	•••		• • •			• • •	2
Chicken pox	• • •	• • •	• • •	•••	• • •	• • •	• • •	• • •	• • •	4
Influenza	•••	• • •	•••		• • •	• • •	• • •	• • •	• • •	5
Malaria	•••	• • •	• • •	• • •	• • •	• • •		• • •	• • •	2
Surgical cases	• • •	• • •	• • •		• • •	• • •	• • •	• • •	• • •	10
Medical cases	• • •						•••	• • •		27

TOTAL ... 50

Table XLIV.-Statistics of Passengers who landed at Alexandria from Ships coming from Cholera-infected Countries during 1919.

		Percentage found.	8	91.16	97.20	99.02	99.16	97.18	29.66	99.40	99.19	80.66	98.57	98.66	99-44	60.66
	3rd Class.	.bunot to N		-1 '	6	ಣ		63	63	70	~ 	7	Ξ	2	9	63
ŗ.	3rd	Found.		174	360	303	350	88	109	823	485	602	753	1,085	1,061	6,795
TOTAL.	Jass.	Percentage found.	39	90-66	100	99-58	001	100	82.86	20.96	99-13	97.53	98.64	99.03	98.30	98.59 6,795
	2nd C	.bunot to N		-			-	<u>-</u>	ಣ	10	ೲ	1+]]	12	16	99
	1st and 2nd Class.	.banoA	<u> </u>	105	+2	137	99	27	212	127	338	551	793	1,221	923	4,604
		Percentige Found,	1 %	1	100	100	1	100		100	20	001	14.29	100	21.43	90.30
š.	Class.	Not Found.		1	-	.		 -		-	67	1	9	1	63	10
SENGE	3rd	Found.			10	61		9		1#	22	15		S S	ç	93
Transit Passengers	Class.	Percentage formul	1 %				1		1	100		100	29.59	47.06	29-98	67.45
RANS	and C	.bunot toW	<u> </u>							-	l.	<u>-</u>	e .	9	61	
T	1st and 2nd	Found.	+			1	1	,	1		1	-1	9	<u></u>	13	2.9
		Percentage found.	1 %	99-22	100	100	92.86	97.37	100	99.51	99.72	98-66	99.20	[0]	100	19.66
D AT	3rd Class.	Not found.	1	, ¬	<u>-</u>	-	က	67		67		ಣ	4	 -		16
MAINED ORIA.	3rd	Found.		126	150	218	₹00₹	7.4	253	102	352	459	490	645	£69	4,067*
PASSENGERS REMA ALEXANDRI	lass.	Percentage . tound.	1 %	100	100	60.86	100	100	100	95.30	100	99-10	11.66	100	100	29.66
SENG	2nd C	Not found.	-	<u> </u>	- -			-		4		ಣ	ಣ	<u> </u>	 -	=
PAS	1st and 2nd Class.	Found.		78	38	10 1	58	26	200	85	269	330	524	869	172	.,882
		Percentage found.	18	100	100	91.67	100	100	100	98.27	100	99-22	99-39	99.50	99-47	99.33 2
RIOR,	3rd Class.	Not found.		<u> </u>		ଚୀ	1		 _	ಣ				-	-	6
Passengers for Interior	3rd	Found.	-	22	1 <u>G</u>	22	113	ಣ	227	170	54	127	160	198	186	1,333
ERS FO	Class.	Percentage found.	%	100		001	001	1	001	16.06	001	001	100	100	99+33	89 66
SENG	2nd C	.bnnot toW	<u> </u>	_ _ _				1		-	1		-	-	-	c1
PAS	1st and 2nd	Found.		11	15	11	4	1		10	20	85	105	188	148	809
		Percentage tound.	1 %	99.68	89.78	98.39	001	100	98.42	001	98.72	97.30	100	97.50	19.86	97.90
IRO.	Class.	.bnuot toN		က			1		67		-	ಬಾ	1	9	೫	28
Passengers for Cairo.	3rd	Found.		96	7.9	61	33	20	124	237	22	108	102	234	216	1,302
(GERS 1	Class.	Percentage band.	1%	94.12	100	001	100	0,1	91.90	100	94.24	92.47	₹6.96	99.10	95-71	96-40
ASSEI	2nd	.bmot toW					1	1	ന	1	က	11	,G	က	13	39
Д	1st and	Found.		16	21	19	4	1	34	31	49	135	158	327	063	1,085
				:	:	:	:	:	:	:	:	:	:	;	:	:
	DHENOW.			January	February	March	April	May	June	July	August	September	October	November	December	TOTAL

TOTAL OF SHIPS ARRIVING DURING 1919.

ward 111		09			62	:	648
Brought forward 111	July	August	September	October	November	December	TOTAL
	24	37	30	28	20	29	236
	:	:	:	:	:	÷	rrd 23(
	:			:	:	:	2
	:	:	:	:	:	:	l for
	uary			rij ::	May	әі	Çarried foru

* Including 87 passengers sent to Chatby camp and 4 to Government hospital.

Percentage of passengers Found, 98·89 per cent.	
11,399	11,528
: :	:
Total number of passengers Found 11,399 Not found 129	Total (general) 11,528

V. REPORT ON THE PUBLIC HEALTH LABORATORIES.

1.—INTRODUCTION.

The total number of examinations carried out in the laboratories during the year was 15,050, of which 477 were made for the military authorities. Excluding the work done for the Army the total number of specimens examined during the year was 14,573, as compared with 20,649 specimens during 1918. During the past eleven years the figures for the regular work of the laboratories (excluding examinations made for the army) have been as follows:—

TABLE XLV.—COMPARATIVE ANNUAL STATISTICS.

YEAR.	Chemical (including Water and Milk).	Bacteriological (including Water).	TOTAL.		
,					
1909	. 484*	2,755	3,239 .		
1910	1,225†	5,428	6,653		
1911	581	5,193	$\overline{5},774$		
1912	797	5,268	6,065		
1913	813	6,998	7,811		
1914	1,828	9,150	10,978		
1915	3,870	8,277	12,147		
1916	3,345	8,550	11,895		
1917	3,207	10,553	13,760		
1918	3,625	17,024	20,649		
1919	3,603	10,970	14,573		

The diminution in the number of bacteriological examinations during 1919 is mainly accounted for by a diminution of some 4,000 in the number of blood films sent from the provinces for examination for the parasites of malaria and relapsing fever in connection with outbreaks of typhus and plague. The drop in the number of specimens from the provinces was largely due to the conditions arising from the political situation during the spring of the year.

The extension of the laboratories, which has been a pressing demand for some years, was begun in the month of August by the Ministry of Public Works and a part of the foundations has been laid. It was impossible to complete the whole foundations owing to the high level of the ground water and work had to be temporarily stopped. As in view of the present prices new buildings must be limited to the minimum possible, the enlargement of the laboratories is being effected by the erection of a small building which will connect the present laboratories with the old Khedivial laboratory. The old Khedivial laboratory, which has for many years been used as a veterinary school, is not structurally suitable as a permanent laboratory building, but, if arranged as proposed, can be made to serve a useful purpose for a number of years at the expiration of which time it can be rebuilt as part of the final scheme. Arrangements have been made for the provision of storage accommodation in the basement

^{*} Khedivial Laboratory.

of the new building, which will remedy the present unsatisfactory condition of the laboratory stores.

The whole question of the arrangement of Government laboratories and the co-ordination of their work is at present being studied by a small Government committee, of which the

Director of the Public Health Laboratories is a member.

The laboratories have carried out a number of chemical examinations, mainly analyses of foodstuffs and disinfectants, for the British Forces in Egypt during the year. The military authorities having now arranged to undertake their own bacteriological work, the rôle of the Public Health Laboratories has been confined to giving help where necessary, as in the performance of a number of Wassermann reactions and the supply of certain chemicals, bacterial cultures, sera, etc.

The travelling bacteriological car belonging to the Laboratories was lent to the army

throughout the year, being employed as a stationary laboratory at Tel el Kebîr.

In the course of the year a number of Medical Officers of the Department have been detailed to the laboratories for short periods in order to enable them to obtain some practical acquaintance with the nature of the work carried out.

A charge of certain irregularities brought against the chief storekeeper of the Laboratories necessitated a detailed inquiry into the Laboratory stores and occupied much time.

In connection with a request received from the Foreign Office, London, drawing attention to the report of the Departmental Committee appointed to inquire into the precautions for preventing danger of infection from anthrax in the manipulation of wool, goat hair, and camel hair, a committee, of which the Director of the Laboratories was president, was formed by the Egyptian Government to consider the application of these measures to Egypt. This Committee held a number of meetings and reported to the Government.

During the period of political difficulties in the spring, the work of the Laboratories was considerably handicapped, and, apart from the lack of communications which for a time rendered the sending of specimens from the provinces practically impossible, considerable difficulties were experienced in obtaining forage and other necessary materials.

The time is rapidly approaching when some arrangement must be made to extend the facilities for bacteriological diagnosis to certain towns in the provinces. With the exception of the City of Alexandria, the bacteriological diagnosis for the whole of Egypt is centralized in Cairo. Under this arrangement certain bacteriological diagnoses, such as diphtheria, are impossible for many parts of the country, owing to the distance from Cairo, and, apart from this difficulty, the wholesale centralization of the work is not altogether advantageous as, in the first place, there is necessarily a considerable delay in the transport of specimens, and, secondly, many of the examinations which have a definite local interest, such as the examination of water supplies, aerated waters, ice, etc., should undoubtedly, where possible, be carried out locally. It is obviously not practically possible—both for financial and other reasons—to institute at once a series of completely equipped provincial bacteriological laboratories, but a scheme has been drawn up for the gradual extension of facilities for bacteriological diagnosis to certain towns in the provinces. The proposed scheme—a copy of which is attached (p. 70)—should provide the necessary service at a reasonable cost.

At the request of the Arab Bureau a Moslem bacteriologist and a laboratory attendant from the Public Health Laboratories were sent to Jeddah with a complete outfit of a bacteriological laboratory for the diagnosis of plague and cholera and remained there during the period of the pilgrimage. The report of the bacteriologist is annexed (p. 73).

Apart from the question of diagnosis the Laboratories are constantly referred to by the different services of the Department of Public Health and other Government Administrations for advice and assistance on various questions of a scientific nature pertaining to public health, and public health projects such as water supplies, drainage installations, etc., are submitted for technical opinion. This branch of the activities of the Laboratories is becoming increasingly important and occupies a considerable amount of the time of the Director and the Sub-director.

2.—BACTERIOLOGICAL SECTION.

The following table gives a list of the examinations made under their several headings. The figures do not include the specimens of water examined bacteriologically; these are given in the report on the Water Service.

TABLE XLVI.—BACTERIOLOGICAL WORK DONE DURING 1919.

NATURE OF SPECIMEN.	Government.	Private.	Military.	TOTAL.
Cholera Plague Cerebro-spinal meningitis Diphtheria Malaria and relapsing fevers Cultural examination for enteric ,,,,,,, dysentery (and microscopic). Agglutination reaction for Malta fever ,,,,,, enteric ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	208 644 2 404 4,274 28 20 147 437 145 50 807 377 32 163 13 28 66	$ \begin{array}{c} -1\\ 13\\ 762\\ 83\\ 16\\ 30\\ 34\\ 251\\ 33\\ -1\\ 11\\ -26\\ 5\\ -1 \end{array} $	1	208 645 15 1,166 4,358 44 50 182 689 178 50 1,026 388 32 189 18
Grand Total	7,845	1,297	214	90

The special cholera service has been continued throughout the year, but with the improved conditions in Syria and Palestine and the clean pilgrimage of 1919, this work has shown a great diminution on the figures of last year.

If allowance be made for the period in the spring during which, owing to the political disturbances, very little diagnostic work could be carried out, the figures for the bacteriological work show the usual annual increase. The diagnosis work of the Laboratories is carried out mainly for the city of Cairo and for the epidemic and general sanitation services of the Department of Public Health. A considerable number of examinations, however, were also made for other Government Administrations; these are included under the general heading of "Government Examinations."

The occurrence of two cases of malignant pustule which occurred at Qantâra and were traced to anthrax-infected shaving brushes led to the examination of a large number of shaving brushes obtained from various sources in Cairo and elsewhere and to the regular examination of all consignments of shaving brushes imported into Egypt. A large number of the brushes from Japan were found to be infected with anthrax. As previous to the detection of the import of infected brushes into Egypt many of these had doubtless already come into the country, the public was warned of the risk of using such brushes and was advised of a method of sterilization best adapted to minimize the risk.

At the request of the Director of the Ophthalmic Section cultures from a number of cases of gonorrheal ophthalmia were examined with a view to determining the nature of the coccus in these Egyptian cases. The results of this work are being published separately.

The Weil-Felix reaction has been carried out on the blood of a number of cases of definite typhus fever under observation at the Government Fever Hospital at 'Abbâsîya. This reaction, being found to be positive in some seventy per cent of cases of typhus fever, is now of considerable diagnostic value and is being carried out as a routine practice in the Laboratory.

A strain of typhus virus obtained from a patient on February 25, 1917, has been regularly passed through guinea-pigs, and at the end of the year had reached the ninety-first passage. So far the strain has shown no marked change in character as the result of continued passage and does not appear to have undergone any increase of virulence for the guinea-pig.

In connection with the reopening of the Institute for the preparation of cattle plague serum at 'Abbâsîya, assistance was given to the Ministry of Agriculture in the tests of the strength of the serum and the examination of blood.

3.—CHEMICAL SECTION.

The following chemical analyses have been performed during 1919:—

Table XLVII.—Chemical Work done during 1919.

		HALL	ZÛL, ÂWA,		TTER	Вит	TTER.		IBLE LS.			MI	LK.		ium			
SAMPLES RECEIVED FROM	Water.	Narco Alka	Absent.	Genuine.	Adulterated by admixturewith other Fats.	Genuine.	Containing an excessive amount of water.	Genuine.	Adulterated by admix- ture with other oils.	Margarine.	Genuine.	Adulterated.	Doubtful (kind of rdilk not stated).	Abnormal.	Epsom Salt (Magnesium Sulphate).	Drugs, etc.	Miscellaneous.	Total.
Govt. Administrations	50		8		1()		2		3		724	284	19	20	2,055	146		
General Parquet		28	14	2	2		2	1				_	-	-	-	2	5	56
Military authorities Private individuals	15	1	4			14	18	6	1	104	4		3	_	-	10	$\frac{62}{12}$	$\begin{array}{c} 242 \\ 22 \end{array}$
Private individuals							1					4					12	
GRAND TOTAL	67	39	26	22	12	14	23	46	4	104	728	288	23	20	2,055	158	205	3,834

The miscellaneous analyses in the preceding table are made up as follows:—

TABLE XLVIII.—DETAILS OF MISCELLANEOUS CHEMICAL ANALYSES PERFORMED DURING 1919.

NATURE OF SAMPLES.	Parquet.	Other Government Administrations.	Military.	Private.	Total.
Biscuits Bread Flour Cheese Coffee Fruit and jams Vinegar Rice Tea Bleaching powder Stomach contents Disinfectants Various		$ \begin{array}{c} 1\\ 17\\ 12\\ 4\\ 2\\ -\\ 11\\ 12\\ 58\\ 1\\ 5\\ 3 \end{array} $		- - - 1 - - - - 11	4 17 37 4 11 5 2 15 13 65 3 5 24
GRAND TOTAL	5	126	62	12	205

MILK ANALYSES.

The collection of the daily samples of milk on behalf of the Cairo City Health Inspectorate has taken place for about six months only during the whole year 1919. 838 samples were collected and a summary of the results (which are included in the table of the chemical analyses) is appended:—

TABLE IL.—MILK ANALYSES DURING 1919.

DESCRIPTION.	Number.	Percentage.
ženuinė	637	78.4
Adulterated (skimmed, watered, or both) Skimmed	$\begin{array}{c} 175 \\ 78 \end{array}$	$\frac{21.6}{9.6}$
Watered Skimmed and watered	58	7.2
Abnormal	10	-
Doubtful (kind of milk not stated) and samples coagulated during analysis	16	

The following additional analyses of milk have be	en p	erfor	rmed	:		
Condensed milk (Government)					• • •	11
Milk examined for mineral salts (military)			• • •			1

4.—WATER SERVICE.

The number of analyses of water, aerated waters, and ice, made for all purposes during 1919, were as follows:—

TABLE L.—WATER AND ICE ANALYSES PERFORMED DURING 1919.

Bacteriological.	Number of Samples.	Examined for Total Bacteria.	Examined for Lactose Fermenters.
Cairo:—			
Rôd el Farag supply	383	435 260 383 312	435 260 383
Various supplies	21 16	5 16	21 16
Cairo Ismailia Port Said Suez Military Ice: Cairo	200 36 121 59 4		200 36 121 59 4
Total	1,848	1,412	1,536
Public supplies	50 15 2		
Total	67		

It has, unfortunately, for various reasons not yet been possible for the Department to develop this service so as to provide for a regular inspection of the drinking water supplies of the country. Regular bacteriological and chemical analyses of the Cairo supplies have, however, been carried out, and in the case of the Me'âdi and Beni Suef supplies, where some difficulties were met with, these were visited and the necessary assistance given. The regular control of aerated waters and of ice have been carried out so far as was possible with the existing staff.

5.—VACCINE INSTITUTE.

The amount of vaccine lymph issued in 1919 was 5,645,020 doses, against 1,428,500 in 1918, showing an increase of 4,216,520 units. This issue was made up as follows:—

,									Doses.
Public Health Inspectors	B	and a	rs)						122,040
,, ,, ,,	(vi	llage	s)	• • •		• • •		• • •	599,640
Extra to Public Health 1	Insp	ecto	rs	• • •	• • •		• • •		3,854,090
Egyptian Army			• • •	• • •	• • •				15,380
Ministry of Waqfs .		• • •	• • •	• • •	• • •	• • •	• • •		2,260
,			• • •	• • •					19,245
Prisons Department .	• •	• • •	• • •		• • •		• • •		15,465
Provincial Councils .	• •	• • •	• • •		• • •				575
Suez Canal Company .		•••	• • •	• • •	• • •		• • •	• • •	2,200
Alexandria Municipality		• • •	• • •		• • •		• • •		223,000
British Army		• • •	•••	• • •	• • •		• • •	• • •	392,405
Sudan Government .	• •	• • •	• • •						203,285
	••	• • •	• • •	• • •	• • •			• • •	33,355
Miscellaneous sales	• •	• • •	• • •		• • •	• • •	• • •	• • •	161,740
				Тот	AL	• • •			5,645,020

In the autumn of the year, it having been found necessary by the Department to undertake an extensive campaign of general vaccination at short notice, very large demands were suddenly made on the Vaccine Institute. The Institute, as at present arranged, is designed for an annual output of some two million doses of vaccine for Egypt and the Sudan, but for the proposed campaign an output of one million doses per month for a period of six months was considered necessary. This, unfortunately, coincided with the large extra demands for the British army and the Sudan Government as well as for Syria, Cyprus, etc.

This naturally involved a considerable temporary increase of the accommodation and staff. Temporary matting stables were erected at the Institute and the necessary vaccine was prepared, although this was only carried out with great difficulty, as at the time it was found almost impossible to obtain suitable buffalo calves in sufficient numbers. The glass tubes and phials for the despatch of the vaccine were not available in the country nor could they be obtained at short notice from Europe, so that for a time the vaccine had to be

distributed in such small medicine bottles as were locally obtainable.

As the Vaccine Institute has no arrangement for cold storage, the vaccine is stored in a cold storage room which is rented by the Department for the storage of sera and vaccines. The temperature of this room, being considerably above freezing point, is not altogether suitable for the keeping of smallpox vaccine; a rise in the temperature of the storage room having given rise in 1918 to a diminution in the activity of the stored vaccine, rendering it unsuitable for issue. It has not yet been possible to arrange for storage at the desired temperature, but the cold storage room has been brought down to a temperature just above freezing point.

In the course of the year the strength of the glycerine used in the preparation of the vaccine was diminished, and in place of a mixture of one part of pulp with four parts of 75 per cent glycerine, a mixture of one part of pulp with five parts of 50 per cent glycerine

was issued. This change was made on May 24.

Each batch of the vaccine before issue is tested by a special Medical Officer attached to the Inspectorate of the City of Cairo.

The results are given in the following table:—

Table LI.—Results of the Tests of the Calf Lymph manufactured during 1919, carried out by the Cairo City Health Inspectorate.

				RESULTS.	7						
Number of Batch.	Number of Children vaccinated.	Successful.									
		4 Pustules.	3 Pustules.	2 Pustules.	1 Pustule.	Failed					
49	96	` 81	6	5	$_4$	0					
50	102	85	10	4	1	2					
51	72	56	7	5	1	3					
52	62	55	5	2	0	0					
53	92	80	8	4	0	0					
54	55	50	4	1	0	0					
55	87	86	1	0	0	0					
56	40	15	9	8	7	1					
57	75	69	5	1	0	0					
58	107	84	22	1	0	0					
59	43	17	10	10	4	. 2					
60	83	83	0	0	0	0					
61	46	36	8	1	1	0					
62	38	38	0	0	0	0					
63	44	40	4.	0	0	0					
64	60	56	3 ,	0	0	1					
65	39	31	6	$\frac{2}{2}$	0	0					
66	89	73	4	2	4	6					
ried forward	1,230	1,035	112	46	22	15					

TABLE LI.—TESTS OF CALF LYMPH (continued).

				RESULTS.		
Number of Batch.	Number of Children vaccinated.		Succe	SSFUL.		Failed.
	vaccinated.	4 Pustules.	3 Pustules.	2 Pustules.	1 Pustule.	Taneu.
Brought forward	1,230	1,035	· 112	46	, 22	15
67	79	60	12	2	4	1
68 69	$\begin{array}{c} 116 \\ 42 \end{array}$	$\begin{array}{c} 106 \\ 42 \end{array}$	$\begin{bmatrix} 3 \\ 0 \end{bmatrix}$	3 0	0	3
70	$\frac{42}{52}$	37	3	$\frac{0}{4}$	1	7
71	56	41	5	3	3	4
72	79	76	0	0	0	3
73	Not t		C	9	0	0
74 75	54 50	$\begin{array}{c} 46 \\ 31 \end{array}$	6 9	$\frac{2}{6}$	0	5
76	$\begin{array}{c} 52 \\ 94 \end{array}$	89	0	0	$\begin{array}{c c} & 1 \\ 2 & \end{array}$	3
77	43	33	$\frac{1}{2}$	3	1	4
78	88	67	10	0	1	10
79	20	4	2	3	$\frac{2}{2}$	9
80	43	40 30	$\frac{3}{12}$	$egin{pmatrix} 0 \ 2 \end{bmatrix}$	$\begin{bmatrix} 0 \\ 0 \end{bmatrix}$	$0 \\ 2$
81 82	46 85	77	0	$\frac{1}{3}$	0 .	$\frac{2}{5}$
83	84	55	11	11	5	2
84	3 6	33	2	0 .	0	1
85	79	77	0	1	0	1
. 86	130	74	33	10	9	4 0
87 8 8	$\frac{46}{33}$	$\frac{41}{7}$	4 11	1	8	6
89	54	47		3	0	0
90	72	32	15	3 13	6	$6 \\ 1$
91	29	24	4 15 3 1 4 3 1 2 6 3 0 11 6	1	0	
92	27	25	1	1 2 2 1 3 6 2 2 4 1 3 0 1	0 1	0 3 3 2 2 1 2 0 3 1 4 0 2 1
93	43 85	33 77	4 /	2 2	0	3
94 95	$\frac{85}{32}$	27	1	1 1		$\frac{3}{2}$
96	56	47		3	$\frac{1}{2}$	2
97	85	47 70	6	6	2	1
98	5 9 38	50	. 3	2	$\frac{2}{2}$	2
99	38	36	0	2	0 9	0 3
100 101	72 72	52 62	11 6	1	$\frac{2}{2}$	1
101	60	52 62 47	4	3	$\frac{1}{2}$	$\overline{4}$
103	47	44	3	0	0	0
104	55	47	5		1 2 2 2 0 2 2 2 0 0 0 2 2 2 1	$\frac{2}{1}$
105	43	26	8	6	$\begin{vmatrix} 2 \\ 9 \end{vmatrix}$	$\frac{1}{2}$
106 107	37 28	28	9	6 0 0		$egin{array}{ccc} 2 & 1 & 3 & \end{array}$
108	51	44 47 26 28 26 38 39 25 36 32 38	4 3 5 8 5 0 8 2 2 2 3 2 4	1-	1 0	3
109	44	39	2	1 2 1 2 0	0	$\begin{bmatrix} 1\\2\\4\\0 \end{bmatrix}$
110	30	25	2	1	0	$\frac{2}{4}$
111	45	36	$\frac{3}{9}$	2	0 1 0	0
112	35	32	$\frac{2}{2}$	1	0	0
113 114 -	41 55	47	4	î	1	2
115	47	45	$\overline{2}$	0	0	0 2 0 0
116	48	44	2 0 2 8	0 3 1 0	1	0
117	48 6 9	45	2	1	0 0	0 0
118	69	61	8			
C M	4.004	3,351	359	164	89	131
GRAND TOTAL	4,094				$2\cdot 2$	3.2
Percentage		81.8	8.8	4.0	4.7	9.7

6.—SERUM CENTRIFUGING LABORATORY.

It having been decided to hand over the centrifuging, bottling, and issue of cattle plague serum to the Ministry of Agriculture, the centrifuges, motors, and fittings of this Laboratory were transferred in the month of August to the Serum Institute at 'Abbâsîya.

In the course of April 79,438 doses of serum, which were time-expired, were verified by animal tests and condemned, the bottles being washed and sterilized for further use. The remaining serum (5,376 doses of 50 cubic centimetres) was handed over to the Ministry of Agriculture and the building of the old serum centrifuging laboratory demolished to make room for the extension of the Laboratories.

7.—ANTIRABIC INSTITUTE.

In 1919 a total of 1,010 persons were treated in the Institute. From this number the following deductions should be made:—

Four persons who ceased to attend for treatment without a satisfactory reason.

One hundred and thirty-six persons whose treatment was discontinued as being unnecessary, the observation of the animal for a period of ten days or more having shown it not to be rabid.

Ten persons whose treatment, although completed, must be considered useless, the animal inflicting the bite having been proved healthy by inoculation of rabbits.

The statistics, therefore, comprise 860 patients. This figure is an increase of 101 over

the number treated in 1918.

(a) Monthly Incidence.

The monthly incidence of the 860 cases dealt with in the statistics is shown below:

January		• • •		 • • •	• • •	79	July		• • •				77
February	• • •	• • •		 • • •	• • •	53	August	• • •					74
March							September	•••					59
April							October	• • •	• • •	• • •	• • •	• • •	104
May							November	• • •	• • •	• • •	• • •	• • •	65
June	• • •	• • •	• • •	 • • •	• • •	68	$\operatorname{December}$	• • •		·			77

(b) Topographical Distribution.

The 860 persons treated may be subdivided as follows:—

Egyptians		• • •	• • •	• • •		• • •	• • •	• • •	 716
Foreigners res	ident in Egyp	ot	• • •		• • •	• • •		• • •	 97
Foreigners not	t resident								 47

Their place of origin was:—

Governorates:—								Provinces (continued) :—		
Cairo		• • •	• • •	• • •	• • •	•••	47	Gîza	52	2
Alexandria							63	Beni Suef		
Suez Canal			• • •				29	Faiyûm		
Damietta	• • •		• • •	• • •	• • •	• • •	11	Minya	0.0	
								Asyût	32	2
Provinces:—								Girga		7
Qalyûbîya	• • •						56	Qena	9	
Sharqîya			• • •		• • •		138	Aswân		
Daqahliya										
Minûfîya							50	Palestine	33	,
Gharbîya	•••	•••	•••	•••	•••	•••	106	O	7.0	
Rahaira	* * *	• • •	• • •	• • •			~ ~	Syria	12	
Beheira	• • •	• • •			• • •	• • •	35	Şinai	7	

(c) Classification of the Animals inflicting the Bites.

The injuries to the 860 patients were inflicted by:—

Dogs		• • •	• • •	• • •	• • •	• • •	• • •	• • •	• • •	• • •	in	725	cases.
Cats												36	,,
Wolves				• • •								49	,,
Monkeys												4	,,
Donkeys													,,
												9	,,
Mule												1	,,
				• • •								5	,,
				• • •								20	,,
Rabid hu	ıman	bei	ng	• • •	• • •	• • •	• • •	• • •	• • •		,,	1	,,

(d) Position of the Injuries.

93 cases were bites on the head.

426 cases were bites on naked skin: serious, 95; slight, 331.

341 cases were bites through clothing.

(e) Notes on the Animals inflicting the Bites.

(1) It is to be noted that the number of persons bitten does not correspond to the number of animals causing the bites reported by the Veterinary Service, as in several cases one animal caused the injury to more than one person.

(2) As a result of their observation by the Veterinary Service, 133 animals, having

bitten 136 persons, were found to be non-rabid.

(3) Experimental inoculation of rabbits undertaken at the Institute showed that eight

animals (seven dogs and one donkey), having bitten ten persons, were healthy.

(4) In a certain number of cases definite diagnosis could not be established, and these cases are considered as suspect. The details are as follows:—

433 animals escaped and could not be traced.

Thirty-three animals were killed and the carcases destroyed.

Fifty-four brains of animals arrived at the Institute in a state of decomposition and no investigation was possible.

Twenty-seven animals remained suspect, the rabbit inoculation being inconclusive.

The total of suspected animals is therefore 547.

(5) Rabies was considered to be proved in the case of forty-eight animals, having bitten ninety-eight persons. The diagnosis was determined:—

By Veterinary Inspectors in the case of twenty-five animals (twenty-three dogs, one

cat, and one wolf), having bitten fifty-six persons.

By rabbit inoculation in the case of twenty-three animals (twenty dogs and three cats)

having bitten forty-two persons.

(6) In the case of fourteen animals, having bitten twenty-two persons, positive diagnosis of rabies is presumed by the death of one or more of the patients bitten.

(f) METHOD OF TREATMENT.

No change was introduced during the year in the methods of preventive vaccination and serotherapy described in the 1916 report.

(g) Statistics.

In accordance with the practice in other antirabic institutes elsewhere the statistics only comprise deaths occurring more than fifteen days after the treatment was completed.

Amongst the persons treated in 1919 there occurred five deaths. Table LII attached gives the names and other particulars concerning each of these cases. The corrected mortality rate, representing the cases in which the treatment failed, is therefore 0.5 per cent.

In addition to the above, it is necessary to record the death of fifteen other persons who died either during treatment or less than fifteen days after its completion. The gross mortality comprising all deaths is therefore 1.7 per cent. Table LIII gives a classification of the cases treated and the mortality rate.

Table LIL-Notes on Patients who died in 1919.

Place of Death.	His residence.	Her residence.	His residence.	٠,	2
Date of Death.	June 4:— 51 days after the bite. 27 ", treatment.	July 11:— 59 days after the bite. 37 ", treatment.	September 21:— 53 days after the bite. 31 " treatment.	November 3:— 60 days after the bite. 37 " " treatment.	February 11, 1920:— 100 days after the bite. 79 ", treatment.
Dates of Treatment.	April 17 to May 7.	May 14 to June 3.	July 31 to Aug. 20.	September 3 to 26.	November 3 to 23.
Date of Bite.	April 13.	May 12.	July 29.	Sept. 3.	Nov. 2.
Bitten by	Dog. Diagnosis impossible.	Dog. Diagnosis impossible.	Dog. Diagnosis impossible.	Dog. Diagnosis impossible.	Dog. Diagnosis impossible.
Nature and Number.	2 severe. 2 slightly severe.	1 slightly severe. 2 slight. 2 severe.	4 slight.	Severe.	1 very severe. 1 severe.
Position of Injuries.	Right hand.	Left forearm, left hand, left leg.	Left ear.	Left buttock.	Left forearm. Left small finger.
Place where the Accident occurred.	Sakha, Kafr el Sheikh Gharbîya.	Zorkan, Tal a District, Minûfîya.	El Meharraka, 'Ayât District, Gîza.	Kattama, Tanta District, Gharbîya.	Damanhûr, Beheira.
Sex.	M.	드	. 🗷	M	M.
Age.	20	45	25	∞	10
NAME OF PATIENT.	'Amer Bayûmi	Khadra Ahmad	'Askar 'Abdel Bâ r i	Mohamed Sayed 'Abd Rabbo	Kamel 'Ali
Serial Number.	9674	9729	9957	10,064	10,245

Table LIII.—Results of Antirabic Treatment in Cairo during 1919.

	INJUR ON THE		ON N	NJURII AKED d exce _l	SKIN		NJURII GH CL	es othing.	TOTALS.			
	Treated.	Mortality per Cent.	Treated.	Died.	Mortality per Cent.	Treated.	Died.	Mortality per Cent.	Treated.	Died.	Mortality per Cent.	
Class A	14 —	0.0	35		0.0	15	_	0.0	64		0.0	
"B	11 -	0.0	27	1	3.7	18	_	0.0	56	1	1.7	
" C	68 1	1.4	364	2	0.5	308	1	0.3	740	4	0.2	
	93 1	1:07	426	3	0.7	341	1.	0.5	860	5	0.2	

Class A.—The animal causing the bite proved to be rabid by the development of rabies in patients bitten, or by experimental inoculation.

Class B.—The animal causing the bite was declared to be rabid by a veterinary surgeon.

Class C.—The animal causing the bite was suspected of rabies.

APPENDIX I.—Note on the Desirability of Extending the Facilities for Bacteriological Diagnosis to certain Towns in the Provinces.

The bacteriological diagnosis for the whole of Egypt, except the city of Alexandria, has up to the present been carried out entirely in the Public Health Laboratories in Cairo. Under the circumstances this has hitherto perhaps been unavoidable, but during the last few years the demands for such diagnosis have increased to so large an extent that the question of some degree of decentralization should now be considered.

Among the disadvantages of the existing arrangement the following may be specially

noted:—

(1) Certain bacteriological diagnoses, such as diphtheria, are impossible for many parts of the country owing to the distance from Cairo. In such cases specimens are either useless

on arrival or liable to give misleading results.

(2) A large number of examinations of films collected in Upper Egypt in connection with the control of typhus, plague, etc., are regularly sent to Cairo for examination. Owing to the time occupied in transport, examination, and the necessary formalities of registration, etc., some delay is inevitable, and the results when they reach their destination are much less valuable than if they had been immediately available. In the case, for instance, of a death from suspected pneumonic plague, the results of the immediate examination of a film from the lungs are often invaluable to the medical officer in charge and enable him to decide at once on the necessary course of action.

(3) The regular bacteriological control of water supplies at a distance from Cairo is at present impracticable as specimens sent to Cairo from these supplies are useless for bacteriological examination unless sent carefully packed in ice, which necessitates their

being sent by hand.

(4) The locally manufactured aerated waters cannot be adequately controlled.

As a first step towards a better provincial diagnosis service it might be well to consider the advisability of establishing small centres in one or two suitable provincial towns, and for this purpose in the first instance Port Said, Suez, and Asyût would be the most suitable.

Pending a decision on the future of the Quarantine Board such arrangement in the case of the two former towns would necessarily be of a more or less provisional nature, but this

need not stand in the way of a beginning being made.

Port Said.—The case of Port Said, with its port and considerable European population, is particularly urgent, and the work would occupy the whole time of at least one bacteriologist. He would, in the first instance, undertake the diagnosis of diphtheria for the town, and would carry out the microscopical examination of films for plague, malaria, and relapsing fevers, and make the agglutination tests for enterica and Malta as well as carrying out any diagnosis work required for the Government Hospital. He should be responsible for the bacteriological examination of the locally prepared aerated waters, the examination of rats for plague, and, in short, all the simpler bacteriological work of the Public Health Service; the more complicated and difficult examinations, such as cholera, being still referred to the Central Laboratories in Cairo.

A most important question in Port Said is the milk control, particularly in connection with the question of Malta fever. Malta fever has for many years been endemic amongst the milch goats in Port Said, and some years ago a serious attempt was made by the Department to deal with this question, the blood of all the goats in Port Said being examined and such goats as showed a positive agglutination of Malta fever being killed. Unfortunately, it has not been possible to continue this work, but with the presence of a bacteriologist in the town this examination might be resumed, and there is no reason why the disease should not be stamped out.

In order to deal with the question of adulteration of milk it is desirable that regular chemical analysis should be undertaken locally. This should not be beyond the powers of the bacteriologist who, previous to taking up his duties in Port Said, might undergo a course of training in the chemical analysis of milk in the Public Health Laboratories in

Cairo.

Suez.—In the case of Suez the same arguments hold, but being a much smaller town the necessity for a local diagnosis service is less urgent than in the case of Port Said.

Asyût, lying as it does practically in the middle of the long stretch of Upper Egypt, is probably the most suitable centre for a laboratory south of Cairo. The railway journey from Aswân to Cairo (886 kilometres) takes over twenty hours by express, so that specimens forwarded by letter post take, as a rule, not less than forty-eight hours to reach the Laboratories in Cairo and may take considerably longer.

A laboratory in Asyût (378 kilometres from Cairo) could undertake most of the simpler work from the Province of Asyût and from all stations south of this. The amount of work in Asyût would probably be sufficient to at once occupy the whole time of one bacteriologist.

As regards the question of Accommodation.—In the case of Port Said and Suez the Quarantine Board already has laboratories in both towns and, in the event of this Service being taken over by the Department of Public Health, the bacteriological diagnosis could be carried out in these laboratories. Pending the taking over of the quarantine work, arrangements could probably be made with the Board to allow the bacteriologist of the Department of Public Health to work in their laboratory at Port Said, and in Suez either a similar arrangement could be made or the work could be carried out in the newly erected laboratory at the Government Hospital.

The importance of Asyût from its geographical position certainly warrants the erection of a laboratory. This will have to be provided sooner or later, and it would probably be more economical to proceed with it without delay. One or two rooms would suffice as a beginning, but it is most important that these should be so arranged as to form part of a definite plan which could be completed when the necessary funds are available.

As regards the necessary Staff.—In the case of Port Said and Suez, when the quarantine work is taken over, the Department would have to maintain well-equipped laboratories in both these ports. As these laboratories must be under the charge of capable men and will be able to undertake all varieties of bacteriological work, there would be no difficulty in attaching an extra bacteriologist to each laboratory for the public health work of the town. This man would then work directly under the director of the laboratory in Port Said or Suez, both these laboratories being under the ultimate control of the Public Health Laboratories.

In the case of Asyût, the bacteriologist appointed should be a man who has undergone a course of training in the Public Health Laboratories in Cairo. He would be nominated with the approval of the Director, Public Health Laboratories, Cairo, and would be controlled by him as regards his scientific work only. The Asyût laboratory should be the forerunner of a series of laboratories in the larger Egyptian towns, and it is very necessary, for the maintenance of a high standard of work, that such laboratories should be controlled by the Central Laboratories in Cairo, and be regularly inspected by a senior bacteriologist from these laboratories, but I am of the opinion that such control should be limited to the technical aspect of the work, and that administratively they should depend elsewhere.

The Central Laboratories in Cairo are essentially a technical institution, and it is undesirable that they should in any way tend to assume the functions of an administrative

section of the Department.

With the extension of local government in Egypt, many of the larger municipalities may find it necessary or desirable to establish laboratories, not only for the services of the municipality but also for the assistance of private practitioners, and the Government would do well to encourage development along these lines. It is, however, essential to the success of such arrangements that the Government should exercise a thorough control of such laboratories not only by means of regular inspection but by insisting on the right to nominate the personnel. These powers might be secured by the provision of "grantsin-aid" or other suitable administrative arrangements.

In the other Egyptian towns where Government Hospitals exist a good deal might be accomplished. The Hospital Section of the Department of Public Health has, I understand,

set aside a room in each hospital and is fitting it up as a small clinical laboratory.

I am convinced that, as time goes on, these laboratories will become increasingly valuable to the Department and feel that no effort should be spared in increasing their usefulness. To refer only to the question of bilharziosis, with which some sixty per cent of the population

is stated to be infected, very promising results have recently been obtained in the treatment of this disease with antimony tartrate. The treatment is at present on trial and could not yet be recommended for general use, but the results so far obtained appear to warrant the conclusion that the parasite is susceptible to medicinal treatment and that a suitable drug will ultimately be found. Whatever drug is finally employed for this purpose, it will be necessary to control the treatment either by the examination of the urine and fæces or by blood examinations, and this will involve work on a considerable scale for which purpose local laboratory facilities will be necessary. The same remarks apply to the treatment of ankylostomiasis.

The development of the laboratories of the provincial Government hospitals could be arranged by the appointment of a fourth class Medical Officer, with the necessary training, as pathologist to each hospital. This man would carry out all the clinical pathological and bacteriological work of the hospital, and it might be arranged that he should also undertake the simpler diagnosis work for the town. The extent to which this is desirable

would be a matter for the decision of the Department.

In any case the equipment of the hospital laboratories should be completed so as to render them capable of dealing with the necessary work. If this arrangement is adopted I would suggest that the pathologists should be administratively under the Hospital Section of the Department, but that they should be technically controlled by the Central Laboratories in Cairo, which should arrange for the inspection of these hospital laboratories and control the scientific work of the pathologists who, before taking up their duties, would have served for the necessary period in the Public Health Laboratories in Cairo.

(Signed): C. Todd,

September 3, 1919.

Director, Public Health Laboratories.

APPENDIX II.—Report on the Work carried out by the Bacteriological Laboratory at Jeddah from August 11 to October 31, 1919.

The establishment of a bacteriological laboratory at the Quarantine station at Jeddah is mainly due to the initiative of the British Agent of the Hedjaz. The object of the laboratory is the performance of all examinations of suspected cases amongst the pilgrims, especially on their arrival at, and their departure from, the holy places.

The staff consisted of a bacteriologist (the writer), a clerk (Mohammed Shafiq Effendi),

and a laboratory attendant (Mohammed Effendi Hawâri).

The work of the laboratory being mainly concerned with the diagnosis of cholera and plague and for a period of two to three months only, a limited quantity of material and

equipment only was taken, and this proved amply sufficient.

On August 11 the staff with the laboratory equipment left for Suez, where they sailed on the same day accompanied by Major Marshall (Inspector of the Hedjaz Quarantine). On August 15 all arrived safely at Jeddah. It was then decided to instal the laboratory in one of the rooms of the Government Hospital, which had been formerly used for microscopical examinations. We found there a microscope, some old sterilizers, miscellaneous glassware, very old agar and useless agglutinating sera. This old material was removed and replaced by our new equipment.

Although the room could be used as a laboratory, yet it had the great disadvantage of having only shutters but no glass panes. As for the sake of light these shutters had to remain open during work, the wind greatly interfered with our lamps and burners, and a great number of flies (very numerous at Jeddah) found their way into the room and caused considerable nuisance. This inconvenience could not be remedied, as no glass panes were

procurable in town, but these should be provided for the next pilgrimage.

The equipment of the laboratory proved in practice very satisfactory, with the exception of one stock of agar, which was very soft, and another of Endo-agar which was quite useless. It would be better in future to test every stock before packing.

The specimens received for examination were either from pilgrims or from the natives of Jeddah. In the first case, they were sent by the quarantine doctor; in the latter, by the British Agency doctor.

The specimens were handed on arrival to the clerk for registration. The result of

examination was reported to the doctor either verbally or by telephone.

The following table gives the number of specimens received during the whole period, together with the nature and result of the examination:—

TABLE LIV —BACTERIOLOGICAL EXAMINATIONS.

TABLE LIV.—BACTERIOLOGICAL EXAMINATIONS.													
Nature of	f Exai	ninat	ion.			Number of Specimens found Positive.	Total.						
Cholera	•••••						2	2					
Dysentery					••	5.	2	7					
						(3 Amæbic Bacillary) (2 Flexner)							
Malaria						2	6	8					
Gonorrhæa						2	1	3					
Bilharzia	••					1		1					
Tuberculosis						_	3	3					
Typhoid							4	4					
Typhus							1	1					
Leishmania	••					_	1	1					
	r	OTA	L .	••••		10	20	30					

TABLE LV. -MISCELLANEOUS EXAMINATIONS.

•	Pathogenic.	Normal.	Total.
Urine	5	4	9
Blood culture		1	1
Sperma		1	1
Pus	ī		1
Water			2
Total	6	G	14

It was our intention to make complete analyses of all water supplies on the route of the pilgrimage before the arrival of the pilgrims, but it was found that the result of such examinations would be very doubtful owing to the absence of ice which is essential on account of the long transport and the hot weather. It was then decided that the writer should accompany the pilgrims and visit personally the different water supplies. The result of these local inspections and the examination of other sanitary conditions with regard to the pilgrimage were laid down in a report handed to the Inspector of quarantines.

A sample of water from the Zamzam well has been cultured and a quantity of the water

was brought to the Public Health Laboratories for chemical analysis.

The laboratory was favoured with the visit of Emir Abdalla, son of His Majesty the King. A demonstration of some micro-organisms was made before him, at which he expressed his interest and satisfaction in the kindest words.

Finally, I should like to mention the solicitude and interest shown by Major Marshall (Inspector of the Hedjaz Quarantine) to the laboratory and the many services he rendered

to its staff, making their task easy and pleasant.

Thanks are also due to the laboratory assistant, Mohammed el Hawâry, for the great care and skill he showed in the performance of his duties.

(Signed): Ali Tewfik Schouscha,

Bacteriologist, Public Health Laboratories.

November 1919.

VI.—REPORT ON MEDICAL COMMISSIONS.

1.—CENTRAL MEDICAL COMMISSION.

During 1919, 9,028 medical certificates were issued by the Central Medical Commission. This shows an increase of 598 as compared with 1918.

Out of this total, 3,003 employees were examined for sick leave, of which 222 were not granted sick leave. The attached table shows in detail these figures: 1,467 applicants have been examined for retirement from service on grounds of physical unfitness, 152 employees were pronounced fit for duty.

Eighty-two employees were invalided out of the service on account of bilharziasis and

its sequelæ.

4,458 candidates were examined for admission to the service. Out of these, 2,055 were rejected on account of defective vision, diseases of urinary, respiratory, circulatory systems, and other miscellaneous diseases.

The number of medical certificates issued by the Central Medical Commission during the last five years was as follows:—

1915	 		 	 	 	 4,682
1916	 		 	 	 	 5,033
1917	 		 	 	 	 6,773
1918	 • • •		 	 	 	 8,430
1919	 	.,.	 	 	 	 9,028

2.—PROVINCIAL MEDICAL COMMISSIONS.

As will be seen from the attached table, 9,765 medical certificates were issued by the Provincial Medical Commissions during 1919.

The number of *Nizâmi ghafîrs* who were examined by the Medical Officers of the Markazes on admission to service and for extension of their voluntary period of service are as follows:—

TABLE LVI.—NIZAMI GHAFIRS EXAMINED.

: .		Fit.	Unfit.	Total.
For admission to service	• • •	8,239	4,099	. 12,338
For extension of service	• • •	1,071	173	1,244
Тотац	•••	9,310	4,272	13,582

Owing to the increase of the work, it is desirable to acquire a larger room for the examinations, the present room being overcrowded.

The transfer of the London and Paris Medical Boards from the Ministry of Finance to the Department of Public Health has been agreed to by the Ministry of Finance, and will be carried out shortly.

The regulations of the Central and Provincial Medical Commissions are being revised,

and will be reprinted.

A third member for the Central Medical Commission has been applied for, and should be appointed as soon as possible. He should be a specialist in eye diseases and well trained in the examination of urines and microscopical work.

TABLE LVII.—Annual Return of Medical Examinations made by the Central Medical Commission of Cairo during 1919.

-		ОВЛ	ECT C	F MEI	DICAL	EXA	MINAT	ION.		CAUSES OF REJECTION OF CANDIDATES APPLYING FOR ENTRY TO SERVICE.							
			Numb:	ER OF (CASES.				,			Dis	EASES	OF			
MONTH.	For Admission to Service.	Fo Sick I	Leave.	Fo Invali from Se Invalided.	iding ervice.	For Determina-	Examinations if any.	Тот.	AL.	Defective Vision.	Urinary System.	Respiratory System.	Circulatory System.	Nervous System.	Digestive System.	Miscellaneous Diseases.	TOTAL.
January	343	261	18	151	11	7	3	765	29	98	17		7			2	124
February	292	224	12	159	9	2	1	678	21	96	15	4	15			1	131
March	263	211	18	137	11	4	2	617	29	90	30	1	11				132
April	58	150	13	16	15	1		275	28	11	2						13*
May	287	253	11	117	18	8	4	669	29	91	28	_	11				130
June	311	225	9	101	7	4	1	642	16	95	34	2	8	_		1	140
July	521	297	38	101	14	10	2	931	52	203	45	5	34	2		3	292
August	464	288	23	126	15	3	4	885	38	136	38	1	21	2		3	201
September	660	258	25	112	16	3	4	1,037	41	160	66	1	17		-	2	246
October	436	230	10	131	9	7	2	806	19	154	38	8.	25	-	_	8	233
November	367	300	16	126	14	8	9	810	30	125	29	10	32	1		4	201
December	456	306	29	140	12	7	4	913	41	143	30	6	28	1		4	212
Total	4,458	3,003	222	1,467	152	64	36	9,028	374	1,402	372	38	209	6		28	2,055

^{*} Strikes in Cairo.

TABLE LVIII.—SICK LEAVE AND INVALIDING DURING 1919.

		SI	CK LEA	VES.			12	VALID	ISG.	
	GRAN	NTED.	REFU	SED.			DE ICATES.	By CE MED.	NTRAL COM.	
MONTH.	Vide Certificates approved.	Ву С. М. С.	Vide Certificates.	By C. M. C.	Total.	Approved.	Disapproved.	Unfit.	Fit for Duty.	Total.
January	147	96	1	17	261	110	1	30	10	151
February	112	100	-	12	224	118	1	32	8	159
March	103	90	2	16	211	85		41	11	137
April	84	53		13	150	35	1	16	14	66
May	119	123		11	253	72	5	27	13	117
June	143	73		9	225	71	2	23	5	101
July	129	130	3	35	297	72	6	15	8	101
August	129	136	4	19	288	95	10	16	5	126
September	134	99		25	258	76	2	20	14	112
October	111	109	1	9	230	101	3	21	6	131
November	139	145		16	300	98	5	14	9	126
December	140	137	1	28	306	98	1	29	12	140
Total	1,490	1,291	12	210	3,003	1,031	37	284	115	1,467

TABLE LIX.—Annual Return of Medical Examinations made by the Central and Provincial Medical Commissions during 1919.

			OBJECT	OF	MEDICAL E	EXAMINATION	rion.		-	CAUSES OF	F REJECTION	OF	CANDIDATES	S APPLYING	FOR	ENTRY TO	SERVICE.
SWOISSIRKOS			Now	NUMBER OF CASES.	ASES.								DISEASES	ES OF			
COMMISSIONS.	For Admission	For Sick Leave.	eave.	For Invalidin from Service.	Invaliding a Service.	For Determi-	Other Examina-	TOTAL	, ,	Defective	Urinary	Respira- tory	Circula- tory	Nervous	Digestive	Other Miscella-	TOTAL
	to Service.	Granted.	Refused.	Invalided.	Fit for Duty.	of Age.	tions if any.			Vision.	System.	System.	System.	System.	System.	Diseases.	
Central Medical Com.	4,458	3,003	222	1,476	152	64	98	9,028	374	1,402	372	388	509	9	,	28	2,055
Alexandria	859	1,192	53	244	41	14	29	2,376	94	120	12	1	C1	1	61	1	136
Suez	80	106	Ħ	20	2	14	1	220	18	22		-	1	П	1	લ્ય	25
Port Said	66	57	ಣ	46	13	4	H	207	16	44	1	1	Н	1	1	Н	46
Damietta	14	98	ಣ	18	111	2	1	70	14	<i>x</i> 0	22		1	1	1		2
Beheira	140	369	97	94	38	4		209	84	29	13	1.	П	1	1	70	98
Gharbìya	153	527	96	186	50	13	67	381	98	65	22	1	61	1_	1	H	29
Minûfîya	160	248	28	59	111	9		473	39	55	91	Н		1	-	અં	7.4
Daqahliya	127	452	51	159	62	က	27	892	113	98	4	ī	1	1	1		41
Sharqîya'	158	282	14	261	7.1	1	19	720	85	. 28	9	-	Н	Н	ભ	l	39
Qalyûbîya	129	149	23	83	52	ಣ	-	365	75	44	17		н	-	[П	64
Gîza	146	215	18	7.1	37	-		432	55	54	1		1		1	1	54
Faiyûm	112	276	10	48	22	က	1	439	32	48	2	1	1		[1	50
Beni Suef	75	123	2	49	19	∞	70	097	56	36	∞			1	[1	47
Minyā	186	163	10	101	51	က	1	453	61	59	6		1		1	Н	69
Asyût	218	289	24	80	22	63	N	591	46	41	ಣ	1					44
Girga	122	177	9	98	49			387	55	23	83	1	1	1.		-	25
Qena	06	95	%	20	21		ಣ	239	53	25	1		Н				27
Aswân	861	164	10	02	97	6.	9	277	36	က	Н		1	-		1	20
Total	7,354	7,923	583	3,192	755	154	170	18,793	1,338	2,177	469	41	218	6	4	48	2,961

Table LX.—List of the Medical Examinations of Ghafirs made during 1919

BY THE MEDICAL OFFICERS OF DISTRICTS.

		NIZA	мі Сна	FIRS O	N ADMI	SSION	то	SERVIC	E.		GHAFI			ENSION SERV		HEIR	
Months.		ber amined onth.	haffrs Fit.	hafirs Unfit.	C	nuses	of U	nfitnes	۲.	nber camined fonth.	thaffrs Fit.	thaffrs Unfit,	(Causes	of Uı	nfitness	
		Total Number of Ghafirs examined during the Month.	Number of Ghaffre pronounced Fit.	Number of Ghaffrs pronounced Unfit.	Def. Vision.	Urinary System.	Respiratory System.	Circulatory System.	Other Diseases.	of Ghafirs examined during the Month.	Number of Ghafirs pronounced Fit.	Number of Ghaffrs pronounced Unfit.	Def. Vision.	Urinary System.	Respiratory System.	Circulatory System.	Other Diseases.
January	•••	1,185	839	346	330	2	4	2	8	337	283	54	48	1		3	2
February	•••	982	683	299	276	4	1	_	18	46	37	9	9		_	-	
March	•••	609	427	182	176		_	1	5	50	35	15	15		Torra	_	_
April		473	323	150	149		_	_	1	88	78	10	10	<u> </u>		_	_
May		917	633	284	277	_		3	4	54	48	6	6			_	
June	•••	833	557	276	273			2	1	122	109	13	12				1
July	•••	1,147	735	412	392	7	_	7	6	56	51	5	4		_	_	1
August	• • •	1,257	785	472	461	1	-	5	5	61	49	12	10			-	2
September	• • •	1,069	71 0	359	344	3		4	8	194	176	18	18	_		-	
October	•••	1,508	958	550	523	7	_		20	30	26	4	4				. —
November	•••	. 1,202	798	404	375	7	2	8	12	1	1						
December	• • •	1,156	791	365	334	10		8	13	205	178	27	27 ——			. —	
TOTAL	•••	12,338	8,239	4,099	3,910	41	7	40	101	1,244	1,071	173	163	1		3	6

VII.-REPORT ON THE INSPECTORATE OF PHARMACIES.

The shortage of inspectors and the events which occurred in the spring resulted in a large decrease in the number of inspections. Whereas in 1918, 329 inspections were made,

in 1919 it was only possible to make 177.

In spite of the fact that less inspections have been made, an improvement is noticed amongst those pharmacies owned by qualified pharmacists, 78.6 per cent of which gave satisfaction on inspection as compared with 66.4 per cent in 1918. The improvement in the pharmacies owned by unqualified proprietors is less marked, namely, 68.9 per cent in 1919 and 62.3 per cent in 1918. The same remark applies to the unsatisfactory inspections which from 37.5 per cent in 1918 fell to 21.3 per cent in 1919 in the case of pharmacies owned by qualified pharmacists and from 37.6 per cent to 31 per cent in the case of those owned by unqualified persons. These figures show that the pharmacies owned by qualified persons.

The net increase in the number of pharmacies existing at the end of the year amounts to three, of which two belong to qualified pharmacists and one to an unqualified person.

During the year, nineteen authorizations were accorded to pharmacists to practise in Egypt. The diplomas held by the applicants were as follows:—

Cairo	• • •					 			• • •	2
Constantin	nople			• • •		 • • •				7
Philadelph	nia					 	• • •			$\sqrt{1}$
London	• • •		• • •	• • •		 		• • •		1
Paris	• • •					 		• • •	• • •	3
Beyrouth	(Ame	erica	n)	• • •		 	• • •	• • •	• • •	4
,,	(Frer	nch)	• • •		• • •	 • • •	• • •		• • •	1

It will be noticed that the applicants holding diplomas from Qasr el 'Aini School are still in a large minority, which shows the necessity of increasing the facilities for obtaining local diplomas.

Two assistant pharmacists have been authorized, one holding a certificate from Qasr

el 'Aini and the other from Malta.

Forty-nine new apprentice assistants have been registered, which brings the total up to 137.

Fifteen student pharmacists have been permitted to work in pharmacies in order to complete their course. Six of these belong to Qasr el 'Aini and nine are registered in various foreign schools.

Narcotic Drugs.—The traffic in and smuggling of narcotic drugs still continues on a very large scale. The control exercised by the Inspectorate in conjunction with the Customs Administration over the importation of these drugs has resulted in a marked decrease in imports. This concerns the quantities used in legitimate medicine. On the other hand, the traffickers by devious ways still succeed in getting large quantities into the country. It would be advisable to establish a stricter control at Port Said and Suez and all along the Asiatic frontier.

The penalties inflicted by the law are ridiculously inadequate in comparison to the harm done by these traffickers and also in comparison to those penalties which are inflicted in most European countries which are doing their utmost to eradicate this evil. For example, the Inspectorate proved conclusively that a certain pharmacist in Cairo had disposed of a considerable amount of cocaine and morphine illegally and had attempted to justify the sale by altering and forging doctors' prescriptions by converting grains into grammes and 1 into 10. After a lapse of nearly two years a final judgment of P.T. 100 and costs was given. This is only one of many similar cases.

Opium.—A Decree was published in October 1918 prohibiting the cultivation of poppies, and it is still in force, but the cultivators have always some opium in their possession and are continually applying for permission to transport it in order to dispose of it in the towns!

The following table shows the work carried out by the Inspectorate with regard to private pharmacies and authorized poison dealers.

TABLE LXI.—STATISTICS CONCERNING PHARMACIES AND AUTHORIZED POISON DEALERS.

	CAIRO.	ALEXANDRIA.	Provinces.	TOTAL.
Pharmacies :—				
Total number existing at end of 1918	151	79	144	371
,, ,, ,, ,, ,, ,, ,, ,, ,, ,, ,, ,, ,,	152	78	144	374
Qualified proprietors	86	41	69	196
Unqualified proprietors	⁻ 66	37	75	178
Number of inspections during 1919	101	16	60	177
Qualified proprietors	58	9	36	103
Unqualified proprietors:	43	7	24	74
Pharmacies giving satisfaction on inspection	81	11	40	132
Qualified Proprietors	49	6	26	81
Unqualified proprietors	32	5	14	51
Pharmacies found unsatisfactory	20	5	20	45
Qualified proprietors	9	3	10	22
Unqualified proprietors	11	2	10	23
Closed during the year	10	6	. 10	26
Qualified proprietors	3	4 .	3	10
Unqualified proprietors	7	2	7	16
Opened during the year	11	5	13	29
Qualified proprietors	5	2	5	12
Unqualified proprietors	6	3	8	17
Net increase over previous year	1.		3	4
Qualified proprietors	. 1	Number	2	3
Unqualified proprietors		1		1
Net decrease on previous year	and the second	1	_	1
Qualified proprietors		1	_	1
Unqualified proprietors			_	_
Contraventions against the Pharmacy Law and	1			
Law No. 20 of 1911	. 15	9	21	45
Qualified proprietors	. 3	1	9	13
Urqualified proprietors	. 12	8	12	32
Judgment obtained against offenders	. 4	5	14	23
Qualified proprietors	. 1	1	7	. 9
Unqualified proprietors	3	4	7	14

TABLE LXI (continued).

	CAIRO.	ALEXANDRIA.	Provinces.	TOTAL.
Pharmacies (continued).				
Actions pending	10	2	4	16
Qualified proprietors	2	_	2	4
Unqualified proprietors	8	2	2	12
Acquitted or filed	1	2	3	6
Qualified proprietors		_	_	
Unqualified proprietors	1	2	3	6
Narcotic and Stimulating Drugs:—				
Contraventions for offences against the Poisons Law	6		4	10
Judgments obtained against offenders	2	_	2	4
Actions pending	3	_	1	4
Acquitted	1	_	1	2
Authorized Poison Dealers:—			•	
Existing at the end of 1918	83	44	42	169
Authorized during 1919	5	3	1	9
Authorizations cancelled through death	1	1	_	2
Regular Inspections	6	_	1 .	7
Satisfactory	.1	_	1	5
Unsatisfactory	2	_	_	. 2
Inspections for verification of registers	78	15	36	129
Contraventions against authorized persons	4	2	1	7
" unauthorized persons	5		13	18
Judgments against authorized persons	2	2	1	5
,, ,, unauthorized persons	1	_	4	5
Actions pending, authorized persons	1		_	1
" " unauthorized persons	3	_	6	9
Acquittals, authorized persons	1	-		1
" unauthorized persons	- 1		3	4

Staff.—Great difficulty has been experienced in recruiting pharmacists for the Government service. Only pharmacists with diplomas from Qasr el 'Aini are eligible; the number who succeed in obtaining their diplomas every year is very small, and the majority of these prefer to open new pharmacies for themselves. By doing this they become their own masters, make fairly good incomes, and are able to stay in any town they please. If they enter the Government service they are liable to be sent anywhere, the rate of pay is very small, and advancement is slow.

At present there are seven vacant posts in the Government service, and eligible

candidates are not forthcoming.

Owing to existing conditions permission was obtained to engage, as a temporary measure, pharmacists holding diplomas from foreign faculties. This, however, has only complicated matters, as they are on a six months' contract and receive a different rate of pay to the ordinary cadré employee.

Unless something can be done to increase the rate of pay and raise the status of pharmacists generally it is to be feared that the Government will continue to experience

difficulty in obtaining the services of the best class of men.

Government Dispensaries.—Owing to the natural progress of the country it has been found necessary to open several Government dispensaries in districts where no private pharmacies exist and which are some distance from any large centre, in order that the population may obtain treatment and medicines without unnecessary delay. Dispensaries have been established at Faraskûr, Tel el Kebîr, Matarîya, and Kafr el Dawâr, and applications for the same from Quwesna and Marg District are under consideration.

The work of the Inspectorate of Pharmacies is steadily increasing and its sphere of usefulness could be increased if a larger staff were available.

VIII.—REPORT ON THE STORES BRANCH.

BUDGET.

Before proceeding to the customary comparison of three years' budgets, it may be of interest to show in what respects the Stores' budget to-day differs from its predecessor of 1914.

The following extract from a former report on this subject is here quoted:—

BUDGETARY ESTIMATES FOR THE YEAR 1920-1921.

Unlike previous years there are few special features to comment on, as such features now represent the normal structure of the budget. In my opinion the Department has reached a point of stability in this respect which will only be disturbed by some large expansion or radical change in its present organization.

It may therefore be of interest at this stage to show briefly the nature of changes which distinguish the budget as it stands from that of 1914. A simple juxtaposition of the two estimates will sufficiently illustrate the development that has taken place:—

1914 Total L.E. 34,000 1920-1921 ,, ,, 231,994

The following table shows how these two total sums are made up.

TABLE LXII.—EQUIPMENT STORE.

L.E. M.	38,666 338 2,091 321 24,961 148 3,151 109 1,755 286 63 250 285 019 1,251 108 400 974 2,113 132 7,564 500 6,711 000	89,014 185	4,339 936		58,147 923	
	(Fever Hospital excluded) ospital, 'Abbâsîya rries, bicycles tyres and tubes, and spares	L.E. M.	3,141 640 167 579 894 690 136 027		29,628 618 6,468 265 6,495 500 12,838 540 880 000 1,837 000	ts. 1,391 720 453 915 299 185 267 875
1920–1921.		Frontier Districts Administration.		Epidemic.	d accessories	General Surgical Instruments
	Permanent, by contract Permanent, locally	Frontier Districts	Permanent, by contract. Permanent, locally Consumable, by contract. Consumable, locally	Epi	Permanent, by contract	Surgical Instruments. Gener Permanent Consumable Eye instruments, permanent Eye instruments, consumable
L.E. M.	8,800 891 1,266 235 5,000 684 1,926 610	16,994 420				3,549 549
1914.	Permanent, by contract					Permanent, special and locally 2,898 146 Consumable, special and locally 651 403

			<u>ν</u> α			835	397	397 · 119 000	516
			8 416			56,123	216,042	199,042 9,952 6,000	214,994
	1,076 740 1,971 393 153 000 47 680 60 335 688 005	427 320 - 50 554	36 900 101 270 443 520 27 595 19 535 50 955 59 010 341 326 448 685		170 358 45,158 822 4,861 514 5,754 602		TOTAL		:
Sundries and Appliances.	Permanent		Damanhûr Hospital Fajyûm Hospital To complete establishment of Markaz Health Offices Zagazig Hospital Fever Hospital Damietta Hospital Benha Hospital Alexandria Hospital Alexandria Hospital	Drug Store.	Permanent, contract Consumable, contract Consumable, locally Consumable, special Special chemicals and stains for Department of	Traini	Less for issues on payment	Five per cent margin for unforeseen contingencies Repairs to equipment, etc	GRAND TOTAL
					11,370 174	31,914 143		1,595 700	34,009 843
				L. 3. M.	49 875 45 750 8,233 818 3,040 731	Total			м т
				Drug Store.	Permanent, by contract			Five per cent margin for unforeseen contingencies Repairs to equipment, etc	GRAND TOTAL

In comparing the budgets the features which will first suggest themselves for remarks are the enormous increase in Stores expenditure and the long list of new classifications.

The former corresponds fairly to the expansion of the Department, while the latter indicates the policy followed, namely, the division of expenditure into classifications which would afford the Director-General and Director of Stores some measure of control.

Such headings of expenditure as Permanent, Locally, or Contract, convey very little information to any one, and their continued presence to a certain extent in current budgets is only due to the ruling of the Ministry of Finance. The importance of this change will be at once apparent on referring to the 1914 budget; it is practically a blank sheet as regards the nature of stores expenditure.

Two new series appear in the current estimates, namely, "Epidemic Section," which was formerly a money grant of L.E. 6,000, and that of the "Frontier Districts Administration." The former, now controlled by a regular budget, required L.E. 58,000 for 1920–1921, apart from any special expenditure which may be necessary. The Frontier Districts Administration takes L.E. 7,030.

The increase in workshops expenditure is equally significant: from L.E. 500 to L.E. 6,000.

The above survey has confined itself to budgetary features only. Detailed reports of other data will be found in the Annual Report of the Department.

The budget in its present form is the result of reorganization and expansion in which the Central Stores Section has had to adapt itself to, sometimes to anticipate, the development of the Department. This has been fairly successfully accomplished during the period of war.

Not unnaturally, considerable opposition has been offered to the rapid increase of expenditure in successive budgets, but the foresight of the Department in anticipating the rapid expansion in all branches of public hygiene developments, which has since occurred, has succeeded in obtaining sufficient equipment, at least in the main classes of stores, to do its work adequately.

The following is a comparison of the Stores budgetary estimates for the last three years:—

							L.E.
1918–1919	• • •	• • •	• • •	 • • •	• • •	• • •	105,996
1919-1920		• • •	• • •	 	• • •	• • •	206,519
1920-1921		• • •		 			214,995

SUPPLIES.

The task of maintaining a high standard of supplies for the Department has, if anything, increased in difficulty since the cessation of hostilities. The quality of material supplied through the Government agency in London was in several cases so much below the standard article as to be unacceptable and, in general, it may be said that supplies procured locally are superior. On the other hand, the workmanship of home-made articles is better.

At the moment of writing, the state of all markets, and especially that of textiles, is most unsettled. Prices fluctuate rapidly and orders have been taken up for delivery as far in advance as 1921 and 1922. This instability has its effect on the Department's supplies, and is responsible for the long delays in the delivery of almost every order placed at home.

ORGANIZATION.

Considerable disorganization was caused in the normal work of supply and issue by the political events in the early part of the year. The Central Stores was cut off from the district units for a period ranging from one to four months according to the reopening of communications. During this period stores were prepared for the first opportunity of despatch, and at one time over 3,000 packages had accumulated for delivery.

As accumulation was simultaneously occurring at the Customs in Alexandria, a situation was created which, on the reopening of railway communication, imposed a heavy strain on the staff.

In passing, it is worthy of note that the number of packages now cleared annually through the Alexandria Customs alone for this Department amount to about 12,000. This branch of stores work is therefore becoming an important section.

STANDARD SAMPLES.

A total revision of the Department's samples has been carried out and the range of samples again extended.

The work of compiling trade specifications has been taken up in conjunction with the Director, Government Analytical Laboratory.

EPIDEMIC STORES.

The political disturbances had a marked effect in economizing the consumption of stores used in the Epidemic Section. During the greater part of four months practically no stores were issued.

Provincial establishments are therefore at full strength with the exception of a few articles. This has been the object steadily worked for since the system of provincial establishments was inaugurated four years ago; its attainment has been realized several months earlier than was anticipated, as explained above.

The organization as it stands to-day has cost L.E. 184,878 in stores, with a storekeeping

staff of storekeepers costing annually L.E. 1,100 in salaries.

The basis is a store stock capable of supplying at any one time 5,500 patients, plus a reserve to meet another 1,000.

Unless this basis is extended, store expenditure is likely to be confined in the future to making good wastage. Better storing accommodation in the provinces, however, is necessary.

DRUGS.

The scheme of supplying all Government Departments with drugs from the Central Stores has at last been realized. In future the charge and purchase of such supplies will be a charge to the Department of Public Health budget.

HOSPITALS.

The accommodation provided for stores in the provincial hospitals may be generally regarded as very inadequate. Work has increased, stores have increased, but the storage room has in the majority of cases remained the same. This is a disorganizing factor in store work and a serious handicap to many provincial storekeepers.

X-RAY SECTION.

The task of co-ordination of x-ray installations and supplies on a more systematic basis has now been taken up. Increased expenditure will be necessary under this heading, especially for protective equipment which at present is very defective.

Such equipment is of a very expensive nature, but must be provided to protect the operators from cancer and other diseases, which inevitably occur if adequate protection

is not employed.

HOSPITAL ESTABLISHMENTS.

New equipment establishments have been compiled and are under print. A grouping system has been adopted to provide some measure of control, and it is hoped that in superseding the present obsolete lists the work of requisitioning and issuing will be reduced. The actual stocks in the provincial hospitals are about L.E. 55,000 short of the establishment now laid down. As this expenditure cannot be sanctioned in addition to the already augmented Stores Estimates, the deficiency can only be made good gradually.

STORES CATALOGUE.

A new store catalogue containing 5,500 items and comprising twenty-one sections of stores is now in the Press.

When in use, a considerable advance in organization will have been made, as the new arrangement of store classification and improved nomenclature in the catalogue will supersede the present obsolete descriptions taken from the catalogue of 1912. The change will be of a far-reaching nature, affecting every branch of store organization.

STAFF QUARTERS.

Considerable sums were devoted at the end of this year to the supply of furniture and equipment for staff quarters, and it is anticipated that a further expenditure in this respect will be necessary. Liberal equipment establishments have been drawn up, but in many instances a better class of furniture is desirable.

STAFF.

In addition to the proposals put forward by the Department further increases have been suggested by the representative of the Ministry of Finance who was delegated to inquire into the staffing question of the Central Stores. As a complement to the comparison of the two store budgets on pages 84–85 a comparison of the Central Stores staff for the years 1915 and 1920 is given below:—

1915.		No.	1919–1920.	No.
European Office	• • • • •	6	Orders Section	$\frac{4}{2}$
Arabic Office		20	Shipping, etc Personnel and Correspondence Section	$\frac{1}{2}$
Arabic Office	•••	20	Permanent Charge Section	9
			Ledger Section	12
Storekeepers :—			Storekeepers:	
Four stores. Storekeepers	•••	5	Six stores. Storekeepers	8
A * , , , , , , ,	•••	3	Assistant storekeepers	4
Labourers, drivers, etc		8 $$ 45	Labourers, drivers, etc	88
Workshops:—		1	Workshops:—	1
Chief Foreman • Artisans	• • • • • • • • • • • • • • • • • • • •	$ \begin{array}{ccc} $	Chief Foreman Clerk of Works	1
			Artisans	87
		117		228

VALUE OF STOCK.

					Tr. E.
1916	 				25,859
1919-1920		_			82,739
1010-1020	 • • •	• • •	• • •	• • •	02,100

2,100 orders have been dealt with.

General equipment and drugs obtained through Sir Arthur Webb not included.

TABLE LXIII.—THREE YEARS' COMPARISON OF MAIN ITEMS.

	1917	1918	1919-1920
Stores bought locally L.E.	54,000	9,015	8,570 *
Number of contracts made during the year	34,000 115	88,800 146	$\begin{array}{c} 63,530 \\ 90,200 \\ 130 \end{array}$
Total value of contracts of the Department, including rations, etc L.E.	146,772	129,905 ‡	214,648 ‡
Value of contracts for Central Stores:— Equipment ,,	44,930	34,378 17,000	50,564 37,338
Drugs	$\frac{11,280}{7,580}$	10,750	9,000

^{*} Purchased by limited tenders.

[†] Purchased by contracts (including L.E. 34,131 for tentage). ‡ Not including supplies obtained through Sir Arthur Webb in London.

TABLE LXIV.—Comparative Statement of Contracts as placed by the Department in 1917, 1918, and 1919-1920.

N. maron on Committee		RATES.		Te	OTAL AMO	UNTS.
NATURE OF CONTRACT.	1917	1918	1919-1290	1917	1918	1919-1920
E _b	L.E. M.	L.E. M.	L.E. M.	L.E.	L.E.	L.E.
Petroleum per tin Crude oil per kilo. Milk, condensed Meat for Qasr el 'Aini Hospital:—		$\frac{-}{050\frac{1}{2}}$	$\begin{array}{c c} & - & \\ & 0 & 050\frac{1}{2} & \end{array}$	351 290 684	463 922 872	$\begin{array}{c c} & 714 \\ & 1,111 \\ & 1,054 \end{array}$
Mutton per kilo. Beef Meat for Fever Hospital:— Mutton ,	0 082 0 062 0 090	$\begin{array}{c cccc} 0 & 120 \\ 0 & 100 \\ 0 & 120 \\ \end{array}$	$\begin{array}{c cccc} 0 & 105 \\ 0 & 098\frac{1}{2} \\ 0 & 105 \end{array}$	2,900	5,444	8,967
Beef, Native bread:— Qasr el 'Aini Hospital, Fever Hospital,	$ \begin{array}{ c c c c c c } 0 & 062 \\ 0 & 022 \\ 0 & 023\frac{3}{4} \end{array} $	$\begin{array}{c cc} 0 & 100 \\ 0 & 026\frac{2}{5} \\ 0 & 026\frac{4}{5} \end{array}$	$\begin{array}{ccc} 0 & 098\frac{1}{2} \\ 0 & 025\frac{9}{3} \\ 0 & 025\frac{2}{3} \end{array}$	5,170	6,262	7,787
Bersîm (Scavenging and Watering Service) per qantâr Straw bedding per ton Tibn (from State Domains) Rabbits for Antirabic Institute each Rations for Cairo hospitals Rations for provincial hospitals	$\begin{array}{c cccc} 1 & 280 \\ 2 & 380 \end{array}$	0 135	$\begin{array}{c} - \\ - \\ 0 \\ - \\ 132\frac{1}{2} \\ - \end{array}$	907 350 1,933 148 9,700 33,590	$ \begin{array}{r} 1,102 \\ 581 \\ 3,100 \\ 148 \\ 16,732 \\ 51,463 \end{array} $	$^{*2,135}_{860}$ $^{5,403}_{171}$ $^{47,690}_{62,759}$
Alcohol per kilo. Ice per block Equipment, etc Drugs, Coal and cotton seed cakes Disinfecting drums		$\begin{array}{cccc} 0 & 032\frac{1}{2} \\ 0 & 072 \\ & - \\ & - \\ & - \\ & - \end{array}$	0 032½ 0 092½ — —	$ \begin{array}{r} 35,000 \\ 765 \\ 44,930 \\ 24,340 \\ 5,080 \\ 170 \end{array} $	$ \begin{array}{r} 1,463 \\ 1,510 \\ 15,025 \\ 17,000 \\ 7,468 \\ 1,590 \end{array} $	$ \begin{array}{r} 02,733\\ 1,530\\ 2,658\\ 97,000\\ 44,300\\ 2,837\\ 2,769 \end{array} $
Wood	<u> </u>			2,283 5,807	1,435 $34,324$	5,360 16,208

N.B.—These contracts represent only the equipment put up to adjudication locally. The most important part of the equipment provided for in the budget has been obtained through Sir Arthur Webb in London.

Table LXV.—Comparative Prices of Main Items for Equipment and Drugs for 1917, 1918, and 1919-1920.

Item No.	DESCRIPTION.				19	17	1	918	1919-1920	
					L.E.	М.	LE.	М.	L.E.	
80	Bedsteads, 2nd class	••	•••		4	350	4	350	5	86
104	Blankets, woollen white	••	• • • • • • •		0	622	Ĩ	116	ĭ	11
107	brown		•••		0	900	$\overline{0}$	702	$\overline{0}$	70
133	Boots, shawishes		•••		0	620	Ĭ	050	ŏ	97
228	Cases for mattresses		•••		0	440	1	483	ő	81
416	Drawers, 2nd class	• • • •	•••		()	$\overline{165}$	$\overline{0}$	184	ő	18
468	Gallabîas, large	• • • •	•••		()	265	ŏ	884	()	69
495	Gowns, hospital		•••		1	100	ĭ	477	3	20
547	Tookets coling	••	•••		$\bar{0}$	096	$\hat{0}$	308	0	30
706	Muttuceses folt		•••		Ŏ	304	ŏ	360	ő	44
866	Pote compan	•• •••	per k		0	593	ŏ	593	Ö	59
981	Shoota Dayl aloga	••			Ŏ	485	ő	936	ŏ	95
984	1 1 1	• • • •	• • • • • •		()	290	0	241	ŏ	24
991	Shirts	• • • •	•••		Ŏ	082	Ö	250	ŏ	$\frac{24}{25}$
1011	Shoes, tamurgis	••			()	25()	()	345	ŏ	34
1037	Slippers	•• •••	•••		()	170) O	235	Ö	$\frac{7}{23}$
1190	Townsl. white	••	•••		()	130	ő	180	l ŏ.	18
1594	Material Va 9	•• •••	per me		ŏ	077	ŏ	084	Ö	$\frac{10}{11}$
1608	" No. 17, bed ticking	•••	•		()	102	Ö	237	0	19
1770	Soap, washing		per k	ilo.	()	012	ŏ	065	Ö	06

^{*} Scrvenging and Watering Service now cultivate Bersîm for their own account. Cost price is reckoned at 41 milliemes per quantâr. The quantity purchased for 1920 was 47,443 quantârs.

Drugs.

Table LXVI.—Comparative Prices of Drugs for 1917, 1918, and 1919-1920.

D	ESCRI	PTION	ī.			1917	1918	1919-1920
Aspirin` Acid, boric		• • •	• • •	pei	· kilo.	2 463½ 0 067	1.E. M. 3 150 0 128	1 560 0 120
" carbolic … Alcohol Bismuth carbonate Copper sulphate …	• • •	•••	•••	•••	;; ;; ;;	$\begin{array}{ccc} 0 & 280 \\ 0 & 032\frac{1}{2} \\ 1 & 597 \\ 0 & 071 \end{array}$	$ \begin{array}{ccc} 0 & 280 \\ 0 & 032\frac{1}{2} \\ 1 & 954 \\ 0 & 071 \end{array} $	$ \begin{array}{cccc} 0 & 132 \\ 0 & 32\frac{1}{2} \\ 2 & 890 \\ 0 & 294 \end{array} $
Glycerine Iodine, pure Magnesium sulphas	•••	• • • •	•••	•••	;; ;; ;;	$\begin{array}{ccc} 0 & 115 \\ 2 & 223 \\ 0 & 029 \\ 0 & 153 \end{array}$	$\begin{array}{ccc} 0 & 183 \\ 2 & 662 \\ 0 & 032 \\ 0 & 170 \end{array}$	$ \begin{array}{cccc} 0 & 176 \\ 3 & 500 \\ 0 & 39 \\ 0 & 171 \end{array} $
Castor oil	•••	• • • • • • • • • • • • • • • • • • • •	• • • • • • • • • • • • • • • • • • • •	•••	;; ;; ;;	$\begin{array}{ccc} 0 & 158 \\ 5 & 831 \\ 1 & 680 \end{array}$	$\begin{array}{ccc} 0 & 277 \\ 9 & 032 \\ 1 & 849 \end{array}$	$\begin{array}{ccc} 0 & 201 \\ 9 & 026 \\ 1 & 852 \end{array}$
Quinine sulphate Sodium bicarbonate Vaseline	•••	•••	•••	•••	;; ;; ;;	$\begin{array}{ccc} 0 & 985 \\ 5 & 331 \\ 0 & 016 \\ 0 & 107 \end{array}$	$ \begin{array}{cccc} 1 & 570 \\ 7 & 628 \\ 0 & 030 \\ 0 & 284 \end{array} $	$\begin{array}{cccc} 1 & 570 \\ 8 & 541 \\ 0 & 26 \\ 0 & 166 \end{array}$
Sodium salicylate Cod liver oil Iodoform	•••	•••	•••	•••	;; ;;	$\begin{array}{ccc} 1 & 133 \\ 0 & 246 \\ 2 & 655 \end{array}$	1 082 0 360 4 980	$\begin{array}{ccc} 0 & 536 \\ 0 & 320 \\ 2 & 875 \end{array}$

Preparations to the value of L.E. 9,077 were made in the Drug Store.

							L.E.
1917	 	 	• • •	 	• • •	 	5,504
1918	 	 		 • • •	,	 	5,480
1919							

Medicines to the value of L.E. 2,750 were sold in the various dispensaries of the Department, as against L.E. 3,215 for 1918.

STORES.
TABLE LXVII.—STORE TRANSACTIONS.

	,	Requisition	s Vouchers.	
	Issu	ied.	Stores receive	d at Headquarters.
_	1918	1919	1918	1919.
Equipment	9, 349 4,371 1,606 2,494 4,972 213 14	7,586 3,946 1,395 2,383 3,772 184 28	3,240 653 328 333 2,610 253 14 7,431	3,920 687 305 426 3,763 171 28
Number of charges of particles of stores issues at the Value of stocks at Instrument Store Store Store Store Store Bulaq Auxilia	annual stock-tak	ing:—	1918 255 L.E 16,974 8,909 39,038 38,099 1,024 25,607 112,677	1919 263 L.E. 12,568 9,652 35,415 82,198 1,404 33,110 161,779

ORGANIZATION.—GENERAL STORES.

Stores.—(Thirteen storekeepers, sixty-six storemen.) Surgical Instrument Store. Equipment Permanent Store. Equipment Consumable Store. Kohna Store. Drug Store. Offices:— Ledger Section.—Eleven clerks. Permanent Charges Section.—Nine clerks. Supplies Section.—Seven clerks. Registration and Archives Office.—Six clerks. Claims, Correspondence and Personnel Office.—Three clerks. Workshops.—One chief foreman, one clerk. Ambulance and Transport Section. STAFF. The staff is now as follows:— Pensionable Staff:— Director of Stores Pharmacist, 2nd class Pharmacists, 4th class Assistant Pharmacists Chief Storekeeper Sous-chefs de Bureau Employees, 1st class... Employee, 2nd class Employees, 3rd class... 4th class... 19 Storekeeper, 1st class 2nd class ... Storekeepers, 3rd class 4th class Temporary Staff:— Sub-Director of Stores Inspector Chief Foreman Employees Hors Cadre Staff:— Workmen, instruments workshop Assistant, laboratory Carpenters Blacksmiths Tentmakers Tinsmiths ... Tailors 8 Painters Shawîshes ... 3 $S\hat{a}^{c}is$ 9 $Farrash \hat{i} n \dots \dots \dots$... Dispensary servants ... 26 . . . Drivers and sayses ... 16 Telephone men 2 Storemen 66 -219

Total

... 283

Workshops.

The Workshops dealt with 2,425 requisitions.

The total expenditure was as follows:—

material labour			•••	•••	•••	• • •	2,121	482
			To'	TAL	• • •	• • •	8,117	544

The nature of the work done is shown in the following tables:—

]	TAILORS'	SHOP.
			New W	Tork.
Aprons, tamurgies	• • •	• • •	938	Armlets 20
Operation aprons	• • •	• • •	443	Shirts for boys 300
Gallabîyas, tamurgies	• • •		1,145	Coloured table cloths
Bed sheets	• • •	•••	473	Mosquito nets for children 30 Sun caps 20
Flags	• • •	• • •	$\frac{4}{2}$	TT71 1. 11 111
Linen trousers	•••	•••	$\frac{2}{2}$	TOTAL
White jackets	• • •	• • •	106	
Veils : Screen covers	• • •	• • •	20	Shirts, women's 610
Screen covers	• • •	•••	20	· · · · · · · · · · · · · · · · · · ·
			Repair	rs.
Covers for portable bedsteads			4	Blankets 260
Bed sheets			12	Trousers 273
Mosquito nets			34	Jackets 273
Bags for rat traps	• • •	•••	116	
		CA	RPENTER	S' SHOP.
			New W	ork.
Screens			7	Shelves 17
TO 1	• • •	• • •	7	$Z\hat{i}r \text{ stands}$
Poles Stretchers	•••		5	Wedges 800
Tables			41	Paper racks 8
Mallets			3	Name boards 80
Bier			1	Ice chests
Crutches			414	Bedsteads, wood
Packing cases			1,700	Cupboards 33
Splints		4	21,540	Frames 1
Baskets for medicine bottles	• • •	• • •	5	Boxes 1,305
Stands	• • •	• • •	5	Chair
Baskets, correspondence	• • •	•••	131	
			Repair	rs.
Screens			32	Wedges
Poles			47	Paper racks
Stretchers			59	Name boards
Brooms			13	Carts 14
Tables			105	Filters
Barrels		• • •	. 60	Ice chests 16
Mallets	• • •	• • •	8	Bedsteads, wood 67
Racks	• • •		2	Cupboards 41
Small wooden cases	• • •	• • •	415	Frames
Basket for medicine bottles	• • •	• • •	$\frac{1}{cA}$	Boxes, packing 3,860
Stands	• • •	• • •	64	Forms 35 Chairs 399
Baskets	• • •	• • •	$\begin{array}{c} 21 \\ 10 \end{array}$	TO 1 1' /
Shelves		• • •	10	0 11
Sieve	• • •	•••	1	
Latrine box	• • •	• • •	$\frac{1}{27}$	T - J.J
Choppers, meat Knives	• • •	•••	26	Ladders

SURGICAL SHOP.

New Work.

							1veu	o work.	
Lead discs		• • •	•••			• • •	78,000	Blades for the bandage cutting machine 10	00
							70	•	
							Re	epairs.	
	• • •	• • •		• • •	• • •	• • •	12	Copper pans	14
	• • •	• • •	• • •	• • •	• • •		187	T 1.	4
Spoons		• • •	• • •	• • •	• • •	• • •	218	TAT	15
Knives		• • •	• • •	• • •	• • •	• • •	16	Q	22
Tape measi		• • •	• • •	• • •	•••	• • •	3	Primus stoves 20	98
Soldering s					• • •	• • •	7	/// / 1 1 1 * * * * * * * * * * * * * *	24
Winter stor	ves, s	pirit		• • •	• • •	•••	7		
				т	NTOM	TOTTA	TANTING	DEDITOR STATE	
			-	1	MOT.	RUW	TENTS	REPAIRING SHOP.	
Hypodermi	ic ne	edles		• • •	• • •		2,564	Chisels 7	75
Suture need	lles	• • •	• • •	• • •	• • •		83	Chilletines	6
Perimeters	• • •	• • •	• • •		• • •	• • •	22	II a a las	1
Razors	• • •	• • •	• • •	• • •	• • •	• • •	333	Amputation knives	92
	• • •	• • •	• • •	• • •	• • •	• • •	5	Bistouries 7	77
Amputation			• • •	• • •	• • •	• • •	21	Cartilage knives	92
Finger saws		• • •	• • •	• • •	• • •	• • •	16	Scalpels 2,06	
	• • •		• • •	•••	•••	• • •	24	Eye scalpels 63	
Curved scis		• • •	• • •	• • •	• • •	• • •	311	P. M. scalpels 4	10
Straight sci	ssors	• • • •	• • •	•••	• • •	•••	1,113	Lancets 12	20
Eye scissor			• • •	• • •	• • •	• • •	159	Bronchitis kettles	2
P.M. scisson			• • •	• • •	• • •	• • •	218	Saline apparatus	1
Speculæ, va			•••	• • •	• • •	• • •	16	Lithotrites	2
Speculæ, ey		• • •	• • •	• • •	• • •	• • •	17	Milton's apparatus	4
Autoclaves Instrument				• • •	• • •	• • •	$\frac{24}{10}$	Rubber bandages	4
Water steri				• • •	• • •	•••	18 18	Spirit lamp for sterilizers	4
Kettles			• • •	• • •	• • •	•••	24	Evaporating dish	1
Brass syring	red Ted	• • •	• • •	•••	• • •	•••	$\frac{24}{22}$	Foot bath	1
Hypodermi	e svr	in σes	٠	• • •	• • •	• • •	$\frac{22}{62}$	Aluminium cap	1
Thermo cau	terv	mgc		•••	• • •	•••	11	Bottles, dressing tables 1	2
Hammers			• • • •		•••	• • • •	$\frac{11}{26}$	D1 - L' 1	2
F979 79 6	• • •	/			•••	•••	8	" Dresing hasing	6
F 279	• • •	•••	• • •	• • •	• • •		16	Noodlag hamin	2
Water pillo				• • •	•••	• • •	7		$\frac{1}{2}$
Bandage kr	nives						581	Ontholmogopa alastria	3
Mincing kni	ves						328		4
Potain's asp	oirato	ors				• • •	11		6
Electric bat	terie	S		• • •		-•••	30		5
Catheters					• • •		94	Thomson splints	$\frac{0}{2}$
Spoons	•••	• • •	• • •		• • •		35	Arm splints	$\frac{7}{2}$
Probes and					• • •	• • •	24	Manometer autoclave	1
Stethoscope	S	• • •	• • •	• • •	• • •	• • •	17	Brass fringes for the table	2
Chloroform	drop	pers	• • •	• • •	• • •	• • •	16	Air pump	
Somnoform	appa	ıratu	lS	• • •	•••	• • •	20	Mercure tapes	3
Artery force	ps	•••	• • •	• • •		• • •	304	Hair clippers	2
Dressing for	ceps	• • •	• • •		• • •	• • • • •	243	Caustic holder	1.
Bone forceps	S	• • •	•••	···		•••.		Snow apparatus	1.
Eye forceps		•••	• • •	• • •		•••	.19 30	Brass fringe for the type box	1
Midwifery for	orceh	S	• • •	•••	• • •		$\frac{30}{27}$	water bath].
Tooth force Mouth gags	ps	• • •	• • • •	• • •		• • •	16	Fracture cages	2.
mouth gags	•••	•••	• • •	• • •	• • •	• • •	10		
						-	A TATOMA	DOL CITOD	
						Ρ.	AINTE.	RS' SHOP.	
Shelves	• • •	• • •	• • •			• • •	58	Stoves	-
Ice chests	• • •	• • •	• • •	•••	• • •	• • •	43	Splints 31	
Pen racks	• • •			• • •		• • •	2	Crates or baskets 22	
	• • •	• • •	• • •			• • •	3	Machines 13	
Baskets	• • •				• • •	• • •	168	Doors	
Boards		• • •	• • •	• • •		• • •	153	Stands 101	
Handles	• • •		• • •	•••		• • •	23	Baths 8	
Pulleys	• • •	•••	•••	• • •	• • •	•••	2	Paper racks 16	
Boilers	•••	•••	***	•••	•••	***	2	Desks 64	
								'	

Painters' Shop (continued). 10 Tent floors 2 Filters 5 103 Tin pots Lanterns ... Wire mattresses ... 12 417 Tins, cleaning 168 Pails 3 Notes, boards . . . ٠... 77 Kitchen stoves Cupboards 241 Meat safes Boxes 3 201 Benches... ... Covers Autoclaves ... 21 1 Boards Poles 10 Forms 55 • • • 281 Coal stove 1 Bedsteads 2 Shovels 23Safes 355 Hat racks 2 Chairs 87 3 Screens ... Sterilizers Mangle 1 15Stretchers Wood hut 237 Tables 1 2 Steps $\mathbf{A}\mathbf{x}\mathbf{e}$ Numbering tents 1,920 1 Window • • • • • • 2 Sofa Hooks 1 . . . 5 200Floors Cyllin drums ... Iron rods ... 150 Carts 29 • • • . . . Strainers 2 Barrels 100 3 80 Numbering files ... Choppers ... 3 Blotters... 8 Trays Painting of furniture. Damietta Hospital Alexandria Hospital 'Abbâsîya Health Office ... Mansûra Hospital ... 1 1 2 Shubra Health Office Fever Hospital, 'Abbâsîya ... 1 1 Lock Hospital, Shubra Faiyûm Hospital Tema Health Office 1 Darb el Ahmar Health Office Sohâg Health Office BLACKSMITHS' SHOP. New Work. Blades for bandage cutting machine 50 Instrument tables 10 Machines for sun blinds 3 Iron pen rack 1 2 Leg-support for midwifery table Iron rings 220 17 Iron splints Lanas or hooks 37 2 Electric baths Extension apparatus for fractures ... 3 21 Iron rods for bedsteads Iron stands 151 Basins, water Hasps and staples 168] Keys Instrument cupboards 6 13 16 Telephone shelf, movable Iron brackets ... 1 ... 8 20 Trolleys... · Unions, iron Mould 1 Chimneys, iron 6 2 Latches 12 Bolts and nuts Wire loops for the bed mattresses ... Hinges 166 Bars, iron cross stretcher 10 Screws 100 Stove, kitchen 1 Brass covers 20 Trolley for carrying food 748 1 Iron angles Operation stools 2 Repairs. 166 Pumps Tables, iron, travelling Basins stand... Iron angles 109 32 Bedsteads Boxes, bound with hasps 732 13 Wire mattresses 182 Splints, iron 15 Tent ambulances Boiler 521 Trolleys... Chimneys 24 4 Jet, brass, for the garden hose Safe 1 Kitchen stoves 2 Pins for the tent poles 260

Blacksmiths' Shop.—Repairs (continued). Filters, travelling 15 Valve for the engine 1 Instrument tables 18 Forge 1 . . . Ironers 28 Iron angles 50 Cages for fractures Electric baths 18 3 Axes 24 Taps 12 Disinfecting barrels 46 Mowing machines 3 Stretchers 18 Operation tables 6 Hinges Leg supports for operation table 95 2 Stands for the ironer ... 8 Iron unions 54 Latches ... 12 Leather paper bags 3 Racks 12 Irrigator stand 1 Gulleys 8 Meat mincing machines 4 . . . Mangles... 2 Cyllin drums 200 . . . Hooks Bins, dust 300 10 Strainer... Stands for the fish kettle ... 1 8 Machine for crin végétal Stoves, coal -1 ... 3 Dust barrows Water barrows 30 12 Bandage machines 2 Locks and keys 516 Nails Rubber hose... ... 100 ... 15 TENTMAKERS' SHOP. New Works. Canvas covers for the ambulance 10 Chair cushions 48 Sunblinds Sofa cushions 19 20 Cotton mattresses Sofa mattresses 20 ... 10 Cotton pillows ... Cushions for Asyûti chair 1224 Cocoanut matting 29 Tent covers 16 Stretchers, 3rd class ... Examination tables 2 2 Stretcher covers ... 6 Felt covers for zinc bottles 32 Upholstered chairs 2 Cover for x-ray apparatus... 1 Repairs. Stretchers, ordinary Umbrellas ... 148 5 Portable chairs Mats, cocoanut ... 78 12 Sun blinds Rags 15 6 Mattress cases Upholstered 415 ... 10 . . . Tent covers, various ... 70 Sofas 3 Tents, various 206 Wheeled stretchers Straw mattresses 372 Operation stretchers 9

TINSMITHS' SHOP.

446

232

279

4.

8

25

7

11

Pails, canvas

Baskets

Zinc water bottles

Disinfecting sacks

Covers for travelling beds

Hose, fire

Valises for tents

Leg supports for operation tables ...

...

...

...

...

8

19

6

1

74

8

5

522

Straw pillows

Cotton pillows

Sofa cushions

Cotton mattresses

Sofa mattresses ...

. . .

. . .

...

. . .

Chair cushions

Covers, canvas, ambulance

Leather paper bags

Stretchers, 3rd class

New Work.

Cuttings, glass	700	Ice boxes				3
Wire loops for bedsteads	3,730	Ice chests				2
Bed-pan covers		Zinc douches, 10 litre	es			3
Zinc boxes	3 6	$Z\hat{\imath}r$ stands				2
Nozzles for disinfecting drums	17	Card boxes				2
Zinc douches, I litre	16	Boxes for lenses		• • •	• • •	1
Tin boxes for gloves	10	Perimeter cover			•••	1
Tins with covers	12					-

Tinsmith's Shop (continued).

Repairs.

Soldering tins					 1,320	Hurricane lamps	== 5	55
Covers for tins					 300	Formalin drums	2	20
Milk cans					 253	Ammonium drums	2	20
Spirit lamps					 123	Garden pipes	2	26
Aluminium boar	ds				 100	Water burrows	1	1
Tin boards					 214	Lining carts with zinc	1	14
Glass panes, fitt	ing				 181	Ice chests	2	27
Cutting wire					 655	Steel pans		4
Rat traps					 329	Winter stoves		4
Cyllin drums					 200			7
Stamping pads		• • •	• • •		 393	Machine for potatoes		3
Pannikin dishes					 561	Water cans		9
Zinc warmers					 132	Zinc basins		2
					 99			2
Lamps, H.P.					 95	Pans for fish		4
Vermorels					 86	Electric baths		5
Pails					 91	~		2
Candlesticks					 93	Meat safes		6
Nozzles for garde					 50		1	10
Zinc cans for late					 53	Ice cream machines		2
Garden sprays	• • •				 67	Water bottles, zinc		5
				••;	 38	Basins, ice chest		7
Zinc baths	• • •			• • •	 27	Kitchen stove		1
Big spoons	• • •				 22	Latrine pails		5
Strainers, soup					 15	Tables, zinc top		8
Dressing boxes					15	Test tube stands	• • • • •	2
Table lamps, par	affin			• • •	 22	Ironer sprays		4

IX.—GENERAL.

1.—BUDGET.

The Budget for the year April	1, 19	919,	to	March	31,	1920,	was	fixed	at	• • •	L.E.	674,626
That for 1918 was fixed at	• • •	• • •	• •	• •••		• • •	•••	•••	••	•••	"	520,477
Showing an increase of	•••	•••	• •		• • •	•••	•••	•••	• • •		L.E.	154,149

TABLE LXVIII.—Two YEARS' COMPARATIVE BUDGETS.

		1919	1918	Increase.	Decrease.
(Chapter I.—Central Services, Inspectorates, Hospitals, etc.	L.E.	L.E.	L.E.	L.E.
crt.	1. Salaries, wages, and allowances	236,014	199,447	36,567	
"	2. Transport, transfer, and travelling allowances	23,101	15,779	7,322	
,,	3. Food	94,730	70,265	24,465	_
"	4. Forage	. 1,676	1,244	432	_
"	5. Rent, water, light, and disposal of sewage	10,806	18,944	_	8,138
,,	6. Books and periodicals	407	407	_	
,,	7. Telephones and telegrams	1,687	1,485	202	_
"	8. Petty expenses	3,314	2,402	912	_
,,	9. Purchase of animals	1,235	1,270		35
"	10. Free water fountains	3,000	3,000	_	_
,,	11. Stores	189,006	102,802	86,204	_
,,	12. Uniforms	2,787	766	2,021	_
"	13. Upkeep of material and equipment	5,000	4,326	674	_
,,	14. Upkeep of motor cars, etc	1,735	2,769	_	1,034
"	15. Supplies to Provincial Councils ::.	1,000**	650	350	_
,,	16. Allowances to sanitary barbers	485	485	_	_
	Upkeep of buildings	_	5,928	_	· —
	Alteration to buildings	_ '	800		_
"	17. Disinfecting ships at the ports	6,000	6,000	_	_
79	18. Transport of stores	3,000	2,100	900	_
"	19. Maintenance of temporary lazarets at Gabbary	4,560	4,560		_
٠,,	20. Experimental work at the Institutes	3007	300	_	_
,,	21. Purchase of motor cars	2,650	780	1,870	<u></u>
"	22. Sanitary improvements in mosques	2,500	2,500	_	_
,,	23. New works	9,040	17,001	_	7,96
	Total of Chapter I Carried forward	604,033	466,010	161,919	17,168

Table LXVIII (continued).

Brought forward CHAPTER II.—Scavenging and Watering Service.	L.E. 604,033	466,010	L.E. 161,919	17,168
HAPTER II.—Scavenging and Watering	604,033	466,010	161,919	17,168
			-	
	\			
art. 24. Salaries, wages, and allowances	29,724	28,310	1,414	
" 25. Uniforms	612	* 487	125	
" 26. Forage	18,100	12,528	5,572	_
" 27. Water	5,877	6,060	-	183
" 28. Lighting and disposal of sewage	100	100	_	
" 29. Upkeep and repairs to plant and material	2,270	2,270	_	_
" 30. Material	12,805	9,848	2,957	
" 31. Stores, etc., sold to Municipalities, Local Commissions and Provin-		۳ ۵۵۵	1 000	
eial Councils	6,000	5,000	1,000	_
" 32. Telephones and telegrams	60	60	25	
" 33. Petty expenses	125	100	20	_
" 34. Purchase of animals	1,073	1,073 1,705		_
" 35. Upkeep of gullies	1,705	2,700		
Total of Chapter II	78,451	67,541	11,093	183
To deduct:	682,484	533,551	173,012	17,351
Recoveries for services rendered	7,858	6,346		1,512
TOTAL *	674,626	†527,205	173,012	18,863
Net increase	_	_	154,1	49

‡ Further provision for the cost of services rendered to this Department has been made in the budgets of the following Departments:—

	1919	1918
	L.E.	L.E.
Ministry of Finance (Stationery Office), of Communications (Post Office)	Mémoire. 2,385 237 12,369 592 76,550	Mémoire. 2,168 237 13,607
`	92,133	16,012

TABLE LXIX.—NEW WORKS.

EQUIPMENT FOR NEW BUILDINGS.	1919
Abbâsîya Fever Hospital :—	L.E.
Extension of Sisters' home	200
New quarters for 8 Assistant Nurses and 3 hakîmas	400*
2 Assistant Madical Officers	400*
Jagazig Hospital:— " S Assistant Medical Onicers	*00
N-was seed and	300*
	300*
New equipment store	50
uez Hospital:—	•
m	1,000*
None was the soul	10
Damanhûr Hospital:—	
Out nations agation	300*
Senha Hospital:—	
Administration block	300*
urchase of a new hot water boiler and 2 new washing machines at Qasr el 'Aini	
Hospital	270*
quipment for the Suez Hospital Laboratory	50
accinc Institute equipment	100*
nitial cost of scavenging and watering new roads	. 1,112
rophylactic measures against cholera	3,508
nstallation of 74 fixed disinfecting stations	740
- istantation of 14 fixed distinctoring stations	
Total	9,040

N.B.—All credits of Scavenging and Watering Service under Chapter II have been transferred to the Ministry of Public Works from June 1, 1919, by Council of Ministers' Decision of August 24, 1919.

2.—STAFF.

TABLE LXX.—PERMANENT EMPLOYEES.

CATEGORY.	1919	1918	CATEGORY.	1919	1918
TECHNICAL.			Brought forward	404	359
Director-General	1	$\begin{bmatrix} 1 \\ 1 \end{bmatrix}$	Assistant Pharmacists	8	7
Deputy Director-General	1		Sanitary Engineer, 2nd class	1	1
Directors of Sections	$\overline{4}$	4	2::4	1	1
Inspector, Cairo City	1	1	Chief Inspector, Scavenging and	_	
President, Medical Commission	1		Watering Service	1	1
Vice-President, Medical Commission	1		Inspectors, Scavenging and Watering	0	4
Sub-Directors of Sections	3	3	Service Sub-Inspector, Scavenging and Wa-	2	1
Inspectress for Maternity Homes	$\frac{2}{10}$	$\begin{bmatrix} 2\\9 \end{bmatrix}$	Sub-Inspector, Scavenging and Wa-	1	1
Inspectors	18 20	$\begin{vmatrix} 9 \\ 19 \end{vmatrix}$	tering Service Inspector of Vidange	Ť	1
Inspectors, 2nd class $\dots \dots \dots \dots$ 3rd $\dots \dots \dots \dots$	11	$\begin{vmatrix} 13 \\ 7 \end{vmatrix}$	Inspector of vidinge		~
Director of Technical Institutes	1		Administrative.		
Sub-Director of Institutes	î	1	ADMINISTRATIVE.		
Director, Antirabic Institute	1		Director, Administration Service	1	1
Bacteriologists, 2nd "	3	3	Director of Service	$\frac{1}{\alpha}$	1
, 3rd ,,	2	2	Sub-Directors of Service	$\frac{2}{1}$	2
4th ,,	8	8	Secretary	$\frac{1}{2}$	9
Chemists, 2nd class	$\frac{3}{2}$	$\begin{vmatrix} 2\\2 \end{vmatrix}$	Chefs de Bureau Sous-Chefs de Bureau	$\frac{2}{8}$	$\frac{2}{8}$
\mathcal{A}_{44} , \mathcal{A}_{44} , \mathcal{A}_{44}	$\frac{2}{3}$	$\begin{vmatrix} 2\\3 \end{vmatrix}$	Sous-Chefs de Bureau Employees, 1st class	10	10
Director, Alexandria Hospital	1	1	,, 2nd ,,	$\frac{1}{24}$	20
" Fever Hospital	1	i	", 3rd ",	58	46
Medical Officers, 1st class		$\overline{1}$	\parallel , $\frac{1}{2}$, $\frac{1}{2}$ $\frac{1}{2}$, $\frac{1}{2}$ $\frac{1}$	149	128
$\frac{1}{2}$, $\frac{1}{2}$ 1	4)	3			
, , 3rd ,,	20	9	STORES.		
,, , , 4 th $,$ Cat. A		22	7	7	1
\mathcal{A} , \mathcal{A} th \mathcal{A} , \mathcal{A}		186	Director of Stores	1	L 1
Midwives		44	Assistant Director of Stores	1	
Chief Inspector of Pharmacies) J	$\begin{vmatrix} 1\\2 \end{vmatrix}$	Chief Storekeeper Storekeeper, 1st class	1	1
Asst. Chief Inspector of Pharmacies Pharmacists, 2nd class	$\frac{1}{2}$	$\begin{vmatrix} z \\ 1 \end{vmatrix}$	Storekeepers, 2nd ,,	$\frac{1}{2}$	$\frac{1}{2}$
2rd	$\frac{1}{6}$	$\frac{1}{5}$,, 3rd ,,	7	$\frac{2}{6}$
Δth "	16	14	", 4th ",	27	28
,, 2011 ,,	l				000
Carried forward	404	359	TOTAL	714	629

^{*} Transferred to 1920-1921 Budget,

TABLE LXXI.—TEMPORARY EMPLOYEES.

CATEGORY.	1918	1919	CATEGORY.	1918	1919
			$Brought\ forward {\diagdown} \dots$	330	340
Medical Officers	52	62	Storekeepers	4	2
Inspectors (Epidemics)	4	3	Midwives	8	12
Inspector, provincial clerks	1	1	Superintendent	1	1
Engineers	6	3	Sub-Director of Stores	_	1
Matrons	4	8	Inspector of Stores		1
Nursing sisters	25	37	Food and Nuisance Inspectors		4
Clerks	232	220	Electricians	_	2
Foremen of works	2	2	Overseers		8
Mechanic	. 1	1	Assistant Stable Master	-	1
Meter inspector	. 1	1	Assistant Storekeepers		2
Stable masters	. 2	2	Director, Antirabic Institute	. 1	
Carried forward	. 330	340	Total	. 344	374

TABLE LXXII.—Hors CADRE STAFF.

CATEGORY.				1918	1919	CATEGORY.	1918	1919	
							Brought forward	593	733
Chief attend	lants	• • •	•••	•••	80	93	Disinfectors, 2nd class	31	35
Male ,	,	•••	•••	•••	348	452	Cooks	45	49
Female ,	,	• • • • • •	•••		131	148	Printers	3	3
Assistants, 1	Labora	atory, 1s	t class	• • •	1	1	Overseers	35	42
29	12	2n	d "	•••	5	5	Moawens	· 34	36
"	"	3r	d "	• • •	7	11	Sanitary barbers	15	26
,,	"	4t)	h ,,	• • •	9	9	Mechanics	2	2
Disinfectors	, 1st	class	• • • • • • •	•••	12	14	Various categories	915	955
						•			
	(Carried f	forward	•••	593	733	TOTAL	1,673	1,881

3.—AUTHORIZATIONS TO PRACTISE MEDICINE AND ALLIED PROFESSIONS.

Permits to practise their profession in Egypt were issued during 1919 to seventy-nine doctors, nineteen pharmacists, five assistant pharmacists, three veterinary surgeons, nine midwives, and ten dentists.

According to the present register the statistics of the various professions are as follows:—

Doctors	• • •	• • •	• • •	• • •	*	 • • •	 • • •		 • • •	 2,617
Pharmacis	ts	• • •		• • •		 	 		 	 929
Assistant 1	pharm	acist	5s			 •••	 		 	 283
Veterinary	surge	eons				 	 		 	 153
Midwives	• • •	• • •	• • •			 	 		 	 621
Dentists	• • •					 	 • • •	• • •	 	 185

These figures can only be considered as approximately representing the real state of affairs, and by no means as representing the correct number of persons engaged in the various professions, as the Administration is rarely notified of the decease, departure, or retirement from practise of persons on the register.

The law as it at present stands, allows the Department of Public Health to license the holders of diplomas from any recognized faculty or university to practise in Egypt, but the appreciation of the value of certain of the diplomas presented is found to be exceedingly difficult, and in some cases deliberate fraud has been brought to light. In this respect it may be of interest to quote one or two cases which have presented peculiar features.

An Ottoman Jew, who qualified in medicine at the Constantinople Medical School during the war, was pressed by the Turkish authorities to enter the Turkish Army. He demurred, whereupon his diploma was made out bearing an Osmanli name instead of his real name, and he was mobilized. In due course he arrived in Egypt, and applied for permission to practise his profession; on examining his documents, it was found that the name on his identification papers differed from that on the diploma. After long inquiries the above facts were elicited.

A Persian diploma, stated in the first instance by the Consular authority concerned to be valid, was subsequently stated by the same authority to be not valid.

A diploma issued by the "Anthropological University of St. Louis," Missouri, U.S.A., dated 1896, was submitted to the Consular authority concerned for opinion as to its value. In 1898 it was declared invalid, but on being submitted again in 1903 was stated to be good and to confer on the holder the right to practise medicine in the United States. Finally, in 1916 the same Consular authority stated that the institution in question was fraudulent, and had been closed since 1885. The diploma about which all the discussion had taken place had therefore been issued eleven years after the closure of the institution referred to. The person presenting the diploma—a European—was prosecuted for fraud, but his Consular authority dismissed the case on the ground of insufficient proof.

Other cases have occurred in which the original name on a diploma has been changed after the death of its owner by the person into whose possession it has come, with the object of converting the diploma to his own use and obtaining permission to practise as a doctor on the strength of it.

Again, as a result of the peculiar conditions arising from the state of war, members of the various professions under notice, refugees from their own countries, have been unable to produce their original diplomas or other necessary documents, but have been able to prove that they are fully and properly qualified. In these cases the Administration has granted temporary permits to practise, with the proviso that the original documents must be produced as soon as the state of affairs allows, otherwise the permit to practise will be withdrawn.

The new law on the practice of dentistry, which is on the point of being promulgated, gives power to the Administration to insist that the holders of doubtful diplomas who apply for permits to practise should submit to an examination by a Board of Examiners appointed by the State. It is intended to insert the same powers in the projected new laws on the practice of medicine, midwifery, chemistry, and pharmacy.

Table LXXIII.—Authorizations to Practise the Medical and Allied Profession.

	TOTAL.	1918	52		2	જ	1	11	ත .	98
	ToT	1919	62		19	ů	ಣ	တ	10	125
	s a a	1918	—		1	1	1	`	1	H
	Russians.	1919	\vdash		1	ı		-	—	_ 01
	ans.	1918			-	1		1		
	Ottomans.	1919	67			1				60
	ths.	1918				.		1		
	Belgians.	1919				1			1	
	· · · · · · · · · · · · · · · · · · ·	1918				1				
	Swiss.	1919	H		1	1				-
LITY.		1918	-		21	1				ස
NATIONALITY	Greeks.	1919			-				૦ ૧	ෙ
N	s c	1918	. 1			1	1		1	01
	Italians.	1919	63			1		6.1	1	4
	J.,	1918			1	1	.		•	
	French.	1919	- 					 -		21
	ans.	1918	H		1		1	1		0.1
	Americans.	1919	H	•		1		1		62
	.ti	1918	н		1			1		० 1
	British,	1919	9		1		1	Н	63	10
	nns.	1918	48		4	ତା	11	10		92
	Egyptians.	1919	64		18		ಣ	ಣ	4	96
			•		:	:	:	:	<u>.</u>	:
	Profession.		÷		:	(2) Assistant Pharmacists	÷	:	:	:
			:	-	÷	harm	:		:	Totals
			:	cal :-	acist	nt P.	:	:	:	Tor
			:	euti	narm	ssista	ıry	ту	:	
			Medical	Pharmaceutical :—	(1) Pharmacist	2) As	Veterinary	Midwifery	Dental	
			Me	Pha	C	3	Vet	Mic	Der	

4.—LEGAL.

The following enactments, bearing on the work of the Department, were published in 1919:—

Three arrêtés making additions to the list of Etablissements Incommodes, Insalubres et Dangereux:—

- (1) Class I, Category A:—
 - (a) Arrêté of June 18, 1919, re establishments for the preparation and preservation of meat.
 - (b) Arrêté of August 7, 1919, re establishments for scutching of flax and hemp.
- (2) Class II, Category A:—

Arrêté of February 19, 1919, re establishments for rag teasing and rope factories.

Arrêté of February 12, 1919, adding Influenza to the schedule annexed to Law No. 15 of 1912, prescribing prophylactic measures against infectious diseases.

Arrêté of June 22, 1919, stating that the term typhoid fever includes all the diseases of this group and especially paratyphoid A and B.

Arrêté of December 11, 1919, instituting the Board of Health.

The following table shows the number of prosecutions undertaken for offences against public health laws and regulations, with the results obtained.

೧

27

42

49

10

\$5


871

175

1,466 1,012 5,140TOTAL 1918 4,686 1,45243 496 283 80 199 20 0.1 111 53 TOTAL. 1919 84 105 GI 90 9 Beheira 236 110 36 110 4 13 Daqahliya. 233 96 0.1 90 8 4 Sharqiya. 312 ಯ 9 167 klihûaiM 46 977 |256|ಣ 549 Gharbiya. 70 47 9 0.1 22 \vdash Qalyûbîya. 389 388 ರಧ лвигА. 692 117 30 Сепя. 655 80 22 Girga. 35 177 50 147 Asylet. 5 13 75 241 55 - Minya. 184 90 92 Beni Suef 436 12 61 11 1000 .uniyin4 167 ಣ 38 Gîza. 90 9 ा \vdash ·zəng · 00 60 **∵1** 10 Damietta. 555 14 .silisms1 330 168 0.1 25 Port Said. ಲ 312 286 10 5 2 .orinO Plague and cholera. Decree of May 27, 1899, modified by Laws No. 3 of February 16, 1911, and No. 10 of April 27, 1913 Arrêtés of Passenger control in case of cholera abroad. Arrêté of January 21, 1911, Law No. 3 of February 1918 Inhumation, exhumation, and transport of bodies abroad. Regulations of September 15, 1876, and Vaccination. Decree of December 17, 1890, modified by Decree of August 6, 1897, and by Law No. 9, 1917 ... Transfer of cemeteries. Decree of January 29, 1894 Enclosure of cemeteries: unauthorized inhumation. 1886, Arrête of June Permanent and exceptional measures to prevent epidemics. Arrêtés of May 11, 1895, and December 19, 1904 Arrêté of Cholera. Arrêté of October 17, 1895, and supplementof June 15, 1893 လ် November epidemics. epidemics. 1910 1877 Practice of medicine and its branches. Vidange and dépotoirs. Arrêté of modified by Arrêté of June 2, 191 NAME OF LAW June 16, 1912 13, 1891... Enclosure of waste lands. Arrêté ary *Arrêté* of May 30, 1896 . Decree of August 6, 1897, and Decree of March 12, 1898 Oysters and shell-fish during Disinfection of houses during May 23 and June 26, 1901 March 26 and October 30, PROPHYLACTIC MEASURES:-CEMETERIES :-

TABLE LXXIV.—LIST OF CONTRAVENTIONS AGAINST PUBLIC HEALTH LEGISLATION DURING 1919.

									- 10) -					
1	2,157	1	6	30	⊘ 1	1	1	16	1,049	591	31	310	406	13,481	11,783 206 637 855
	2,961		55c	20	ಣ	1	1	50	1,895	823	6	327	225	14,181 1	12,248 213 626 1,094
	350		ಣ			1		ಣ	137	37	-	1	©1	732	32 7 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2
1	101	-				1		9	09	02	1	61	14	774	507 16 64 187
1	236			- 1 1	-	1		9	22		4	£3	ಣ	730	581 25 26 98 98
1	637		কা	Ç.I		1	1	₩.	204	77	1		જા	1,384	1,189 12 115 68
	203		27	FF	1	1		- -1	8	54	T	19	64	1,796	1,609 24 35 128
	116	1						1	32	58	1	6.	, 1	372	333
	42		1	1		İ			35	ಣ		-	I	511	431 · 5 21 54
	313	ĺ	1	-			-	1	929	39	1	1		1,878	1,679 40 114 45
	110					1	1	1	81	13	1		Ħ	944	856 11 73
1	193		·	4	1			1	128	79		1	2	775	702 1 207 70
	26			1				1	78	2	1		24	829	616 1 19
	92			1	1			1	103	0		1	19	416	392
	69				1				85	4		1		629	557 - 1 72 49
	147	1						1	120	10		l	1	480	448 3 13 16
	ಣ		1	কা	1		1	1	61	20	67	29	10	81	0,0140
	ಣ					1	1	1	ಣ	ಣ		1	ं	49	46 2 - 1
	ı	1	1		1	1			ಣ	9	1	[85	77 11 33 29 29
	بن	1	1	H	1	1	1	1	70	48	1	29	χĊ	327	265 4 15 43
	260		1	4		1			55	314	ठ्य	179	09	1,530	1,198 39 103 190
Navigation on the Mahmudîa Canal in time of cholera. Arrêté of January 16, 1911	Prophylactic measures against infectious diseases. Law No. 15 of June 12, 1912	Prophylactic measures against Cholera. Law No. 10 of June 26, 1917	Excavations and birkas near habitations. Decree of April 26, 1900	Pharmacy and sale of poisons. Law No. 14 of September 15, 1904	Assistant pharmacists. Law No. 20 of November 17, 1911, modified by Law No. 15 of 1918	Transport of rags during epidemics. Law No. 1 of March 10, 1906, and Arrêté of October 30, 1913	Control of returning pilgrims. Arrêté of June 14, 1914	Public latrines and dépendances of mosques and zawias. Law No. 14 of July 1, 1911	Births and deaths. Decree of August 11, 1912	Etablissements incommodes, insalubres et dangereux. Law No. 13 of August 28, 1904, and Arrêté of August 29, 1904, completed by Arrêté of June 11, 1905	Cleanliness of streets. Arrêté of June 7, 1913	Adulteration of milk. Article 302 of the Native Penal Code	General sanitary contraventions. Native Penal Code, Arts. 334, 335, and 336, and Mixed Penal Code, Art. 333, para. 6	Total number reported	Convictions obtained Filed



Govt. Press 4977-1920-250 ex.

. . * .







